



Query V2

▼

Search operations

Group by tag

- GET Resource: Locations for Organization
- GET Resource: Locations for Service
- GET Resource: Service At Location
- GET Resource: Service At Location Details
- GET Resource: Services at Locations for Organization
- GET Resource: Services for Location
- GET **Resource: Services for Organization**

Query V2

API definition ▼

[Changelog](#)

Returns service, location and service-at-location resources from the 211 National Data Platform's resource repository. This API supports users to view details of a chosen search result.

This API returns the key components of a 211 NDP organization resource: service, location, service-at-location. The operations support several use cases, including:

- Service(s):returns a service or list of services for an organization.
- Locations: returns a location or list of locations for an organization.
- Service-at-Location: returns a service-at-location or list of service-at-location for an organization.

- Suggest: provides functionality and values for implementing type-ahead functionality and suggested resources
- A typical pattern for using this API is to display the service, location and service-at-location details when viewing a search result (see Search API), or a list of locations for a service or list of services for a location.

Contact

Support 211 National Data Platform
support@211.org
<https://register.211.org/home/contact>

Resource: Services for Organization

Try it ▶

Returns a list of services for a given organization.

Query

Request

GET <https://api.211.org/resources/v2/query/services-for-organization/{id}>

Request parameters

Name	In	Required	Type
id	template	true	string

Request headers

Name	Required	Type	Descriptio
data0wners	false	string	Note: this h policies, an consumer. owner(s) (e multiple 21


separated l
211ventura
immediatel

Response: 200 OK


OK

application/json

Services-for-organization-id-Get200ApplicationJson...




{ }

Name	Required	Type	Descri
	true	ServiceDto []	

default

DEFAULT - JSON

 Copy

```
[{
  "id": "string",
  "idProgram": "string",
  "idOrganization": "string",
  "name": "string",
  "alternateNames": ["string"],
  "description": "string",
  "contacts": [{
    "id": "string",
    "name": "string",
    "title": "string",
    "email": "string",
    "phones": [{
      "id": "string",
      "name": "string",
      "type": "Unknown",
      "number": "string",
      "extension": "string",
      "description": "string",
```

```
        "isMain": true,
        "access": "Public"
    }],
    "isMain": true,
    "access": "Public"
}],
"phones": [{
    "id": "string",
    "name": "string",
    "type": "Unknown",
    "number": "string",
    "extension": "string",
    "description": "string",
    "isMain": true,
    "access": "Public"
}],
"schedules": [{
    "id": "string",
    "type": "Regular",
    "validFrom": "string",
    "validTo": "string",
    "open": [{
        "day": "Sun",
        "opensAt": "string",
        "closesAt": "string"
    }],
    "description": "string"
}],
"taxonomy": [{
    "id": "string",
    "taxonomyTerm": "string",
    "taxonomyCode": "string",
    "taxonomyTermLevel1": "string",
    "taxonomyTermLevel2": "string",
    "taxonomyTermLevel3": "string",
    "taxonomyTermLevel4": "string",
    "taxonomyTermLevel5": "string",
    "taxonomyTermLevel6": "string",
    "target": {
        "code": "string",
        "term": "string"
    }
}],
"applicationProcess": "string",
"interpretationServices": "string",
"email": "string",
```

```
"url": "string",
"waitTime": "string",
"fees": {
  "type": "Unknown",
  "description": "string"
},
"accreditations": ["string"],
"licenses": ["string"],
"languages": {
  "description": "string",
  "codes": ["SignLanguage"]
},
"funding": "string",
"eligibility": {
  "description": "string",
  "type": ["Unknown"]
},
"serviceAreas": [{
  "id": "string",
  "type": "Unknown",
  "value": "string",
  "geoJson": {
    "type": "Feature",
    "geometry": {
      "type": "GeometryCollection",
      "geometries": [{
        "type": "Polygon",
        "coordinates": [
          [
            [0]
          ]
        ]
      }
    ]
  }
},
  "description": {
    "name": "string",
    "lastGeocoded": "string"
  }
},
"geoComponents": [{
  "postalCode": "string",
  "locality": "string",
  "county": "string",
  "state": "string",
  "country": "string"
}]
```

```
    }],  
    "documents": {  
      "description": "string",  
      "types": ["Other"]  
    },  
    "locationIds": ["string"],  
    "meta": {  
      "idResource": "string",  
      "tags": ["string"],  
      "access": "Public",  
      "status": "Active",  
      "reasonInactive": "Vacation",  
      "lastUpdated": "string",  
      "lastVerified": "string",  
      "created": "string",  
      "temporaryMessage": {  
        "message": "string",  
        "validFrom": "string",  
        "validTo": "string"  
      },  
      "priorSystemId": "string"  
    }  
  }  
}]
```

Response: 404 Not Found

Not Found

Definitions

Name	Description
Access	
ContactDto	Contact
DocumentDto	
DocumentType	
EligibilityDto	Eligibility

EligibilityType	
FeesDto	
FeesType	
GeoJsonType	
GeometriesType	
GeometryType	
LanguageCode	
LanguagesDto	Languages
MetaDto	Attributes of parent object to assist data consumption patterns
MetaReasonInactive	
MetaStatus	
MetaTemporaryMessa...	
OpenDay	
PhoneDto	Phone
PhoneType	
ScheduleDto	Schedule
ScheduleOpenDto	Open days and open/close time of a schedule
ScheduleType	
ServiceAreaDto	Service area
ServiceAreaGeoCompo...	
ServiceAreaGeoJsonDto	
ServiceAreaGeoJsonGe...	
ServiceAreaGeoJsonGe...	

[ServiceAreaGeojsonPr...](#)

[ServiceAreaType](#)

[ServiceDto](#) Service.

[TaxonomyDto](#) Taxonomy

[TaxonomyTargetDto](#)

[Services-for-organizati...](#)

Access



Type	Values
string	Public , Private , Referral , Directory , Research , Website

ContactDto

Contact



Name	Required	Type	Descriptio
id	true	string	The unique
name	true	string	Name of th
title	true	string	Title of the
email	true	string	Email of th
phones	true	PhoneDto []	Phones of t
isMain	true	boolean	Is main cor

access

true

Access

DocumentDto



Name	Required	Type	Descriptio
description	true	string	
types	true	DocumentType[]	

DocumentType



Type	Values
string	Other , BirthCertificate , DriversLicense , PictureId , Passport , ProofOfIncome , ProofOfResidency , ProofOfHealthInsurance , SocialSecurity , ProofOfInsurance , ProofOfImmunization , ProofOfImmigration , ProofOfCitizenship

EligibilityDto

Eligibility



Name	Required	Type	Descriptio
description	true	string	
type	true	EligibilityType[]	

EligibilityType



Type	Values
string	Unknown , Crisis , LowIncome , Residency , Disability , Veteran , Senior , Youth , Uninsured , Transgender , Homelessness , VictimOfViolence , Student , FoodInsecurity , MedicalIssue , HomeOwnership , Other

FeesDto



Name	Required	Type	Descriptio
type	true	FeesType	
description	true	string	

FeesType



Type	Values
string	Unknown , NoFee , PartialFee , FullFee , Other , NotApplicable

GeoJsonType



Type	Values
string	Feature

GeometriesType



Type	Values
string	Polygon

GeometryType



Type	Values
string	GeometryCollection

LanguageCode



Type	Values
string	SignLanguage , Afar , Abkhazian , Afrikaans , Amharic , Arabic , Aymara , Bashkir , Bengali , Bislama , Tibetan , Breton , Bulgarian , Catalan , Czech , Chamorro , Corsican , German , Greek , English , Esperanto , Basque , Persian , French , Guarani , Gujarati , Hebrew , Hindi , Finnish , Croatian , Hungarian , Armenian , Indonesian , Hausa , Italian , Japanese , Kalaallisut , Kannada , Kashmiri , Georgian , CentralKhmer , Kinyarwanda , Korean , Lao , Latin , Latvian , Lingala , Lithuanian , Malayalam , Other , Kurdish , Malay , Burmese , Nepali , Dutch , NorwegianNynorsk , Norwegian , OccitanBokmål , Oriya , Navajo , Panjabi , Polish , Portuguese , Pushto , Chinese , Haitian , Quechua , Romansh , Romanian , Rundi , Russian , Sango , Sinhala , Sanskrit , Sindhi , Slovak , Samoan , Shona , Somali , Sundanese ,

Tagalog , Spanish , Albanian , Serbian ,
Swahili , Tamil , Tatar , Telugu , Tswana , Thai
, Tigrinya , TongaIslands , Welsh , Uzbek ,
Tsonga , Turkmen , Turkish , Twi , Ukrainian ,
Urdu , Vietnamese , Wolof , Xhosa , Yiddish ,
Yoruba , Zulu , Igbo , Swedish , Danish , Fijian
, Icelandic , Irish , Javanese , Marathi ,
Mongolian , Ojibwa , Azerbaijani , Akan ,
Bosnian , Oromo , Hmong , Karen , Estonian ,
Kazakh , Kirghiz , Slovenian , Tajik , Unknown

LanguagesDto

Languages



Name	Required	Type	Descriptio
description	true	string	
codes	true	LanguageCode[]	

MetaDto

Attributes of parent object to assist data consumption patterns



Name	Required	Type	Descriptio
idResource	true	string	The resour
tags	true	string[]	
access	true	Access	
status	true	MetaStatus	
reasonInactive	true	MetaReasonInactive	
lastUpdated	true	string (date)	Date paren

lastVerified	true	string (date)	Date paren
created	true	string (date)	Date paren
temporaryMessage	true	MetaTemporaryMessage...	
priorSystemId	true	string	Prior syste

MetaReasonInactive



Type	Values
string	Vacation , OffSeason , AtCapacity , OutOfFunds , NoInventory , Emergency , Other , Deleted , Unknown

MetaStatus



Type	Values
string	Active , Inactive , Deleted , Draft

MetaTemporaryMessageDto



Name	Required	Type	Descriptio
message	true	string	Message
validFrom	true	string (date-time)	Valid from

validTo

true

string (date-time)

Valid to

OpenDay



Type	Values
string	Sun , Mon , Tue , Wed , Thu , Fri , Sat

PhoneDto

Phone



Name	Required	Type	Descriptio
id	true	string	The unique
name	true	string	Name of a
type	true	PhoneType	
number	true	string	Number of
extension	true	string	Extension c
description	true	string	Description
isMain	true	boolean	Is main phc
access	false	Access	

PhoneType



Type	Values
string	Unknown , Hotline , AfterHours , TollFree , Intake , Admin , Main , Alternate , Fax , TTY , Contact , Other

ScheduleDto

Schedule



Name	Required	Type	Descriptio
id	true	string	The unique
type	true	ScheduleType	
validFrom	true	string (date-time)	The date (Y valid, form: schema.org/validation.f
validTo	true	string (date-time)	The last da is valid, for schema.org/validation.f editor.org/i
open	true	ScheduleOpenDto[]	Array of op schedule
description	true	string	String field schedule

ScheduleOpenDto

Open days and open/close time of a schedule



Name	Required	Type	Description
day	true	OpenDay	
opensAt	true	string (time)	Time (UTC) with http://schema-validator.org/
closesAt	true	string (time)	Time (UTC)

ScheduleType



Type	Values
string	Regular , Seasonal , Temporary , Other

ServiceAreaDto

Service area



Name	Required	Type	Description
id	true	string	The unique
type	true	ServiceAreaType	
value	true	string	Value of the
geojson	true	ServiceAreaGeoJsonDto	
geoComponents	true	ServiceAreaGeoComponent...	Component array to support between two

can map to
to be sourc

ServiceAreaGeoComponentsDto



Name	Required	Type	Descriptio
postalCode	true	string	
locality	true	string	
county	true	string	
state	true	string	
country	true	string	

ServiceAreaGeoJsonDto



Name	Required	Type	Descriptio
type	true	GeoJsonType	
geometry	true	ServiceAreaGeoJsonGe...	
description	true	ServiceAreaGeoJsonPr...	

ServiceAreaGeoJsonGeometryDto



Name	Required	Type	Descriptio
type	true	GeometryType	
geometries	true	ServiceAreaGeoJsonGe...	

ServiceAreaGeoJsonGeometryGeometriesDto



Name	Required	Type	Descriptio
type	true	GeometriesType	
coordinates	true	array[]	

ServiceAreaGeoJsonPropertiesDto



Name	Required	Type	Descriptio
name	true	string	name of th
lastGeocoded	true	string (date-time)	date geoJsc

ServiceAreaType



Type	Values
string	Unknown , PostalCode , Locality , County , State , Country , Place

ServiceDto

Service.



Name	Required	Type	Descriptio
id	true	string	The unique

idProgram	true	string	The unique
idOrganization	true	string	The unique
name	true	string	Name of th
alternateNames	true	string[]	Alternates
description	true	string	Description
contacts	true	ContactDto[]	Contacts of
phones	true	PhoneDto[]	Phones for
schedules	true	ScheduleDto[]	Schedules
taxonomy	true	TaxonomyDto[]	The taxono
applicationProcess	true	string	Application
interpretationServi...	true	string	Interpretati
email	true	string	Email of the
url	true	string (uri)	Website of
waitTime	true	string	Wait time c
fees	true	FeesDto	
accreditations	true	string[]	Accreditati
licenses	true	string[]	Licenses of
languages	true	LanguagesDto	Languages
funding	true	string	Funding so

eligibility	true	EligibilityDto	Eligibility
serviceAreas	true	ServiceAreaDto[]	Service are
documents	true	DocumentDto	
locationIds	true	string[]	Location ID
meta	true	MetaDto	Attributes c consumptio

TaxonomyDto

Taxonomy



Name	Required	Type	Descriptio
id	true	string	The unique
taxonomyTerm	true	string	The taxono
taxonomyCode	true	string	The taxono
taxonomyTermLev...	true	string	The Level 1
taxonomyTermLev...	true	string	The Level 2
taxonomyTermLev...	true	string	The Level 3
taxonomyTermLev...	true	string	The Level 4
taxonomyTermLev...	true	string	The Level 5
taxonomyTermLev...	true	string	The Level 6

target

true

TaxonomyTargetDto

TaxonomyTargetDto



Name	Required	Type	Descriptio
code	true	string	AIRS taxon
term	true	string	AIRS taxon

Services-for-organization-id-Get200ApplicationJsonRes...

Powered by 211



Name	Required	Type	Descriptio
[]	true	ServiceDto[]	