Already have a configured instance? Want to just change which Django project is deployed? Don't want to go through all that trouble of configuring a new instance again?

This is not a walkthrough, but a list of things that need to be changed, assuming you already know how to deploy a project.

On your local machine

- 1. Make your git repo, your .gitignore, and your requirements.txt
- 2. Push your project up to a remote repo

On your virtual machine

- 1. From your root folder, git clone your new project
- 2. Inside of your new project, create a new virtual environment
- 3. Inside the virtual environment, pip install requirements.txt
- 4. Install django-extensions, bcrypt, and gunicorn
- 5. Edit your settings.py file as needed and run collectstatic
- 6. In your gunicorn.conf file, change the paths to your current project as needed
- 7. Reload gunicorn with *sudo systemctl daemon-reload* and restart it with *sudo systemctl restart gunicorn*
- 8. Create a new sites available file for this project
- 9. Leave the old sites available for your previous project, but remove it from sites enabled
- 11. The only file in sites enabled should be your new file
- 12. Restart nginx

Remember, since this is not a detailed walkthrough, refer back to the deployment instructions for more details and exact syntax.

Here's a story:

Everyone said *Git* was just a *clone* of his brother, so in an attempt to be unique, he decided to go to a *new environment, virtually* the complete opposite of everything he'd known before. But arriving in a new weird place all alone, he ended up living *in a stall* with only his basic *requirements*. Needing *Djangos*, the local currency, Git had to *extend* his hours working at the only place he could find work, at the local *crypt*. The alien-like *Gunicorns* who roamed the land made his *settings* even more eerie. One day, as he *collected* his pay, something felt like *static* electricity in the air. The Gunicorns were having an exciting *conference* to discuss the *paths* they should take as they *restarted* their *Gunicorn* society. *New sites* were becoming *available* for them to expand, but many wanted to keep their *old sites available*. They were afraid if they moved, they would *enable* their old sites to be *removed* from their control. As they argued, Git noticed someone let their *engine* die, so he *restarted* it and drove away.

The end.