

Preliminary Models

Sebastian Rojas Cabal

7/5/2022

% Table created by stargazer v.5.2.3 by Marek Hlavac, Social Policy Institute. E-mail: marek.hlavac at gmail.com % Date and time: Wed, Jul 06, 2022 - 00:53:35

Table 1:

Statistic	N	Mean	St. Dev.	Min	Max
anti_lgbtq	1,644,562	0.004	0.061	0	1
totalXpns_2013_100k	1,644,562	98.515	1,661.498	0.000	668,948.600
frgnXpns_2013_100k	1,644,562	0.934	76.601	0.000	46,225.300
propFrgnXpns_2013_100k	1,644,562	0.012	0.094	0.000	1.019
ind_yearMrgEq_rtrn	1,644,562	0.926	0.263	0	1
log_frgnXpns_2013_100k	1,644,562	−Inf.000		−Inf.000	10.741

Models without controls

```
# Foreign Expenses
model1 <- lm(frgnXpns_2013_100k ~ anti_lgbtq,
             nonprofits_analysis)

# Logged Foreign Expenses
#model2 <- lm(log_frgnXpns_2013_100k ~ anti_lgbtq,
#             nonprofits_analysis)

# % of Total Expenditures
model3 <- lm(propFrgnXpns_2013_100k ~ anti_lgbtq,
             nonprofits_analysis)

stargazer(model1, model3, type = 'latex')
```

% Table created by stargazer v.5.2.3 by Marek Hlavac, Social Policy Institute. E-mail: marek.hlavac at gmail.com % Date and time: Wed, Jul 06, 2022 - 00:53:38

Models with controls

This is an R Markdown document. Markdown is a simple formatting syntax for authoring HTML, PDF, and MS Word documents. For more details on using R Markdown see <http://rmarkdown.rstudio.com>.

When you click the **Knit** button a document will be generated that includes both content as well as the output of any embedded R code chunks within the document. You can embed an R code chunk like this:

Table 2:

	<i>Dependent variable:</i>	
	frgnXpns_2013_100k	propFrgnXpns_2013_100k
	(1)	(2)
anti_lgbtq	50.034*** (0.975)	0.054*** (0.001)
Constant	0.746*** (0.060)	0.012*** (0.0001)
Observations	1,644,562	1,644,562
R ²	0.002	0.001
Adjusted R ²	0.002	0.001
Residual Std. Error (df = 1644560)	76.539	0.094
F Statistic (df = 1; 1644560)	2,636.040***	2,063.065***

Note:


*p<0.1; **p<0.05; ***p<0.01

```
summary(cars)
```

```
##      speed      dist
##  Min.   : 4.0    Min.   : 2.00
##  1st Qu.:12.0    1st Qu.: 26.00
##  Median :15.0    Median : 36.00
##  Mean   :15.4    Mean    : 42.98
##  3rd Qu.:19.0    3rd Qu.: 56.00
##  Max.   :25.0    Max.    :120.00
```

Including Plots

You can also embed plots, for example:



Note that the `echo = FALSE` parameter was added to the code chunk to prevent printing of the R code that generated the plot.