

openclaw（小龙虾）+ccswitch

1.下载与安装

1-1openclaw安装

首先确保你已经安装了 Node.js 环境，然后在终端执行：

▼ 安装openclaw

Plain Text |

```
1 npm i -g openclaw
```

初始化openclaw

▼ 初始化openclaw

Plain Text |

```
1 openclaw onboard
```

1-2.ccswitch下载


ccswitch下载链接：<https://github.com/farion1231/cc-switch/releases/tag/v3.15.0>

页面拉取到最下面，选择Windows版本安装包，下载安装即可。

 CC-Switch-v3.15.0-Linux-arm64.Applmage.sig	sha256: 117c5087c59b26510eb31559ae134...		424 Bytes	last week
 CC-Switch-v3.15.0-Linux-arm64.deb	sha256: 8532dfe70218ef3f90c617e5e7bfd...		12 MB	last week
 CC-Switch-v3.15.0-Linux-arm64.rpm	sha256: 6e680a4cafb2f885141292a1cc70a...		12 MB	last week
 CC-Switch-v3.15.0-Linux-x86_64.Applmage	sha256: f6c70d88c5b446109f5ae8c3f8b3a...		87.6 MB	last week
 CC-Switch-v3.15.0-Linux-x86_64.Applmage.sig	sha256: c9f8dbb9f872f73c2b75087e6b8a6...		424 Bytes	last week
 CC-Switch-v3.15.0-Linux-x86_64.deb	sha256: a52546365b046a249d59c3d89e55f...		12.4 MB	last week
 CC-Switch-v3.15.0-Linux-x86_64.rpm	sha256: da979e08d893c705b026dfc603eba...		12.4 MB	last week
 CC-Switch-v3.15.0-macOS.dmg	sha256: 137c9a970d8ea8736cf042de5f368...		25.6 MB	last week
 CC-Switch-v3.15.0-macOS.tar.gz	sha256: 2b53643202c66eb84f3b1f3604c64...		26.2 MB	last week
 CC-Switch-v3.15.0-macOS.tar.gz.sig	sha256: 41f0e12e205ad93a318ac4aFeb82...		408 Bytes	last week
 CC-Switch-v3.15.0-macOS.zip	sha256: 095f6f9176e472788e38dd5f09502...		25.6 MB	last week
 CC-Switch-v3.15.0-Windows-Portable.zip	sha256: 0aeb1cab0f5f62416327ef351c48a...		12 MB	last week
 CC-Switch-v3.15.0-Windows.msi	sha256: 634c6483dc90f2070197172709dd6...		12.3 MB	last week
 CC-Switch-v3.15.0-Windows.msi.sig	sha256: e84190eb79555642c9eedc5b6bbff...		420 Bytes	last week
 latest.json	sha256: f742d3e7cb8456b1ea005317ca454...		2.89 KB	last week
 Source code (zip)				last week
 Source code (tar.gz)				last week

2.配置ccswitch

2-1.打开ccswitch，选择小龙虾图标新建配置



2-2.选择自定义配置



添加新供应商

预设供应商

自定义配置

胜算云

火山Agentplan

BytePlus

DouBaoSeed

DeepSeek

Zhipu GLM

Zhipu GLM en

Qwen Coder

Kimi k2.6

Kimi For Coding

StepFun

StepFun en

MiniMax

MiniMax en

KAT-Coder

Longcat

BaiLing

Xiaomi MiMo

AiHubMix

DMXAPI

ClaudeCN

RunAPI

OpenRouter

TheRouter

ModelScope

SiliconFlow

SiliconFlow en

Novita AI

Nvidia

PIPELLM

PackyCode

Cubence

AIGoCode

RightCode

AICodeMirror

AICoding

CrazyRouter

SSSAiCode

优云智算

优云智算Coding Plan

Micu

CTok.ai

LionCCAPI

E-FlowCode

LemonData

AWS Bedrock

OpenAI Compatible

💡 自定义配置需手动填写所有必要字段

取消

+ 添加

2-3.填写配置



添加新供应商

配置文件中的唯一标识符，只能使用小写字母、数字和连字符

供应商名称

向量引擎

随便填

备注

示例

随便填

官网链接

<https://api.vectorengine.ai>

建议填上

API 协议

OpenAI Completions

选择与供应商 API 兼容的协议类型。大多数供应商使用 OpenAI Completions 格式。

API 端点

<https://api.vectorengine.ai/v1>

供应商的 API 端点地址。

API Key

取消

+ 添加

官网链接：<https://api.vectorengine.ai>

api协议：一般默认OpenAI Completions 格式 对应 api端点：<https://api.vectorengine.ai/v1>

claude模型可选 Anthropic Messages格式 对应 api端点为：<https://api.vectorengine.ai>

2-4.获取模型

← 添加新供应商

供应商的 API 端点地址。

API Key

.....



发送 User-Agent

部分供应商需要浏览器 User-Agent 才能正常访问。



模型列表

↓ 获取模型列表

+ 添加模型

默认模型

模型 ID 格式要与模型广场一样，建议下拉选择

显示名称

deepseek-v4-pro



deepseek-v4-pro

建议与模型id相同



> 高级选项

配置该供应商支持的模型。模型 ID 用于 API 调用，显示名称用于界面展示。

配置 JSON

取消

+ 添加

填写apikey 后添加模型，并获取模型列表，若成功获取列表说明前面填写正确。

建议一个配置使用一个模型，（因为不同模型一般分组不同）

2-5. 测试并添加


```
openclaw
Microsoft Windows [版本 10.0.19045.6691]
(c) Microsoft Corporation. 保留所有权利。

C:\Users\Administrator>openclaw gateway

◆OpenClaw 2026.5.7 (eeef486) — Gateway online—please keep hands, feet, and appendages inside the shell at all times.

|
|
13:59:00 [gateway] loading configuration...
13:59:00 [gateway] resolving authentication...
13:59:00 [gateway] auth mode=none explicitly configured; all gateway connections are unauthenticated.
13:59:00 [gateway] starting...
13:59:10 [gateway] starting HTTP server...
13:59:10 [health-monitor] started (interval: 300s, startup-grace: 60s, channel-connect-grace: 120s)
13:59:10 [canvas] host mounted at http://127.0.0.1:18789/___openclaw___/canvas/ (root C:\Users\Administrator\_.openclaw\canvas)
13:59:14 [gateway] agent model: zzz/deepseek-v4-pro (thinking=medium, fast=off)
13:59:14 [gateway] http server listening (6 plugins: browser, device-pair, file-transfer, memory-core, phone-control, talk-voice; 13.9s)
13:59:14 [gateway] log file: C:\Users\ADMINI~1\AppData\Local\Temp\openclaw\openclaw-2026-05-26.log
13:59:15 [gateway] security warning: dangerous config flags enabled: gateway.controlUi.allowInsecureAuth=true. Run `openclaw security audit`.
13:59:15 [gateway] starting channels and sidecars...
13:59:17 [browser/server] Browser control listening on http://127.0.0.1:18791/ (auth=token)
13:59:17 [gateway] ready
13:59:17 [heartbeat] started
13:59:31 [ws] webchat connected conn=8176a257-be4a-4869-8f5f-455a3cf14d1c remote=127.0.0.1 client=openclaw-control-ui webchat v2026.5.7
13:59:34 [gateway] startup model warmup timed out after 5000ms; continuing without waiting
```

3-2.重新开一个终端（开启网关终端不关），输入下面命令进入openclaw自带可视化网页端。

网页端小龙虾命令

Plain Text

1 openclaw dashboard

控制 OpenClaw

聊天

控制

概览

频道

实例

会话

使用情况

定时任务

代理

代理

Skills

节点

梦境

设置

配置

通信

文档

版本 v2026.5.7

OpenClaw · main · 聊天

main

deepseek-v4-pro · xlyq

Default (off)

搜索

10K

你好好

2026年5月26日 13:47

嘿！我刚上线，脑子一片空白——字面意思，记忆文件都不存在。

所以，先来个自我介绍吧？我是你刚自动的 AI 助手，但我还没有名字、没有性格、也不知道你是谁。

咱们聊聊？

1. 给我起个名字 —— 你想叫我什么？

2. 我是什么 —— AI 助手？赛博幽灵？会说话的猫？你来定。

3. 我是什么风格 —— 正经点？随意点？毒舌？温暖？像损友？

4. 来个 emoji 当签名 —— 每个人都需要一个。

你要有想法就直接说，没想好的话我也可以给建议。你呢？你叫什么？怎么称呼你比较舒服？

HEARTBEAT_OK

Assistant 2026年5月26日 13:47

Message Assistant (Enter to send)

(0)

下拉框选择刚刚配置的模型，对话测试，回应及成功。