Rajalakshmi Engineering College

Name: KRITHESHWARAN R

Email: 241901049@rajalakshmi.edu.in

Roll no: 241901049 Phone: 9843565002

Branch: REC

Department: I CSE (CS) AC

Batch: 2028

Degree: B.E - CSE (CS)



NeoColab_REC_CS23231_DATA STRUCTURES

REC_DS using C_Week 1_COD_Question 7

Attempt : 1 Total Mark : 10 Marks Obtained : 10

Section 1: Coding

1. Problem Statement

Dev is tasked with creating a program that efficiently finds the middle element of a linked list. The program should take user input to populate the linked list by inserting each element into the front of the list and then determining the middle element.

Assist Dev, as he needs to ensure that the middle element is accurately identified from the constructed singly linked list:

If it's an odd-length linked list, return the middle element. If it's an evenlength linked list, return the second middle element of the two elements.

Input Format

The first line of input consists of an integer n, representing the number of elements in the linked list.

The second line consists of n space-separated integers, representing the elements of the list.

Output Format

The first line of output displays the linked list after inserting elements at the front.

The second line displays "Middle Element: " followed by the middle element of the linked list.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 5

```
10 20 30 40 50
Output: 50 40 30 20 10
Middle Element: 30
Answer
#include <stdio.h>
#include <stdlib.h>
struct Node {
  int data:
struct Node* next;
typedef struct Node node;
node *push(node *head,int x)
  node *newnode;
  newnode=(node *)malloc(sizeof(node));
  newnode->data=x;
  newnode->next=head;
  head=newnode;
  return head;
```

```
24,190,104,9
                                                    24,190,1049
    int printMiddle(node *head)
      node *fast=head;
      node *slow=head;
      while(fast!=NULL && fast->next!=NULL){
         slow=slow->next;
         fast=fast->next->next:
      }
      return slow->data;
    }
                                                                               24,190,104,9
    int main() {
      struct Node* head = NULL;
orruc
int n;
      scanf("%d", &n);
      int value;
      for (int i = 0; i < n; i++) {
         scanf("%d", &value);
         head = push(head, value);
      }
      struct Node* current = head;
                                                     241901049
      while (current != NULL) {
      printf("%d ", current->data);
         current = current->next;
      printf("\n");
      int middle_element = printMiddle(head);
      printf("Middle Element: %d\n", middle_element);
      current = head;
      while (current != NULL) {
                                                                               24,190,1049
                                                     241901049
         struct Node* temp = current;
      Current = current->next;
        free(temp);
```

return 0; 241901049 24,190,1040 Marks: 10/10 Status: Correct 24,190,1040 24,190,1040 24,190,1040 24,190,1040 24,190,1040 24,190,1040

241901049

241901049

241901049

241901049

241901049

24,190,1049

24,190,1040