

# Rajalakshmi Engineering College

Name: KRITHESHWARAN R  
Email: 241901049@rajalakshmi.edu.in  
Roll no: 241901049  
Phone: 9843565002  
Branch: REC  
Department: CSE (CS) - Section 2  
Batch: 2028  
Degree: B.E - CSE (CS)

Scan to verify results



## 2024\_28\_III\_OOPS Using Java Lab

### 2028\_REC\_OOPS using Java\_Week 10\_Q4

Attempt : 1  
Total Mark : 10  
Marks Obtained : 10

#### **Section 1 : COD**

##### **1. Problem Statement**

In a ticket reservation system, you store the available seat numbers in a TreeSet. Users input their desired seat number, and the program checks whether the chosen seat is available.

Using a TreeSet ensures quick and efficient verification of seat availability, ensuring a smooth and organized ticket booking process.

##### ***Input Format***

The first line of input contains a single integer n, representing the number of available seats.

The second line contains n space-separated integers, representing the available seat numbers.

The third line contains an integer m, representing the seat number that needs to be searched.

### **Output Format**

The output displays "[m] is present!" if the given seat is available. Otherwise, it displays "[m] is not present!"

Refer to the sample output for the formatting specifications.

### **Sample Test Case**

Input: 4

2 4 5 6

5

Output: 5 is present!

### **Answer**

```
// You are using Java
import java.util.*;

public class Main{
    public static void main(String[] args){
        Scanner sc=new Scanner(System.in);
        int n=sc.nextInt();
        sc.nextLine();
        Set<Integer> seat=new TreeSet<Integer>();
        for(int i=0;i<n;i++){
            int a=sc.nextInt();
            seat.add(a);
        }
        int search=sc.nextInt();
        if(seat.contains(search)){
            System.out.printf("%d is present!",search);
        }
        else{
            System.out.printf("%d is not present!",search);
        }
    }
}
```

**Status : Correct**

**Marks : 10/10**