Language C

```c
#include <stdio.h>
#include <stdlib.h>

int main()
{
    int arr[100],n,i,pos,value,choice,found;
    printf("enter numbers of elements");
    scanf("%d",&n);
    printf("enter elements\n");
    for (i=0;i<n;i++){
        scanf("%d",&arr[i]);
    }
   do{
    printf("\n-MENU--\n");
    printf("1 traversal\n 2 insertion\n 3 deletion \n 4 searching\n 5 exit\n");
    printf("enter your choice");
    scanf("%d",&choice);
    switch(choice){
    case 1:
    printf("array elements are");
    for(i=0;i<n;i++)
        {
            printf("%d",arr[i]);

        }
    break;
    case 2:
    printf("enter position and value");
    scanf("%d %d",&pos,&value);
```

close ad [x]

ain.c

```
30      for(i=n;i>=pos;i--){
31          arr[i]=arr[i-1];
32      }
33      arr[pos-1]=value;
34      n++;
35      break;
36      case 3:
37      printf("enter postion to delete \n");
38      scanf("%d",&pos);
39      for(i=pos-1;i<n-1;i++){
40          arr[1]=arr[i+1];
41      }
42      n--;
43      break;
44      case 4:
45      printf("enter element to search");
46      scanf("%d",&value);
47      found=0;
48      for(i=0;i<n;i++){
49          if (arr[i]=value){
50              printf("element not found%d\n",i+1);
51              found = 1;
52              break;
53          }
54      }
55      if(found==0)
56          printf("element not found\n");
57      break;
58      case 5:
```

close ad [x]

main.c

```c
    for(i=pos-1;i<n-1;i++){
        arr[1]=arr[i+1];
    }
    n--;
    break;
    case 4:
    printf("enter element to search");
    scanf("%d",&value);
    found=0;
    for(i=0;i<n;i++){
        if (arr[i]=value){
            printf("element not found%d\n",i+1);
            found = 1;
            break;
        }
    }
    if(found==0)
        printf("element not found\n");
    break;
    case 5:
    printf("exiting..\n");
    break;
    default:
    printf("invalid choice\n");
    }
   }
    while(choice !=5);
    return 0;
   }
```

close ad [x]

WhatsApp | Private, free | WhatsApp | Data Types List Example | Online C Compiler - onli | Login | GDB online Debu | Ask Gemini

onlinegdb.com/online_c_compiler

OnlineGDB
online compiler and debugger for c/c++

code. compile. run. debug. share.

IDE
My Projects
Classroom new
Learn Programming
Programming Questions
Sign Up
Login

Run | Debug | Stop | Share | Save | { } Beautify | Language C

main.c

```
1  #include <stdio.h>
2  #include <stdlib.h>
3
4  int main()
```

close ad [x]

input

```
6
2
8
5
9

-MENU--
1 traversal
 2 insertion
 3 deletion
 4 searching
 5 exit
enter your choice3
enter postion to delete
2

-MENU--
1 traversal
 2 insertion
 3 deletion
 4 searching
 5 exit
enter your choice5
exiting..


...Program finished with exit code 0
Press ENTER to exit console.
```

About • FAQ • Docs • Blog • Terms of Use • Contact Us • GDB Tutorial • Credits • Privacy
© 2016 - 2026 GDB Online

25°C Sunny | Search | 08:04 29-04-2026