File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

[8]:
```
num = float(input("Enter a number: "))
if num > 0:
    print("The number is positive")
```

```
Enter a number:  4
The number is positive
```

[10]:
```
ch = input("Enter a character: ")
if ch.lower() in ('a', 'e', 'i', 'o', 'u'):
    print("It is a vowel")
```

```
Enter a character:  e
It is a vowel
```

[13]:
```
num = int(input("Enter a number: "))
if num % 5 == 0:
    print("The number is divisible by 5")
```

```
Enter a number:  5
The number is divisible by 5
```

*[6]:
```
num = int(input("Enter a number: "))
if num % 2 == 0:
    print("The number is even")
else:
    print("The number is odd")
```

```
Enter a number:  8
The number is even
```

localhost:8888/notebooks/Untitled6.ipynb

jupyter Untitled6 Last Checkpoint: 58 minutes ago

File Edit View Run Kernel Settings Help

Trusted

Code

JupyterLab Python 3 (ipykernel)

[7]:
```
a = int(input("Enter first number: "))
b = int(input("Enter second number: "))
if a > b:
    print("Largest number is:", a)
else:
    print("Largest number is:", b)
```

```
Enter first number:  4
Enter second number:  8
Largest number is: 8
```

[17]:
```
year = int(input("Enter a year: "))
if (year % 4 == 0 and year % 100 != 0) or (year % 400 == 0):
    print("It is a leap year")
else:
    print("It is not a leap year")
```

```
Enter a year:  2024
It is a leap year
```

[21]:
```
marks = int(input("Enter your marks: "))
if marks >= 90:
    print("Grade: A")
elif marks >= 75:
    print("Grade: B")
elif marks >= 60:
    print("Grade: C")
elif marks >= 50:
    print("Grade: D")
else:
```

localhost:8888/notebooks/Untitled6.ipynb

jupyter Untitled6 Last Checkpoint: 58 minutes ago

Trusted

File Edit View Run Kernel Settings Help

JupyterLab Python 3 (ipykernel)

Code

```
    print("Grade: F")
```

```
Enter your marks:  80
Grade: B
```

[23]:

```
num = float(input("Enter a number: "))
if num > 0:
    print("The number is positive")
elif num < 0:
    print("The number is negative")
else:
    print("The number is zero")
```

```
Enter a number:  0
The number is zero
```

[24]:

```
a = int(input("Enter first number: "))
b = int(input("Enter second number: "))
c = int(input("Enter third number: "))
if a >= b and a >= c:
    print("Largest number is:", a)
elif b >= a and b >= c:
    print("Largest number is:", b)
else:
    print("Largest number is:", c)
```

```
Enter first number:  4
Enter second number:  6
Enter third number:  7
Largest number is: 7
```

localhost:8888/notebooks/Untitled6.ipynb

jupyter Untitled6 Last Checkpoint: 58 minutes ago

File Edit View Run Kernel Settings Help

Trusted

Code

JupyterLab Python 3 (ipykernel)

[25]:
```
for i in range(1, 11):
    print(i)
```

```
1
2
3
4
5
6
7
8
9
10
```

[26]:
```
num = int(input("Enter a number: "))
for i in range(1, 11):
    print(num * i)
```

```
Enter a number:  8
8
16
24
32
40
48
56
64
72
80
```

[27]:
```
num = int(input("Enter a number: "))
fact = 1
```

Trusted

JupyterLab Python 3 (ipykernel)

[27]:
```
num = int(input("Enter a number: "))
fact = 1
for i in range(1, num + 1):
    fact = fact * i
print("Factorial is:", fact)
```

```
Enter a number:  5
Factorial is: 120
```

[28]:
```
n = int(input("Enter a number: "))
sum = 0
for i in range(1, n + 1):
    sum = sum + i
print("Sum is:", sum)
```

```
Enter a number:  1
Sum is: 1
```

[30]:
```
num = int(input("Enter a number: "))
rev = 0
while num > 0:
    digit = num % 10
    rev = rev * 10 + digit
    num = num // 10
print("Reversed number is:", rev)
```

```
Enter a number:  48
Reversed number is: 84
```

[36]:
```
#### num = int(input("Enter a number: "))
count = 0
```

localhost:8888/notebooks/Untitled6.ipynb

jupyter Untitled6 Last Checkpoint: 59 minutes ago

File Edit View Run Kernel Settings Help

Trusted

Code

JupyterLab Python 3 (ipykernel)

[30]:
```
num = int(input("Enter a number: "))
rev = 0
while num > 0:
    digit = num % 10
    rev = rev * 10 + digit
    num = num // 10
print("Reversed number is:", rev)
```

```
Enter a number:  48
Reversed number is: 84
```

[36]:
```
#### num = int(input("Enter a number: "))
count = 0
while num > 0:
    num = num // 10
    count = count + 1
print("Number of digits:", count)
```

```
Enter a number:  257490
Number of digits: 6
```

[ ]:

localhost:8888/notebooks/Untitled6.ipynb

jupyter Untitled6 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

[37]:
```
stop = int(input("Enter the number to stop at: "))
for i in range(1, 101):
    if i == stop:
        break
    print(i)
```

```
Enter the number to stop at:  8
1
2
3
4
5
6
7
```

[39]:
```
lst = [10, 20, 30, 40, 50]
key = int(input("Enter element to search: "))
for i in lst:
    if i == key:
        print("Element found:", i)
        break
```

```
Enter element to search:  40
Element found: 40
```

localhost:8888/notebooks/Untitled6.ipynb

jupyter Untitled6 Last Checkpoint: 1 hour ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

[40]:
```
for i in range(1, 11):
    if i % 3 == 0:
        continue
    print(i)
```

```
1
2
4
5
7
8
10
```

[42]:
```
text = input("Enter a string: ")
for ch in text:
    if ch.lower() in 'aeiou':
        continue
    print(ch, end="")
```

```
Enter a string:  a
```

[ ]: