jupyter Untitled10 Last Checkpoint: 21 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

[1]:
```
print("===list example===")
fruits=["apple","banana","cherry","apple"]
print("original list",fruits)
```

```
===list example===
original list ['apple', 'banana', 'cherry', 'apple']
```

[14]:
```
print("===list example===")
fruits=["apple","banana","cherry","apple"]
print("original list",fruits)
if"banana" in fruits:
    print("firts fruits",fruits[0])
```

```
===list example===
original list ['apple', 'banana', 'cherry', 'apple']
firts fruits apple
```

[13]:
```
print("\n==tuple example==")
coordinates=(10.5,20.3,10.5)
print("tuple:",coordinates)
print("first coordinate:",coordinates[0])
```

localhost:8888/notebooks/Untitled10.ipynb

jupyter Untitled10 Last Checkpoint: 21 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

```
==tuple example==
tuple: (10.5, 20.3, 10.5)
first coordinate: 10.5
```

[15]:
```
print("\n==tuple example==")
coordinates=(10.5,20.3,10.5)
print("tuple:",coordinates)
print("first coordinate:",coordinates[-1])
```

```
==tuple example==
tuple: (10.5, 20.3, 10.5)
first coordinate: 10.5
```

[16]:
```
print("\n==tuple example==")
coordinates=(10.5,20.3,10.5)
print("tuple:",coordinates)
print("first coordinate:",coordinates[-1])
x,y,z=coordinates
print(f"unpacked:x={x},y={y},z={z}")
```

==tuple example==

localhost:8888/notebooks/Untitled10.ipynb

jupyter Untitled10 Last Checkpoint: 27 minutes ago

File Edit View Run Kernel Settings Help

Trusted

Code

JupyterLab Python 3 (ipykernel)

```
==tuple example==
tuple: (10.5, 20.3, 10.5)
first coordinate: 10.5
```

[16]:
```
print("\n==tuple example==")
coordinates=(10.5,20.3,10.5)
print("tuple:",coordinates)
print("first coordinate:",coordinates[-1])
x,y,z=coordinates
print(f"unpacked:x={x},y={y},z={z}")
```

```
==tuple example==
tuple: (10.5, 20.3, 10.5)
first coordinate: 10.5
unpacked:x=10.5,y=20.3,z=10.5
```

•[17]:
```
//create a list of 5 numbers and print all elements
numbers = [10, 20, 30, 40, 50]
for num in numbers:
    print(num)
```

```
10
20
```

localhost:8888/notebooks/Untitled10.ipynb

Summarize Chat

jupyter Untitled10 Last Checkpoint: 26 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

```
==tuple example==
tuple: (10.5, 20.3, 10.5)
first coordinate: 10.5
```

[16]:
```
print("\n==tuple example==")
coordinates=(10.5,20.3,10.5)
print("tuple:",coordinates)
print("first coordinate:",coordinates[-1])
x,y,z=coordinates
print(f"unpacked:x={x},y={y},z={z}")
```

```
==tuple example==
tuple: (10.5, 20.3, 10.5)
first coordinate: 10.5
unpacked:x=10.5,y=20.3,z=10.5
```

[17]:
```
numbers = [10, 20, 30, 40, 50]
for num in numbers:
    print(num)
```

```
10
20
30
```

localhost:8888/notebooks/Untitled10.ipynb

Summarize Chat

jupyter Untitled10 Last Checkpoint: 32 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

```
40
50
```

[20]:
```
numbers = [10, 20, 30, 40, 50]
print("First element:", numbers[0])
print("Last element:", numbers[-1])
```

```
First element: 10
Last element: 50
```

[21]:
```
numbers = [1, 2, 3, 4]
numbers.append(100)
print(numbers)
```

```
[1, 2, 3, 4, 100]
```

[22]:
```
numbers = [1, 2, 3, 4, 5]
numbers.remove(3)
print(numbers)
```

```
[1, 2, 4, 5]
```

[23]:
```
numbers = [5, 10, 15, 20]
total = sum(numbers)
```

localhost:8888/notebooks/Untitled10.ipynb

Summarize Chat

jupyter Untitled10 Last Checkpoint: 33 minutes ago

File Edit View Run Kernel Settings Help Trusted

Code JupyterLab Python 3 (ipykernel)

```
[1, 2, 4, 5]
```

[23]:
```
numbers = [5, 10, 15, 20]
total = sum(numbers)
print("Sum:", total)
```

```
Sum: 50
```

[24]:
```
numbers = [8, 3, 9, 1, 6]
maximum = max(numbers)
minimum = min(numbers)
print("Maximum:", maximum)
print("Minimum:", minimum)
```

```
Maximum: 9
Minimum: 1
```

[ ]: