

Rajalakshmi Engineering College

Name: Krithika Raghavan
Email: 240701278@rajalakshmi.edu.in
Roll no: 240701278
Phone: 7305916492
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

REC_Week 12_Java_Lamba Expressions_MCQ

Attempt : 1
Total Mark : 10
Marks Obtained : 9

Section 1 : MCQ

1. Which functional interface in Java takes two arguments and returns a result?

Answer

BiFunction

Status : Correct

Marks : 1/1

2. What is a lambda expression in Java?

Answer

A way to define anonymous methods

Status : Correct

Marks : 1/1

3. Which functional interface is commonly used with lambda expressions in Java?

Answer

Runnable

Status : Correct

Marks : 1/1

4. What is the syntax for a basic lambda expression in Java?

Answer

(parameters) -> expression

Status : Correct

Marks : 1/1

5. What is the return type of a lambda expression in Java?

Answer

The return type is inferred from the context

Status : Correct

Marks : 1/1

6. Which of the following is a valid lambda expression in Java?

Answer

All of the mentioned options

Status : Correct

Marks : 1/1

7. Which of the following interfaces is NOT a functional interface in Java?

Answer

Comparator

Status : Wrong

Marks : 0/1

8. Can a lambda expression have more than one parameter?

Answer

Yes, it can have multiple parameters

Status : Correct

Marks : 1/1

9. Can a lambda expression in Java have a body with multiple statements?

Answer

Yes, if the statements are enclosed in curly braces

Status : Correct

Marks : 1/1

10. Can a lambda expression in Java have a body with multiple statements?

Answer

Yes, if the statements are enclosed in curly braces

Status : Correct

Marks : 1/1

Rajalakshmi Engineering College

Name: Krithika Raghavan
Email: 240701278@rajalakshmi.edu.in
Roll no: 240701278
Phone: 7305916492
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 12_Q1

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Sabrina is working on a project that involves analyzing a set of numbers. In her exploration, she encounters scenarios where extracting even numbers and finding their sum is essential.

Create a program that calculates the sum of even numbers from a given array of integers using a lambda expression.

Input Format

The first line of input consists of an integer N, representing the size of the array.

The second line consists of N space-separated integers, representing the elements of the array.

Output Format

The output prints the sum of the even integers from the array.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 3

29 37 45

Output: 0

Answer

```
// You are using Java
import java.util.*;
interface num{
    void sumofnum(int arr[],int n);
}
class Main{
    public static void main(String [] args){
        num obj=(arr,n)->{
            int t=0;
            for(int i=0;i<n;i++){
                if(arr[i]%2==0)
                    t+=arr[i];
            }
            System.out.println(t);
        };
        Scanner scan=new Scanner(System.in);
        int n=scan.nextInt();
        int arr[]=new int[n];
        for (int i=0;i<n;i++)
            arr[i]=scan.nextInt();
        obj.sumofnum(arr,n);
    }
}
```

Status : Correct

Marks : 10/10

Rajalakshmi Engineering College

Name: Krithika Raghavan
Email: 240701278@rajalakshmi.edu.in
Roll no: 240701278
Phone: 7305916492
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 12_Q2

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Alex is learning about Java's functional interfaces and lambda expressions.

He wants to write a simple program that prints the square of each number in an array using a predefined functional interface.

Help Alex complete this task using the Consumer functional interface.

Input Format

- The first line contains an integer N, the number of elements in the array.
- The second line contains N space-separated integers.

Output Format

- Print the squares of all elements in the array, separated by a space.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 4

1 2 3 4

Output: 1 4 9 16

Answer

```
// You are using Java
import java.util.*;
interface square{
    void sqr(int arr[],int n);
}
class Main{
    public static void main(String [] args){
        square obj=(arr,n)->{
            for(int i=0;i<n;i++){
                System.out.print(arr[i]*arr[i]+" ");
            }
        };
        Scanner scan=new Scanner(System.in);
        int n=scan.nextInt();
        int arr[]=new int[n];
        for(int i=0;i<n;i++){
            arr[i]=scan.nextInt();
        }
        obj.sqr(arr,n);
    }
}
```

Status : Correct

Marks : 10/10

Rajalakshmi Engineering College

Name: Krithika Raghavan
Email: 240701278@rajalakshmi.edu.in
Roll no: 240701278
Phone: 7305916492
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 12_Q3

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

In the mystical realm of programming, there exists a magical incantation to reveal hidden words.

Elara, the skilled enchantress, wishes to summon a word using her spell and then reverse its characters to uncover its enchanted reflection.

Write a program that uses the predefined functional interface `Supplier<String>` and a lambda expression to:

Supply (generate) a string, and

Display its reversed form.

Input Format

No input is required from the user.

The string must be supplied internally using a Supplier<String>.

Output Format

Print the reversed version of the supplied string.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: Wizard!!

Output: !!draziW

Answer

```
// You are using Java
import java.util.*;
interface rev{
    void reverse(String s);
}
class Main{
    public static void main(String [] args){
        rev obj=(s)->{
            StringBuilder sb= new StringBuilder(s);
            sb.reverse();
            String revs=sb.toString();
            System.out.print(revs);
        };
        Scanner scan=new Scanner(System.in);
        String s=scan.nextLine();
        obj.reverse(s);
    }
}
```

Status : Correct

Marks : 10/10

Rajalakshmi Engineering College

Name: Krithika Raghavan
Email: 240701278@rajalakshmi.edu.in
Roll no: 240701278
Phone: 7305916492
Branch: REC
Department: CSE - Section 7
Batch: 2028
Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 12_Q4

Attempt : 1
Total Mark : 10
Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Abi is working on a text analysis project where she needs to categorize words based on their length.

Words that have three or fewer characters are considered "Short", while words with more than three characters are classified as "Long."

Write a Java program that takes a sentence as input, analyzes each word, and prints a list showing whether each word is "Short" or "Long."

Use the predefined functional interface `Function<String, String>` along with a lambda expression for categorization.

Input Format

A single line containing a sentence (words separated by spaces).

Output Format

- A single line with each word categorized as "Short" or "Long", separated by spaces.

Refer to the sample output for formatting specifications.

Sample Test Case

Input: I love my cat

Output: Short Long Short Short

Answer

```
// You are using Java
import java.util.*;
interface word{
    void sl(String s);
}
class Main{
    public static void main(String [] args){
        word obj=(s)->{
            String parts[]=s.split(" ");
            for(String i:parts){
                int count=0;
                for(char j:i.toCharArray()){
                    count++;
                }
                if(count>3)
                    System.out.print("Long ");
                else
                    System.out.print("Short ");
            }
        };
        Scanner scan=new Scanner(System.in);
        String s=scan.nextLine().trim();
        obj.sl(s);
    }
}
```

Status : Correct

Marks : 10/10