U19CS076

Tutorial - 3

Relations

1. If R is relation from A = {1, 2, 3, 4} to B = {2, 3, 4, 5}. List elements in R defined by aRb if a & b both are odd. Also, write the domain, range of R.

$R = \{(1,3), (1,5), (3,3), (3,5)\}$

Domain = {1, 3}.
Range = {3, 5}

2. If R is a relation from A = {1, 2, 3} to B = {4, 5} given by R = {(1,4), (2,4), (1,5), (3,5)}
Find R^{-1}

if R = (a, b) from A → B
then R^{-1} = (b, a) from B → A

$R^{-1} = \{(4,1), (4,2), (5,1), (5,3)\}$

3. Give an example of a relation that is both symmetric and anti-symmentric

Since for symmetric relation →
For any $(x,y) \in R$, $(y,x) \in R$ to be TRUE
For anti symmetric relation →
For $(x,y) \in R \rightarrow (y,x) \notin R$ unless $x = y$

U19CS076

⇒ Equality relation $x = y$ on set of real numbers is both symmetric and antisymmetric

→ $A = \{x : x \in R\}$

~~$R = \{(x,y) : (x = y)\}$~~

$R = aRa = \{(x, x) : \forall x \in A\}$

is an example of both symmetric and anti-symmetric function

(4). Give an example of ~~fur~~ relation that is neither symmetric nor anti symmetric

A relation can contain an element (a, b) while it doesnt contain (b, a)
→ Not symmetric

and it can contain (c, d) while it also contains (d, c)
→ Not antisymmetric

Eg: $R = \{(1, 2), (2, 1), (3, 5)\}$

is neither symmetric nor antisymmetric

(5) Give an example of relation that is reflexive and symmetric but not transitive

Example: $R = \{(1,1), (2,2), (3,3), (1,2), (2,1), (2,3), (3,2)\}$ on $P = \{1, 2, 3\}$

Since $(x, x) \in R, \forall x \in P$ → reflexive

$(x, y) \in R \Rightarrow (y, x) \in R \ \forall x, y \in P$ → symmetry

U19CS076

Since $(3,2) \in R$
$(2,1) \in R$

$\Rightarrow$ Since $(3,1) \notin R$ it is <u>not</u> transitive

6. Give an example of relation that is reflexive and transitive but not symmetric.

$R = \{(5,5), (6,6), (7,7), (5,6), (6,7)\}$
on $S = \{5,6,7\}$

R is reflexive as $(s,s) \in R \ \forall s \in S$

R is transitive

If $(5,5) \in R$, $(5,6) \in R$
$\Rightarrow (5,6) \in R$

$(6,6) \in R$, $(6,7) \in R$
$\Rightarrow (6,7) \in R$

$\Rightarrow$ So R is transitive as
if $(a,b) \in R$, $(b,c) \in R \Rightarrow (a,c) \in R \ \forall (a,b,c)$

But R is not symmetric
$(5,6) \in R$ but $(6,5) \notin R$
So not symmetric

7. Give an example of relation that is symmetric and transitive but not reflexive

~~$R = \{(2,3), (3,4), (2,4)\}$~~

$R = \{(2,3), (3,2), (2,2)\}$
on $A = \{2,3\}$

Since $(3,3) \notin R$ it is not reflexive

U19CS076

but R is symmetric
as $(2,3) \in R$ so $(3,2) \in R$
and R is transitive
as $(2,3) \in R$ and $(3,2) \in R$
$\Rightarrow (2,2) \in R$

8. If $R_1 = \{(1,2), (2,3), (3,4)\}$ &
$R_2 = \{(1,1), (1,2), (2,1), (2,2), (2,3), (3,1)\}$
be the relations from $\{1,2,3\}$ to
$\{1,2,3,4\}$ then find

i) $R_1 \cup R_2 = \{(1,1), (1,2), (2,1), (2,2), (2,3), (3,1), (3,4)\}$

ii) $R_1 \cap R_2 = \{(1,2), (2,3)\}$

iii) $R_1 - R_2 = \{(3,4)\}$

iv) $R_2 - R_1 = \{(1,1), (2,1), (2,2), (3,1)\}$

9. If $R = \{(x, x^2)\}$ & $S = \{(x, 2x)\}$ where
x is not negative integer find.

i) $R \cap S = \{(0,0), (2,4)\}$

ii) $R \cup S = \{(0,0), (1,1), (1,2), (2,4), (3,6), (3,9), (4,8), (4,16) \dots\}$

$\rightarrow a (R \cup S) b : a \in x$
$b \in x^2 \cup 2x$

iii) $R - S = \{(1,1), (3,9), (4,16) \dots\}$
$= R - \{(0,0), (2,4)\}$

U19CS076

iv) $S - R = \{(1,2),(3,6),(4,8)\ldots\}$

$= S - \{(0,0),(2,4)\}$

(10) If relations R_1, R_2, R_3, R_4, R_5 is defined on set of real numbers as given below

i) $R_1 = \{(a,b) \mid a \geq b\}$
ii) $R_2 = \{(a,b) \mid a < b\}$
iii) $R_3 = \{(a,b) \mid a \leq b\}$
iv) $R_4 = \{(a,b) \mid a = b\}$
v) $R_5 = \{(a,b) \mid a \neq b\}$

then find

a) $R_2 \cup R_5$ b) $R_3 \cap R_5$ c) $R_2 - R_1$ d) $R_1 \cdot R_2$
e) $R_2 \cdot R_3$ ~~f) $R_1(R_2)$~~

a) $R_2 \cup R_5 = \{(a,b) \mid a < b\} \cup \{(a,b) \mid a \neq b\}$
$= \{(a,b) \mid a < b\}$

$= R_5$

b) $R_3 \cap R_5 = \{(a,b) \mid a \leq b\} \cap \{(a,b) \mid a \neq b\}$
$= \{(a,b) \mid a < b\}$

c) $R_2 - R_1 = R_2$ as $R_2 \cap R_1 = \phi$

d) $R_1 \cdot (R_2) = \{(a,b) \mid a \geq b\} \cdot \{(a,b) \mid a < b\}$
$= R$

U19CS076

e) $R_2 \cdot R_3 = \{(a,b) \mid a<b\} \cdot \{(a,b) \mid a \leq b\}$
$= R_3$

f) Q not visible

(11). If R, S, T be relations on set
$A = \{0,1,2,3\}$ defined by
$R = \{(a,b) \mid a+b=3\}$, $S = \{(a,b) \mid 3$ is divisible by $a+b\}$
$T = \{(a,b) \mid \max(a,b) = 3\}$

i) $R \cdot T$ ii) $T \cdot R$ c) $S \cdot S$

$R = \{(0,3), (1,2), (2,1), (3,0)\}$

$S = \{(0,1), (1,2), (2,1), (1,0), (0,3), (3,0)\}$

$T = \{(0,3), (1,3), (2,3), (3,2), (3,1), (3,0)\}$

i) $R \cdot T = \{(0,0), (0,1), (0,2), (1,3), (2,3), (3,3)\}$

ii) $T, R = \{(0,0), (1,0), (2,0), (3,1), (3,2), (3,3)\}$

iii) $S \cdot S = \{(0,0), (1,1), (2,2), (3,1), (0,2), (1,3), (3,3)\}$

(12) Determine whether relation R on the set of all integers is reflexive, symmetric, anti-symmetric or transitive where aRb iff

U19CS076

~~a) a ≠ b~~

(13) Verify the following are equivalence relation or not

i) R on set of real numbers
aRb iff a-b is integer

✓ Reflexive $a - a = 0, \forall a \in R$
and $0 \in Z$

✓ Symmetric $a - b = -(b - a)$ $\forall (a, b) \in R$
both $\in Z$

✓ Transitive $(a, b) \in R, (b, c) \in R$
$a - b \in Z$ $b - c \in Z$
$(a - c) \in Z$

$\Rightarrow$ Equivalence relation

(14) If R is relation on set of integers such that $(a, b) \in R$ iff $b = a^n$ for some +ve integer n
show R is partial order relation.

A partial order relation - Reflexive, antisymmetric, Transitive

For $n = 1$ $(a, b) \rightarrow b = a$ when $n = 1$

At $n = 1$ $(a, b) \in R \Rightarrow (b, a) \in R$ when $a = b$ i.e $n = 1$

At $n \neq 1$ $(a, b) \in R \Rightarrow (b, a) \notin R$
$\rightarrow$ Anti - symmetric

$b = a^n$ ~~$b = a^{x}$~~ $b = a^x$
~~$a^n = a^x$~~ $a^n = a^x$

But since $x \in Z$, $\rightarrow x = 1/n$ not possible

U19CS076

So x is anti-symmetric

Reflexive $(a,a) \in R$ as $a = a^1$ $\underline{n=1}$

(a,b)

Transitive $(a,b) \in R$, $(b,c) \in R$

$b = a^n$, $c = b^n$

$\Rightarrow (a^n)^n = c$

$a^{n^2} = c$

$\Rightarrow (a,c) \in R$

$\rightarrow$ Reflexive, anti-symmetric, transitive

$\Rightarrow$ Partial order relation

15. Draw Diagraph for relation R on A

$A = \{1,2,3,4,5,6,7,8\}$

Let xRy when y is divisible by x.

Is R equivalence? Is R partial ordering?

$R = \{(1,1), (1,2), (1,3), (1,4), (1,5), (1,6), (1,7), (1,8),$
$(2,2), (2,4), (2,6), (2,8),$
$(3,3), (3,6)$
$(4,4)$ $(4,8)$
$(5,5)$
$(6,6)$
$(7,7)$
$(8,8)\}$

R is not symmetric

R is anti symmetric



R is not equivalence

R is not equivalance
R is anti symmetric



Digraph

U19CS076

(12). a) $a \neq b$

Not Reflexive

as $(a, a) \notin R$

✓ Symmetric

$\rightarrow (a, b) \in R \Rightarrow (b, a) \in R$

as $a \neq b$ then $b \neq a$

✓ Transitive

If $(a, b) \in R$, $(b, c) \in R$

$a \neq b$, $b \neq c$

$\Rightarrow a \neq c$

$(a, c) \in R$

b) $a \cdot b \geq 0$

$(a, a) \in R \quad \forall a \in R$

If a is +ve $\quad a \cdot a = a^2 \geq 0$

a is -ve $\quad (-a) \cdot (-a) = +a^2 \geq 0$

✓ Reflexive

✓ Symmetric

If $(a, b) \in R \Rightarrow a \cdot b \geq 0$

$= b \cdot a \geq a \rightarrow (b, a) \in R$

✓ Transitive

If $(a, b) \in R$, $(b, c) \in R$

$ab \geq 0$ $\quad bc \geq 0$

$\Rightarrow ac \geq 0$

$(a, c) \in R$

c) $ab \geq 1$

as $(0, 0) \notin R$

Not reflexive

✓ Symmetric $(a, b) \in R \Rightarrow ab \geq 1 \Rightarrow ba \geq 1$

$\Rightarrow (b, a) \in R$

✓ Transitive $(a, b) \in R \Rightarrow ab \geq 1$, $(b, c) \in R \Rightarrow bc \geq 1$

$\Rightarrow ac \geq 1 \rightarrow (a, c) \in R$

d) a is a multiple of b

$a = \lambda b$

✓ Reflexive as $(a, a) \in R \quad \forall a \in R$

$a = 1a$

✗ ~~Not~~ Symmetric ✓ Antisymmetric

if $(a,b) \in R \Rightarrow a = \lambda b$

so $(b,a) \notin R$ unless $a=b$

✓ Transitivity

if $(a,b) \in R \rightarrow a = \lambda b$

$(b,c) \in R \rightarrow b = \lambda c$

$\Rightarrow a = \lambda(\lambda c)$

$\Rightarrow$ is divisible

$(a,c) \in R$

e) $|a-b| = 1$

✗ Not reflexive as $a - a = 0$

If $(a,b) \in R \Rightarrow a-b=1 \Rightarrow b-a = -1$

$\Rightarrow |b-a| = 1 \Rightarrow (b,a) \in R$

✓ Symmetric

If $(a,b) \in R, (b,c) \in R \Rightarrow |a-b| = 1, |b-c| = 1 \Rightarrow a-(1+c) = 0$

$a - c = -1$

$|a-c| = 1$

✓ Transitive

U19CS076

f) $a = b^2$

$(a,a) \notin R \ \forall a \in Z$

X $\Rightarrow$ Not reflexive

if $(a,b) \in R \Rightarrow a = b^2$

$b = a^{1/2} \Rightarrow (b,a) \notin R$

X $\Rightarrow$ Not symmetric

if $(a,b) \in R$, $(b,c) \in R \Rightarrow a = b^2$, $b = c^2$

$a = (c^2)^2 = c^4$

$\Rightarrow (a,c) \notin R$

X $\Rightarrow$ Not transitive

g) $a \geq b$

$(a,a) \in R$ as $a = a \ \forall a \in Z$

✓ $\Rightarrow$ Reflexive

if $(a,b) \in R \Rightarrow a \geq b \Rightarrow (b,a) \notin R$ unless $a = b$

X Not symmetric ✓ ANTI-SYMMETRIC

if $(a,b) \in R$, $(b,c) \in R$

$a \geq b$ $\quad b \geq c$

$\Rightarrow a \geq c \Rightarrow (a,c) \in R$

✓ Transitive