



Asthma

Asthma is a condition that causes your airways to swell, narrow and fill with mucus. This can make it hard to breathe or cause other symptoms, like chest tightness, cough and wheezing. Common asthma triggers include allergies (like pets or pollen), smoke, cold weather, exercise, strong smells and stress. Asthma attacks can be fatal if not treated.




Pneumonia

- Pneumonia is an infection that causes inflammation and fluid in the small air sacs of your lungs (alveoli). Bacteria, viruses or fungi can cause it. Bacterial pneumonia is usually more severe than viral pneumonia. Viral pneumonia often gets better on its own.
- Pneumonia (pronounced “noo-MOHN-yuh”) can develop when your immune system attacks an infection in your alveoli. This causes your lungs to swell and leak fluids.

Types

- **Bacterial pneumonia:** Pneumonia you get from bacteria, like *Streptococcus pneumoniae* or *Legionella*.
- **Viral pneumonia:** Pneumonia you get from a virus, like cold or flu viruses.
- **Aspiration pneumonia:** Aspiration is when solid food, liquids, spit or vomit go down your trachea (windpipe) and into your lungs. If you can't cough these up, your lungs can get infected.
- **Lipoid pneumonia:** This happens when the air sacs in your lungs fill with oily substances.

Pneumonia




Tuberculosis,

- Tuberculosis, also called TB, is a serious illness that mainly affects the lungs. The germs that cause tuberculosis are a type of bacteria.
- Tuberculosis can spread when a person with the illness coughs, sneezes or sings. This can put tiny droplets with the germs into the air. Another person can then breathe in the droplets, and the germs enter the lung.

- 
- When TB germs survive and multiply in the lungs, it is called a TB infection. A TB infection may be in one of three stages. Symptoms are different in each stage.
 - **Primary TB infection.** The first stage is called the primary infection. Immune system cells find and capture the germs. The immune system may completely destroy the germs. But some captured germs may still survive and multiply.
 - Most people don't have symptoms during a primary infection. Some people may get flu-like symptoms, such as:
 - Low fever.
 - Tiredness.
 - Cough.

- 
- **Latent TB infection.** Primary infection is usually followed by the stage called latent TB infection. Immune system cells build a wall around lung tissue with TB germs. The germs can't do any more harm if the immune system keeps them under control. But the germs survive. There are no symptoms during latent TB infection.
 - **Active TB disease.** Active TB disease happens when the immune system can't control an infection. Germs cause disease throughout the lungs or other parts of the body. Active TB disease may happen right after primary infection. But it usually happens after months or years of latent TB infection.



- 
- Symptoms of active TB disease in the lungs usually begin gradually and worsen over a few weeks. They may include:
 - Cough.
 - Coughing up blood or mucus.
 - Chest pain.
 - Pain with breathing or coughing.
 - Fever.
 - Chills.
 - Night sweats.
 - Weight loss.
 - Not wanting to eat.
 - Tiredness.
 - Not feeling well in general.

Chronic obstructive pulmonary disease (COPD)


- Chronic obstructive pulmonary disease (COPD) is an ongoing lung condition caused by damage to the lungs. The damage results in swelling and irritation, also called inflammation, inside the airways that limit airflow into and out of the lungs. This limited airflow is known as obstruction. Symptoms include trouble breathing, a daily cough that brings up mucus and a tight, whistling sound in the lungs called wheezing.
- COPD is most often caused by long-term exposure to irritating smoke, fumes, dust or chemicals. The most common cause is cigarette smoke.
- Emphysema and chronic bronchitis are the two most common types of COPD. These two conditions usually occur together and can vary in severity among people with COPD.

- 
- COPD symptoms often don't appear until a lot of lung damage has occurred. Symptoms usually worsen over time, especially if smoking or other irritating exposure continues.
 - Symptoms of COPD may include:
 - Trouble catching your breath, especially during physical activities.
 - Wheezing or whistling sounds when breathing.
 - Ongoing cough that may bring up a lot of mucus. The mucus may be clear, white, yellow or greenish.
 - Chest tightness or heaviness.
 - Lack of energy or feeling very tired.
 - Frequent lung infections.
 - Losing weight without meaning to. This may happen as the condition worsens.
 - Swelling in ankles, feet or legs.

Chronic Obstructive Pulmonary Disease (COPD)

Chronic obstructive pulmonary disease is a common lung condition caused by damage to the lung's airways or other parts that restricts airflow and makes breathing difficult. It is associated with structural lung changes caused by long-term, inflammation from exposure to harmful particles, mainly cigarette smoke. The symptoms include tiredness, wheezing, breathing difficulties, and coughing, usually with phlegm.

Types, Symptoms, Causes, Complications & Treatment



Emphysema

- Emphysema is a long-term lung condition that causes shortness of breath. Over time, the condition damages the thin walls of the air sacs in the lungs called alveoli. In healthy lungs, these sacs stretch and fill with air when you breathe in. The elastic sacs help the air leave when you breathe out. But when the air sacs are damaged in emphysema, it's hard to move air out of your lungs. This doesn't leave room for fresh, oxygen-rich air to enter your lungs.

- 
- You can have emphysema for many years without noticing any symptoms. They usually begin gradually and include:
 - Shortness of breath, especially with physical activity. This is the main symptom of emphysema.
 - Wheezing, whistling or squeaking sound when you breathe out.
 - Coughing.
 - Chest tightness or heaviness.
 - Feeling very tired.
 - Weight loss and ankle swelling that may happen as the condition gets worse over time.

