


Medical Terminology

- Presented by:
- Soumajit Sinha
- Lecturer, Dept. Of Hospital Management
- B.Sc.(H) (Medical Physiology), MBA,
- P.G.P(HealthCare Mgt.), DBA,MAIAHM

- Cardiac and
Blood Related
Disorders:

Ischemic heart disease refers to heart weakening caused by reduced blood flow to your heart. Typically, this reduced blood flow is the result of coronary artery disease, a condition that occurs when your coronary arteries narrow.



- **Angina** (an-JIE-nuh or AN-juh-nuh) is a type of chest pain caused by reduced blood flow to the heart. Angina is a symptom of coronary artery disease. Angina also is called angina pectoris.
- **Heart valve disorders** can arise from 2 main types of problems: Regurgitation (or leakage of the valve). When the valve(s) do not close completely, it causes blood to flow backward through the valve. This reduces forward blood flow and can lead to volume overload in the heart. Stenosis (or narrowing of the valve).

- **Thalassemia** is a genetic blood disorder that affects the production of haemoglobin. Haemoglobin is the part of a red blood cell (RBC) that carries oxygen to the tissues of the body. Normal adult hemoglobin is made up of 4 protein chains: there are 2 alpha chains and 2 beta chains. There are various degrees of severity of thalassemia that are caused by abnormal genetic coding of these alpha and beta chains.

- **Haemophilia** is usually an inherited bleeding disorder in which the blood does not clot properly. This can lead to spontaneous bleeding as well as bleeding following injuries or surgery. Blood contains many proteins called clotting factors that can help to stop bleeding. People with hemophilia have low levels of either factor VIII (8) or factor IX (9). The severity of hemophilia that a person has is determined by the amount of factor in the blood. The lower the amount of the factor, the more likely it is that bleeding will occur which can lead to serious health problems.

Cardiopulmonary resuscitation (CPR) is a lifesaving technique that's useful in many emergencies in which someone's breathing or heartbeat has stopped. For example, when someone has a heart attack or nearly drowns. The American Heart Association recommends starting CPR with hard and fast chest compressions.

Cardiac Procedures:

The act of defibrillation delivers an electrical shock across the chest, either by placing a pair of manual paddles on the chest or through the application of adhesive “hands-free” pads.

Current defibrillators typically utilize a biphasic waveform that needs a lower energy level to achieve effective defibrillation.

The act of defibrillation delivers an electrical shock across the chest, either by placing a pair of manual paddles on the chest or through the application of adhesive “hands-free” pads. Current defibrillators typically utilize a biphasic waveform that needs a lower energy level to achieve effective defibrillation.

Pacemaker implantation is a procedure to put a small battery-operated device called a pacemaker into your chest. The pacemaker sends regular electrical impulses, which help keep your heart beating regularly. Having a pacemaker fitted is one of the most common types of heart procedures.

Heart Transplant

A heart transplant is surgery to remove the diseased heart from a person and replace it with a healthy one from an organ donor. To remove the heart from the donor, two or more healthcare providers must declare the donor brain-dead.

.

