Safari File Edit View History Bookmarks Window Help Wed Apr 1 1:21 PM
hackerearth.com
Fixed pariti...

Details Submissions Discussion Similar Problems Editorial

$0 \le c_i \le 10^6$

$1 \le q \le 10^5$

$1 \le r_1, c_1 \le n$

$1 \le r_2, c_2 \le n$

| Sample Input | Sample Output |
|---|---|
| 3<br>0 3 1<br>1 5 3<br>2<br>2 1<br>3 3<br>3 1<br>1 3 | YES<br>NO |

Time Limit: 1
Memory Limit: 256
Source Limit:

### Explanation

In the first query, we can move from $(2, 1)$ to $(2, 2)$ then to $(3, 3)$.

In the second query, the parity of two cells is different and therefore there isn't such a way.

### Contributers:

Javad Karimi

Amirreza Poorakhavan

[redacted]

39:2 vscode

Test against custom input ▼ Compile & Test code Submit code

Submission ID: 127332665

RESULT: Accepted Refer judge environment

| Score | Time (sec) | Memory (KiB) | Language |
|---|---|---|---|
| 0 | 0.76087 | 1916 | C++14 |

| Input | Result | Time (sec) | Memory (KiB) | Score | Your output | Correct output | Diff |
|---|---|---|---|---|---|---|---|
| Input #1 | Accepted | 0.13071 | 1916 | 20 | | | |
| Input #2 | Accepted | 0.204179 | 1916 | 20 | | | |
| Input #3 | Accepted | 0.212117 | 1916 | 20 | | | |
| Input #4 | Accepted | 0.033819 | 1916 | 20 | | | |
| Input #5 | Accepted | 0.180041 | 1916 | 20 | | | |