Seating Capacity JIMENSIONS Overall Length Overall Height Overall	7-Seater 1760 1660 2300 X Mist X X S Body Coloured/ Electric Adjust X X X X	1660 2300 BS IV: 2KD-FTV, I	7-Seater 1675 2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) 6	16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 able Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x	1680 2300 II: 2KD-FTV, Diesel, with Turbo) rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	X 8-Seater 1680 2300 charger & 4 Inline Cylinder	Z X 7-Seater						
Seating Capacity JIMENSIONS Verall Length Verall Height Vheel Base Tread Front/Rear Jinimum Turning Radius uel Tank Capacity VIEIGHT Jax. Kerb Weight Jax. Kerb Weight Jay Base Jay Base	X Mist X Mist X Sody Coloured/ Electric Adjust X X X X	B-Seater 1660 2300 BS IV: 2KD-FTV, U X Mist X X X	7-Seater 1675 2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) (4585 mm 1760 mm 2750 mm 1510 mm / 1510 mm 5.4 m 5.5 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 2001 dible Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	7-Seater 1765 mm 1680 2300 II: 2KD-FTV, Diesel, with Turbo 0 mm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	X 8-Seater 1680 2300 charger & 4 Inline Cylinder	X 7-Seater						
IMENSIONS IVERIOR Length IVERTIOR LENGTH IVERTOR LENGTH IVERTIOR LENGTH	X Mist X Mist X Sody Coloured/ Electric Adjust X X X X	T 1660 2300 BS IV: 2KD-FTV, I Mist X X X X X X	1675 2300 Diesel with Intercooler Turboo BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	4585 mm 1760 mm 2750 mm 1510 mm / 1510 mm 5.4 m 5.5 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 2001 dible Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	1765 mm 1680 2300 II: 2KD-FTV, Diesel, with Turbo	1680 2300 charger & 4 Inline Cylinder	1700						
Overall Length Overall Width Overall Width Overall Width Overall Height Vheel Base read Front/Rear Jinimum Turning Radius uel Tank Capacity VEIGHT Anax. Kerb Weight Frons Weight Front Weight Overall Height Overall He	X Mist X Sody Coloured/ Electric Adjust X X X X X X X X X X X X X X X X X	1660 2300 BS IV: 2KD-FTV, I X Mist X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	1760 mm 2750 mm 1510 mm / 1510 mm 5.4 m 5.5 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 dible Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	1680 2300 II: 2KD-FTV, Diesel, with Turbo 0 rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
Overall Height Wheel Base Tread Front/Rear Jinimum Turning Radius uel Tank Capacity VIEIHT Jax. Kerb Weight Jax. Kerb Weight Jax. Kerb Weight Jax. Kerb Weight Jax. Torque Jax. Weight Jax	X Mist X Sody Coloured/ Electric Adjust X X X X X X X X X X X X X X X X X	1660 2300 BS IV: 2KD-FTV, I X Mist X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	2750 mm 1510 mm / 1510 mm 5.4 m 55 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 tible Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	1680 2300 II: 2KD-FTV, Diesel, with Turbo 0 rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
Wheel Base read Front/Rear Infinimum Turning Radius usel Tank Capacity VISIGHT	x Mist x x Body Coloured/ Electric Adjust x x	2300 BS IV: 2KD-FTV, I X Mist X X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	2750 mm 1510 mm / 1510 mm 5.4 m 55 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 tible Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	1680 2300 II: 2KD-FTV, Diesel, with Turbo) rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
read Front/Rear Infinimum Turning Radius ueil Tank Capacity WEIGHT Jax. Kerb Weight Torss Weight Right Jax. Group Jax Group	x Mist x x Body Coloured/ Electric Adjust x x	2300 BS IV: 2KD-FTV, I X Mist X X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	1510 mm / 1510 mm 5.4 m 5.5 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 dible Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	1680 2300 II: 2KD-FTV, Diesel, with Turbo) rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
uel Tank Capacity VIEIGHT Max. Kerb Weight Most Nerb Weight Most Norque HASSIS & TRANSMISSION Buspension Front/Rear Borake Front/Rear Borake Front/Rear Borake Front/Rear Wiper Front Wiper Front Wiper Front Wiper Front Wiper Front Wiper Rear Bear Defoger Front Fog Lamps Dutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Bods Graphics Auffler Cutter Bear Spoiler Bear Spoiler Bear Garnish NTERIOR FEATURES Olock MID (Multi Information Display) Dptitron Combimeter with Illumination Control achometer ippmeter	x Mist x x Body Coloured/ Electric Adjust x x	2300 BS IV: 2KD-FTV, I X Mist X X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	55 litres 1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 uble Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	2300 II: 2KD-FTV, Diesel, with Turbo I rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
WEIGHT Max. Kerb Weight Max. Kerb Weight Torss Weight NGINE Ype Alave Train Displacement uel Supply System Max. Output Max. Torque HASSIS & TRANSMISSION Suspension Front/Rear Varke Front/Rear Vires Transmission XTERIOR FEATURES Willoy Wheels (Dark Grey, Dual Tone) Wiper Front Viper Font Viper Rear Rear Defogger Front Fog Lamps Dustide Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Body Graphics Auffler Cutter Rear Spoiler Radiator Grille Ridde Moulding Rear Garnish NTERIOR FEATURES Olock MID (Multi Information Display) Piptitron Combimeter with Illumination Control achometer Tipmeter	x Mist x x Body Coloured/ Electric Adjust x x	2300 BS IV: 2KD-FTV, I X Mist X X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	1675 2300 charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 dible Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	2300 II: 2KD-FTV, Diesel, with Turbo I rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
Alax, Kerb Weight Fross Weight NIGINE Vige Valve Train Visipalcement Vicel Supply System Alax, Output Alax, Torque CHASSIS & TRANSMISSION Visipension Front/Rear Vireke Front/Rear Vires V	x Mist x x Body Coloured/ Electric Adjust x x	2300 BS IV: 2KD-FTV, I X Mist X X X	2300 Diesel with Intercooler Turboc BS IV: 200 Nm (20.4 kg-m) @ Dou X Intermittent + Mist	2300 sharger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 uble Wishbone / Four Link with //entilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	2300 II: 2KD-FTV, Diesel, with Turbo I rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	2300 charger & 4 Inline Cylinder							
ype Adve Train Alay Tray Alay Tray Tray Alay Tray Tray Alay Tray Tray Tray Alay Tray Tray Tray Tray Tray Tray Tray Tr	X Mist X X X Body Coloured/ Electric Adjust X X X X	BS IV: 2KD-FTV, I	Diesel with Intercooler Turboo BS IV: 200 Nm (20.4 kg-m) (Dou X Intermittent + Mist	charger, 4 Inline Cylinder; BS II 16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 tible Wishbone / Four Link with Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	II: 2KD-FTV, Diesel, with Turbo) rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	charger & 4 Inline Cylinder	2300						
ype latve Train lisisplacement usel Supply System lax. Output lax. Torque PHASSIS & TRANSMISSION Usspension Front/Rear trake Front/Rear tyres lamsmission XTERIOR FEATURES Rear Defogger ront Fog Lamps Ustside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding lackout Body Graphics Auffler Cutter Rear Spoiler Radiator Grille lide Moulding Rear Garnish NTERIOR FEATURES UID (Multi Information Display) Piptiron Combimeter with Illumination Control achometer ippmeter	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	X Mist X X	BS IV: 200 Nm (20.4 kg-m) @ Dou \text{V} Intermittent + Mist	16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 able Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x) rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	· ·							
/afve Train //afve Train //asv. Torque //asv	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	X Mist X X	BS IV: 200 Nm (20.4 kg-m) @ Dou \text{V} Intermittent + Mist	16 Valve DOHC 2494 cm³ (cc) Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 able Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x) rpm 0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ng Drum	· ·							
iuel Supply System Jax. Output Jax. Torque CHASSIS & TRANSMISSION JUSPENSION FRONT/Rear Trake Front/Rear Tyres Transmission XTERIOR FEATURES JUSPENSION JU	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	X Mist X X	Dou X Intermittent + Mist	Common-Rail 75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 ible Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x	0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ing Drum	100 rpm							
Anax, Output Anax, Torque HASSIS & TRANSMISSION Buspension Front/Rear grake Front/Rear gress Fransmission XXTERIOR FEATURES Wiper Front Wiper Front Wiper Front Wiper Font Wiper Rear tear Defogger Front Fog Lamps Dutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Body Graphics Auffler Cutter Rear Spoiler Radiator Grille Bide Moulding Rear Garnish NTERIOR FEATURES Olock AllD (Multi Information Display) Dptitron Combimeter with Illumination Control achometer Fipmeter	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	X Mist X X	Dou X Intermittent + Mist	75 KW (102 PS) @ 3600 @ 1200-3600 rpm; BS III: 200 able Wishbone / Four Link with ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual	0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ing Drum	00 rpm							
Max, Torque #HASSIS & TRANSMISSION Ususpension Front/Rear grake Front/Rear grake Front/Rear grake Front/Rear Wiper Front Wiper Front Wiper Front Wiper Rear Rear Defogger Gront Fog Lamps Usutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Body Graphics Auffler Cutter Rear Spoiler Read Garnish MTERIOR FEATURES Clock MID (Multi Information Display) Uptitron Combimeter with Illumination Control Rachometer Graphicer Rear Spoiler Rear Garnish MTERIOR FEATURES Clock MID (Multi Information Display) Uptitron Combimeter with Illumination Control Reachometer Graphicer Rear Garnish MTERIOR FEATURES Clock MID (Multi Information Display)	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	X Mist X X	Dou X Intermittent + Mist	@ 1200-3600 rpm; BS III: 200 ble Wishbone / Four Link with // fentilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x	0 Nm (20.4 kg-m) @ 1400-34 n Lateral Rod ing Drum	100 rpm							
Suspension Front/Rear brake Front/Rear brake Front/Rear brake Front/Rear brake Front/Rear brakes Suspension Front Brakes Suspension Front Suspension Front Wiper Front Wiper Front Wiper Front Wiper Rear Retar Defoger Front Fog Lamps Dutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Blody Graphics Auffler Cutter Rear Spoiler Rear Spoiler Rear Garnish RITERIOR FEATURES Clock MID (Multi Information Display) Dptitron Combimeter with Illumination Control achometer ippmeter	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	Mist x x x	X Intermittent + Mist	Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x	ing Drum								
Agrake Front/Rear yres Arransmission EXTERIOR FEATURES Alloy Wheels (Dark Grey, Dual Tone) Wiper Front Wiper Rear Rear Defogger Front Fog Lamps Dustide Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	Mist x x x	X Intermittent + Mist	Ventilated Disc / Leading-Traili 205/65 R15 Tubeless Ra 5 Speed Manual x	ing Drum								
yres ransmission XXTERIOR FEATURES Alloy Wheels (Dark Grey, Dual Tone) Viper Front Viper Front Viper Font Viper Font Viper Font Sear Defogger ront Fog Lamps Dutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Stackout Body Graphics Auffler Cutter Rear Spoiler Radiator Grille Ride Moulding Rear Garnish XXTERIOR FEATURES ROCK AllO (Multi Information Display) Diptiron Combimeter with Illumination Control achometer ripmeter	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	Mist x x x	x Intermittent + Mist ✓	205/65 R15 Tubeless Ra 5 Speed Manual x			Ventilated Disc / Leading-Trailing Drum						
ACTERIOR FEATURES Alloy Wheels (Dark Grey, Dual Tone) Wiper Front Wiper Rear Rear Defogger Front Fog Lamps Dustide Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	Mist x x x	Intermittent + Mist	x		205/65 R15 Tubeless Radials							
Alloy Wheels (Dark Grey, Dual Tone) Viper Front Viper Front Viper Fear Rear Defogger ront Fog Lamps Dutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Body Graphics Auffler Cutter Rear Spoiler Radiator Grille Ride Moulding Rear Garnish NTERIOR FEATURES Clock AllD (Multi Information Display) Diptiron Combimeter with Illumination Control achometer ripmeter	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	Mist x x x	Intermittent + Mist		5 Speed Manual								
Wiper Front Viper Rear tear Defogger ront Fog Lamps Dutside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Blockout Blockou	Mist x x x Sody Coloured/ Electric Adjust x x x x x x x x	Mist x x x	Intermittent + Mist		√	√	√						
Viper Rear tear Defogger ront Fog Lamps Dutside Rear View Mirrors (Colour/Control) Nocker & Door Lower Moulding Dlackout Sody Graphics Auffler Cutter tear Spoiler Radiator Grille Side Moulding Rear Garnish NTERIOR FEATURES Tock MID (Multi Information Display) Diptitron Combimeter with Illumination Control achometer ripmeter	X X X Body Coloured/ Electric Adjust X X X	X X X	✓	Intermittent + Mist	Intermittent + Mist	Intermittent + Mist	Intermittent + Mist						
cront Fog Lamps Outside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Rocker & Door Lower Moulding Blackout Rody Graphics Auffler Cutter Rear Spoiler Radiator Grille Rear Garnish MTERIOR FEATURES Rock AID (Multi Information Display) Dittron Combimeter with Illumination Control Rear Garnish Rock AID (Multi Information Display)	X Body Coloured/ Electric Adjust X X X	Х	V	✓	✓	√	✓						
Outside Rear View Mirrors (Colour/Control) Rocker & Door Lower Moulding Blackout Bl	Body Coloured/ Electric Adjust X X X X		X	√ X	With Chrome Bezel	With Chrome Bezel	√ With Chrome Bezel						
Rocker & Door Lower Moulding Blackout Sody Graphics Auffler Cutter Rear Spoiler Radiator Grille Side Moulding Rear Garnish NTERIOR FEATURES ROCK AID (Multi Information Display) Dittron Combineter with Illumination Control achometer ripmeter	Electric Adjust X X X X		X Body Coloured/		Body Coloured/Electric Adjust								
Blackout Sody Graphics Auffler Cutter Rear Spoiler Radiator Grille Side Moulding Rear Garnish NTERIOR FEATURES Tock AID (Multi Information Display) Diptiron Combimeter with Illumination Control achometer ripmeter	X X X	Electric Adjust	Electric Adjust	Electric Adjust	with Side Turn Indicators	with Side Turn Indicators	with Side Turn Indicators						
Rody Graphics Auffler Cutter Rear Spoiler Radiator Grille Ride Moulding Rear Garnish NTERIOR FEATURES Clock Auftle (Multi Information Display) Diptiron Combimeter with Illumination Control achometer ripmeter	X X	X	√ V	√ X	✓ ✓	√ ✓	√						
Auffler Cutter tear Spoiler stadiator Grille side Moulding Sear Garnish NTERIOR FEATURES Clock AID (Multi Information Display) puttron Combimeter with Illumination Control achometer ripmeter	X	X X	X X	X X	X	X	√						
Radiator Grille ide Moulding Rear Garnish **TERIOR FEATURES** Clock III (Multi Information Display) puttron Combimeter with Illumination Control achometer ripmeter		Х	X	Х	Х	X	✓						
Rear Garnish NTERIOR FEATURES Clock AID (Multi Information Display) politron Combimeter with Illumination Control achometer	Crow	X	Chromo I Croy (Now Docian)	Chromo I Croy (Now Docign)	Chromo (Now Docign)	Chromo (Now Docign)	Chromo (Now Docign)						
Rear Garnish NTERIOR FEATURES Clock AID (Multi Information Display) puttron Combimeter with Illumination Control achometer	Grey X	Grey X	Chrome+Grey (New Design) Body Coloured	Chrome+Grey (New Design) Body Coloured	Chrome (New Design) Chrome	Chrome (New Design) Chrome	Chrome (New Design) Chrome						
NTERIOR FEATURES Clock AIID (Multi Information Display) Dipitron Combimeter with Illumination Control achometer Tripmeter	Body Coloured	Body Coloured	Body Coloured	Body Coloured	Chrome	Chrome	Chrome						
Clock AID (Multi Information Display) Dittron Combimeter with Illumination Control achometer Tripmeter	body colodied	body colodied	with Reflector	with Reflector	with Reflector	with Reflector	with Reflector						
AID (Multi Information Display) pptitron Combimeter with Illumination Control achometer ripmeter	X	Х	✓	✓	√	√	✓						
achometer ripmeter	X	X	X	Х	✓	✓	✓						
ripmeter	Х	Х	Х	Х	√	√	√						
	X ✓	X ✓	√	√	✓ ✓	✓	✓						
	· ✓	√ ·	·	√	· ✓	✓	✓						
	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger						
Front Map Lamp (with Overhead Storage Console) Digarette Lighter	X X	X X	✓ ✓	✓	✓ ✓	✓ ✓	✓						
Power Outlet (DC) 12V	X	X	√	· /	· ·	√	√						
Glove Box	✓	✓	✓	✓	✓	✓	✓						
Gun Visor (Driver) Gun Visor (Passenger)	✓	✓	√	✓	✓ ✓	✓ ✓	√						
			4 Spoke	4 Spoke	4 Spoke	4 Spoke	4 Spoke Leather ^ +						
Steering Wheel	4 Spoke Urethane	4 Spoke Urethane	Urethane + Silver	Urethane + Silver	Leather ^ + Silver	Leather ^ + Silver	Silver +Wood-like finish						
Shift Lever Knob	Urethane	Urethane	Urethane	Urethane	Leather ^	Leather ^	Leather ^ + Wood-like finis						
Vooden Panel (wood-like finish) Chrome on Parking Brake Button	X	X	X	X X	X	X	∨ ✓						
Premium Floor Mats	X	X	X	X	X	X	✓						
SEAT & INTERIOR TRIM	Canarata Casta	Congrete Coeta	Congrato Conto	Congrete Costs	Congrete Coate	Congrete Conta	Congrete Costs						
Front Seats Rear No.1 Seats	Separate Seats Captain Seat	Separate Seats Bench Seat 6:4 Tumble	Separate Seats Captain Seat	Separate Seats Bench Seat 6:4 Tumble	Separate Seats Captain Seat	Separate Seats Bench Seat 6:4 Tumble	Separate Seats Captain Seat						
Rear No.2 Seats Ber		Bench Seat 5:5 Space-up		Bench Seat 5:5 Space-up	Bench Seat 5:5 Space-up	Bench Seat 5:5 Space-up	Bench Seat 5:5 Space-up						
ront Seat Slide	√	√ · · · · · · · · · · · · · · · · · · ·	√ · · · · · · · · · · · · · · · · · · ·	V	√	√	✓ ✓						
Rear No.1 Seat Slide Reclining Seats (All)	√	✓ ✓	✓	✓ ✓	✓ ✓	✓ ✓	✓						
Oriver Seat Height Adjustment	X	Х	✓	✓	· /	√	· ✓						
eat Material OMFORT & CONVENIENCE	PVC	PVC	Fabric	Fabric	Fabric High	Fabric High	Leather ^						
ir Conditioner	Manual Control	Manual Control	Manual Control	Manual Control	Auto Control	Auto Control	Auto Control						
leater	✓	✓	✓	✓	✓	✓	✓						
Rear Air Conditioner Ceiling Vents (for 2nd & 3rd rows)	√	✓ ✓	✓ ✓	✓ ✓	✓ ✓	✓ ✓	√						
ilt Steering Column Power Steering	√	✓	√	√	✓	✓ ✓	√						
Power Windows (with Driver Side Auto Down)	✓	✓	✓	✓	✓	✓	✓						
Power Door Lock	✓	√	✓	✓	√ 2DIN LCD Dicplay DVD	✓ ✓ ODIN LCD Dioplay DVD	2DIN LCD Display DVD						
audio System	Х	x	Х	x	2DIN, LCD Display, DVD, Bluetooth, USB, Aux-in,	2DIN, LCD Display, DVD, Bluetooth, USB, Aux-in,	2DIN, LCD Display, DVD, Bluetooth, USB, Aux-in,						
					Touchscreen, Remote	Touchscreen, Remote	Touchscreen, Remote						
peakers	Х	X	4 Nos	4 Nos	6 Nos	6 Nos	6 Nos						
licrophone + Amplifier udio, MID & Bluetooth Phone Control on Steering	X X	X X	X X	X X	✓ ✓	✓ ✓	√						
eyless Entry	· ·	·	✓	✓	· ·	, ✓	√						
arking Sensor	X	X	√	√	X	X	X						
ack Monitor Camera with Display AFETY & SECURITY	Х	Х	Х	Х	✓	✓	√						
OA Body	✓	✓	✓	✓	✓	✓	✓						
BS	X	X	✓	✓	✓	✓	✓						
	Driver + Passenger	Driver + Passenger	Driver + Passenger √	Driver + Passenger	Driver + Passenger	Driver + Passenger	Driver + Passenger √						
mmobiliser OLOURS	V	V	V	· · · · · · · · · · · · · · · · · · ·	√	V	V						
Super White	✓	✓	✓	✓	✓	✓	✓						
Silver Metallic	√	√	√	V	√	√	√						
Silky Gold Mica Metallic Dark Red Mica Metallic	×	√ X	✓ ✓	✓ ✓	✓ ✓	✓ ✓	√						
Bronze Mica Metallic	X	X	v ✓	V ✓									
Grey Metallic	✓				✓	✓	✓						



SUPER WH



SILVER METALLIC



SILKY GOLD MICA METALLIC



DARK RED MICA METALLIC#



GREY METALLIC

Note: Vehicles pictured and specifications detailed in this brochure may vary between models and equipment. Addition of extra features may change figures in this chart. Toyota Kirloskar Motor Pvt. Ltd. reserves the right to alter the details of specifications and equipment without a notice. Actual colour of the vehicle body & upholstery might differ slightly from the images depicted in this brochure. Features are grade specific.

Is your Innova dealer



10 YEARS OF BEING INDIA'S NO.1 MPV IN STYLE, SPACE, SAFETY AND COMFORT.



When you get best in class style, **Then why compromise**?

NO.1 in style



STUNNING FRONT GRILLE



SPORTY SIDE MOULDING



INNOVA

DARK GREY DUAL TONE ALLOY WHEELS



CHROME BACK DOOR GARNISH WITH REFLECTOR




LEATHER[^] & WOOD FINISH STEERING WHEEL











CAPTAIN SEAT



THIRD ROW FOLD







SINGLE TONE LEATHER' SEAT WITH WOOD FINISH PANELS



POWERFUL & RELIABLE D-4D DIESEL ENGINE



SECOND & THIRD ROW ROOF A/C VENTS




TOUCH SCREEN AUDIO DVD, BLUETOOTH WITH REMOTE



NO.1 in safety

0000





DUAL SRS AIRBAGS

WORLD-CLASS GOA BODY

ABS

INNOVA



Dual SRS airbags now standard across all variants.

When you get best in class safety, Then why compromise?



LIFESTYLE COLLECTION



TAIL LAMP CHROME GARNISH PZ049-0K603



MUFFLER CUTTER PZ056-0K009



HEAD UP DISPLAY PZ065-0K003-D



SIDE VISOR PZ033-0K602



HEADLAMP CHROME GARNISH PZ049-0K602



LUGGAGE TRAY PZ002-0K002



BACK DOOR GARNISH PZ057-0K603



ROOF SPOILER PZ030-0K601



REAR BUMPER SPOILER PZ036-0K601

Security system is also a part of the Lifestyle Collection.