

Math methods annotations

Katharine Long
Department of Mathematics and Statistics
Texas Tech University

December 28, 2021

Preface

Contents

1	Resources	6
1.1	Textbook	6
1.2	Books to have handy for review	6
1.3	Math reference handbook	7
1.4	Online presentations	7
2	Vectors & Coordinates	8
2.1	Definitions and arithmetic	8
2.1.1	Unit vectors	9
2.2	Dot product	9
2.2.1	Applications of the dot product	10
2.2.1.1	A familiar application: block on an inclined plane	11
2.2.1.2	A less familiar application: polarized light	12
2.3	Cross product	12
2.4	Orthogonal curvilinear coordinates	12
2.4.1	The three most important coordinate systems	13
2.4.2	Cartesian unit vectors represented in non-Cartesian coordinates	13
2.5	Time derivatives of vectors and products	14
2.5.1	Applications	15
2.5.1.1	Angular momentum and torque	15
2.5.1.2	Motion in a magnetic field	15
2.5.2	Time derivatives of unit vectors	15
2.5.2.1	Cylindrical coordinates	16
2.5.3	Newton's second law in cylindrical coordinates	16
2.5.3.1	Angular momentum conservation again	17
2.5.3.2	Uniform circular motion	17
2.5.3.3	Equation of motion of an ideal pendulum	18

3	Integration	19
3.1	Line, area, and volume elements	19
3.2	Line integrals	19
3.3	Area, surface, and volume integrals	19
3.4	Some integration tricks	19
3.4.1	Poisson's Gaussian integral trick	19
3.4.1.1	Multidimensional Gaussian integrals	20
3.4.2	Feynman's trick	21
3.4.2.1	Simple examples	22
3.4.2.2	Repeated differentiation	22
3.4.2.3	Inserting parameters	23
3.5	The Dirac delta function	23
4	First order ordinary differential equations	24
4.1	Separation of variables	24
4.2	First order linear equations (FOLDE)	24
4.3	FOLDE worked examples	24
4.4	Sinusoidally forced FOLDECC	24
5	Second-order ordinary differential equations (first look)	25
5.1	Second order linear equations (SOLDE)	25
5.1.1	Superposition	25
5.2	SOLDECC	25
5.3	Sinusoidally forced SOLDECC	25
6	Vectors: a more abstract look	26
6.1	Linear independence, span, and basis	26
6.1.1	Functions as vectors	26
6.1.2	Inner products and orthogonality	26
6.1.3	Orthogonal functions	26
6.2	Matrices	26
6.2.1	Matrix-vector multiplication	26
6.2.2	Inner products	26
6.2.3	Systems of equations	26
6.2.4	Homogeneous and nonhomogeneous equations; the null space	26
6.2.5	The determinant	26
6.3	Eigenvalues and eigenvectors	26
6.3.1	Diagonalization	26

7	Infinite series	27
7.1	Taylor and Maclaurin series	27
7.1.1	The exponential and friends	27
7.1.2	The binomial series	27
7.2	Functions defined by series	27
7.3	Fourier series	27
7.4	Generalized Fourier series	27
8	Second-order ordinary differential equations (second look)	28
8.1	Sturm-Liouville theory and orthogonal functions	28
8.1.1	The five easy Sturm-Liouville problems	28
8.1.2	The spectral theorem	28
8.2	SOLDE with variable coefficients	28
8.2.1	Cauchy-Euler equations	28
8.2.2	Series solutions	28
8.2.3	Bessel's equation	28
9	Scalar and vector fields	29
9.1	Gradient, divergence, and curl	29
9.2	Double-del identities	29
9.3	The Helmholtz theorem and potentials	29
9.4	Applications:	29
9.4.1	Ideal flow	29
9.4.2	Electrostatics and magnetostatics	29
9.4.3	Maxwell's equations	29
9.4.4	Stokes flow	29
10	Partial differential equations	30
10.1	Separation of variables	30
10.2	Laplace's equation	30
10.2.1	Laplace in 2D Cartesian coordinates	30
10.2.2	Laplace in plane polar coordinates	30
10.3	The Helmholtz equation	30
10.3.1	Helmholtz in 2D Cartesian coordinates	30
11	Calculus of variations	31

12 Complex analysis	32
12.1 Analytic functions	32
12.2 Power series	32
12.3 Computing real integrals by complex contour integration	32
13 The Fourier transform	33
13.1 Identities and simple transform pairs	33
13.1.1 Basics	33
13.1.2 Generalized functions	33
13.1.3 Applications	33
13.1.3.1 1D Boundary value problems	33
13.1.4 Fourier convolution	33
13.2 Signals and uncertainty	33
13.2.1 Tuning a piano	33
13.2.2 Fraunhofer diffraction	33
13.2.3 The uncertainty principle	33
13.3 Initial-boundary value problems on the real line	33
13.3.1 The heat equation	33
13.3.2 The free-particle Schrödinger equation	33
13.3.3 Approximate solution; phase and group velocities	33

Chapter 1

Resources

1.1 Textbook

- Hassani, *Mathematical Methods For Students of Physics and Related Fields*, 2009, Springer

1.2 Books to have handy for review

- Your favorite calculus book. There are a gazillion calculus books out there, so pick one you like. Since I can't possibly provide references to every calculus book, I'll give you section references to two that are easily obtained by TTU students:
 - If you took calculus at TTU, you probably have: (SST) Smith, Strauss, and Toda, *Calculus*, 2014, Kendall Hunt.
 - A series of top-quality calculus books freely distributed online is: (OSTXC) OpenStax, *Calculus*. You can download PDFs or apps.
 - * Volume 1: <https://openstax.org/details/books/calculus-volume-1>
 - * Volume 2: <https://openstax.org/details/books/calculus-volume-2>
 - * Volume 3: <https://openstax.org/details/books/calculus-volume-3>
- Your favorite intro physics book.
 - If you took intro physics at TTU, you probably have: (SJP) Serway and Jewett, *Physics for Scientists and Engineers*, 2008, Thomson/Brooks/Cole.
 - A series of intro physics books freely distributed online is: (OSTXP) OpenStax, *University Physics*. You can download PDFs or apps.
 - * Volume 1: <https://openstax.org/details/books/university-physics-volume-1>
 - * Volume 2: <https://openstax.org/details/books/university-physics-volume-2>
 - * Volume 3: <https://openstax.org/details/books/university-physics-volume-3>
 - A classic available freely online is
 - * (FLP) Feynman, Leighton, and Sands, *The Feynman Lectures on Physics*, online edition: <https://www.feynmanlectures.caltech.edu/>

1.3 Math reference handbook

- (DLMF) Olver (ed), *NIST digital library of mathematical functions*
 - Available online at <https://dlmf.nist.gov/>
 - This is an online edition of the hardcopy book *NIST Handbook of Mathematical Functions*, 2010, Cambridge.
 - The original *Handbook of Mathematical Functions*, edited by Abramowitz and Stegun, was published in 1964. It is now freely available in PDF form. There's an inexpensive Dover version if you like hardcopy.

1.4 Online presentations

- **3Blue1Brown** video series by Grant Sanderson. These are wonderful. Some series of particular relevance to this course are:
 - Calculus: <https://www.3blue1brown.com/topics/calculus>
 - Linear algebra: <https://www.3blue1brown.com/topics/linear-algebra>
 - Differential equations: <https://www.3blue1brown.com/topics/differential-equations>
 - Fourier analysis, vector calculus: in <https://www.3blue1brown.com/topics/analysis>
- **MIT OpenCourseWare** has courses on many subjects. Relevant to this course are:
 - Differential equations: [MIT 18.03](#)
 - Linear algebra: [MIT 18.06](#)
 - Multivariable calculus [MIT 18.02](#)

Chapter 2

Vectors & Coordinates

About half of this chapter will be material (vector algebra and derivatives of vectors) that you've seen before. We'll review the basics, then dig more deeply into vectors in non-Cartesian coordinates and applications to physics.

- Hassani 1, 2
- Review:
 - Hassani 1.1, 2.1-2.2
 - SST 9.1-9.4, 10.1-10.5
 - OSTX III 1.1-1.3, 2.1-4, 3.1-2, 3.4

2.1 Definitions and arithmetic

- A vector in three(two) dimensions is an ordered triple(pair) of real numbers. The entries in the vector are called its **components**.
- Vectors add/subtract component-wise: if $\mathbf{a} = (a_x, a_y)$ and $\mathbf{b} = (b_x, b_y)$, then

$$\mathbf{a} \pm \mathbf{b} = (a_x \pm b_x, a_y \pm b_y).$$

This is true regardless of which unit vectors are used. You can visualize it with the parallelogram rule.

- Multiplication of a vector by a scalar multiplies each component by that scalar:

$$\alpha \mathbf{a} = (\alpha a_x, \alpha a_y).$$

It “scales” the vector by the factor α . If $\alpha < 0$, the direction is reversed and the magnitude is multiplied by $|\alpha|$.

- The **magnitude** of a vector is its Pythagorean length:

$$\|\mathbf{a}\| = \sqrt{a_x^2 + a_y^2}$$

in 2D and

$$\|\mathbf{a}\| = \sqrt{a_x^2 + a_y^2 + a_z^2}$$

in 3D. Some books with use single bars, $|\mathbf{a}|$, where we use double bars. We'll also sometimes write a for the magnitude of \mathbf{a} . When this notation is used it's especially important to use some distinguishing notation for vectors; otherwise, you'll quickly become confused between the scalar a and the vector \mathbf{a} .

- In 2D, we can write the components of \mathbf{a} in polar form as $(a \cos \phi, a \sin \phi)$, where $a = \|\mathbf{a}\|$ and ϕ is the angle from the x axis, running CCW. There's also a polar form for 3D vectors, but we'll wait on that until we've laid some more foundation.

2.1.1 Unit vectors

In 2D, define $\hat{\mathbf{i}} = (1, 0)$ and $\hat{\mathbf{j}} = (0, 1)$. Then $\mathbf{a} = (a_x, a_y)$ can be written as $\mathbf{a} = a_x \hat{\mathbf{i}} + a_y \hat{\mathbf{j}}$. In 3D, we have $\hat{\mathbf{i}} = (1, 0, 0)$, $\hat{\mathbf{j}} = (0, 1, 0)$, and $\hat{\mathbf{k}} = (0, 0, 1)$. The $\hat{\mathbf{i}}, \hat{\mathbf{j}}$ system in 2D and $\hat{\mathbf{i}}, \hat{\mathbf{j}}, \hat{\mathbf{k}}$ systems in 3D are orthogonal: $\hat{\mathbf{i}} \perp \hat{\mathbf{j}}$, $\hat{\mathbf{i}} \perp \hat{\mathbf{k}}$, and $\hat{\mathbf{j}} \perp \hat{\mathbf{k}}$. Since these vectors also have unit magnitude (they're **normalized**) we call these systems **orthonormal**.

You might also see the symbols $\hat{\mathbf{x}}, \hat{\mathbf{y}}$, and $\hat{\mathbf{z}}$ in place of $\hat{\mathbf{i}}, \hat{\mathbf{j}}$, and $\hat{\mathbf{k}}$. When working with generic unit vectors we'll often use the symbol $\hat{\mathbf{e}}$ (from German *einheit*, unit). For example, in an orthogonal system of unit vectors we have $\hat{\mathbf{e}}_i \perp \hat{\mathbf{e}}_j$ when $i \neq j$.

Given any vector \mathbf{a} , we can produce a unit vector in the direction of \mathbf{a} by dividing by its magnitude,

$$\hat{\mathbf{a}} = \frac{\mathbf{a}}{\|\mathbf{a}\|}.$$

This procedure is called **normalization**.

2.2 Dot product

The dot product takes two vectors as arguments, and returns a scalar.

- If \mathbf{a} and \mathbf{b} are represented in terms of their Cartesian components, define the dot product by:

$$\mathbf{a} \cdot \mathbf{b} = \sum_{j=1}^3 a_j b_j$$

- Properties: from the definition you can show that for all vectors \mathbf{a} and \mathbf{b} and scalars α ,
 1. $\mathbf{a} \cdot \mathbf{b} = \mathbf{b} \cdot \mathbf{a}$ (the dot product is commutative)
 2. $(\alpha \mathbf{a}) \cdot \mathbf{b} = \alpha (\mathbf{a} \cdot \mathbf{b})$ (the dot product commutes with scalar multiplication)

3. $\mathbf{a} \cdot (\mathbf{b} + \mathbf{c}) = \mathbf{a} \cdot \mathbf{b} + \mathbf{a} \cdot \mathbf{c}$ (the dot product distributes over addition)

4. $\mathbf{a} \cdot \mathbf{a} \geq 0$, and $\mathbf{a} \cdot \mathbf{a} = 0$ iff $\mathbf{a} = \mathbf{0}$ (the dot product is positive definite)

Properties 2 and 3 can be summed up in a single equation: $\mathbf{a} \cdot (\beta\mathbf{b} + \gamma\mathbf{c}) = \beta(\mathbf{a} \cdot \mathbf{b}) + \gamma(\mathbf{a} \cdot \mathbf{c})$. Dot products distribute over linear combinations.

- Let θ_{ab} be the angle between \mathbf{a} and \mathbf{b} . With the angle addition formula, the dot product can be shown to be:

$$\mathbf{a} \cdot \mathbf{b} = \|\mathbf{a}\| \|\mathbf{b}\| \cos \theta_{ab}.$$

Consequences:

- $\mathbf{a} \cdot \mathbf{b} = 0$ iff $\mathbf{a} \perp \mathbf{b}$.
- $\mathbf{a} \cdot \mathbf{a} = \|\mathbf{a}\|^2$.
- Cauchy-Schwarz inequality: $|\mathbf{a} \cdot \mathbf{b}| \leq \|\mathbf{a}\| \|\mathbf{b}\|$
- If \mathbf{a} and \mathbf{b} are represented in arbitrary unit vectors \mathbf{e}_j , then

$$\mathbf{a} \cdot \mathbf{b} = \sum_{i=1}^3 \sum_{j=1}^3 a_i b_j \hat{\mathbf{e}}_i \cdot \hat{\mathbf{e}}_j.$$

If those unit vectors are orthonormal ($\hat{\mathbf{e}}_i \cdot \hat{\mathbf{e}}_j = \delta_{ij}$), then the preceding result simplifies to

$$\mathbf{a} \cdot \mathbf{b} = \sum_{j=1}^3 a_j b_j.$$

2.2.1 Applications of the dot product

The principal uses of the dot product will be:

- To find the component of \mathbf{a} along a unit vector $\hat{\mathbf{p}}$, compute $\hat{\mathbf{p}} \cdot \mathbf{a}$.
- To find the magnitude of \mathbf{a} , compute $\|\mathbf{a}\| = \sqrt{\mathbf{a} \cdot \mathbf{a}}$.
- To check if $\mathbf{a} \perp \mathbf{b}$, check if $\mathbf{a} \cdot \mathbf{b} = 0$.
- With orthonormal unit vectors, any vector can be resolved into components as follows:

$$\mathbf{a} = (\hat{\mathbf{e}}_1 \cdot \mathbf{a}) \hat{\mathbf{e}}_1 + (\hat{\mathbf{e}}_2 \cdot \mathbf{a}) \hat{\mathbf{e}}_2 + (\hat{\mathbf{e}}_3 \cdot \mathbf{a}) \hat{\mathbf{e}}_3.$$

These have many applications in analyzing the geometry of physical problems. Spoiler: we'll develop an abstract generalization of the dot product that lets us apply these ideas to *functions* as well as “ordinary” 3D vectors. For now, we stick with the concrete.

2.2.1.1 A familiar application: block on an inclined plane

You’ve likely encountered the problem of a block sliding on an inclined plane. The key step is to resolve the downward gravitational force \mathbf{F}_g into two components: \mathbf{F}_{\parallel} down along the plane’s surface and \mathbf{F}_{\perp} normal to it. By contemplating triangles you can see that \mathbf{F}_{\parallel} has magnitude $mg \sin \alpha$. The distance traveled down a frictionless plane starting from rest is then

$$s(t) = s_0 - \frac{1}{2}gt^2 \sin \alpha.$$

In more complicated problems it’s harder to work out vector components by inspection. Following the general principle that “*algebra is a way to substitute computation for thinking*,” we’ll develop a systematic method for finding components. In the inclined plane example, we introduce an orthonormal set of unit vectors, a tangent vector $\hat{\mathbf{t}}$ down along the plane and a normal vector $\hat{\mathbf{n}}$ outward from the plane. By construction, we have $\hat{\mathbf{t}} \cdot \hat{\mathbf{n}} = 0$. Write \mathbf{F} in terms of these unit vectors,

$$\mathbf{F} = F_{\tau} \hat{\mathbf{t}} + F_n \hat{\mathbf{n}},$$

where the coefficients F_{τ} and F_n are to be determined. To find the components along each unit vector, use the dot product. Dot $\hat{\mathbf{t}}$ into \mathbf{F} ,

$$\begin{aligned} \hat{\mathbf{t}} \cdot \mathbf{F} &= F_{\tau} (\hat{\mathbf{t}} \cdot \hat{\mathbf{t}}) + F_n (\hat{\mathbf{t}} \cdot \hat{\mathbf{n}}) \\ &= 1F_{\tau} + 0F_n = F_{\tau}, \end{aligned}$$

so we find

$$F_{\tau} = \hat{\mathbf{t}} \cdot \mathbf{F}.$$

Similarly, dot $\hat{\mathbf{n}}$ into \mathbf{F} to find the normal component,

$$F_n = \hat{\mathbf{n}} \cdot \mathbf{F}.$$

All of this can be represented compactly in the formula

$$\mathbf{F} = (\hat{\mathbf{t}} \cdot \mathbf{F}) \hat{\mathbf{t}} + (\hat{\mathbf{n}} \cdot \mathbf{F}) \hat{\mathbf{n}}.$$

With \mathbf{F} appearing on both sides, here’s what the formula means: given some \mathbf{F} and an orthonormal unit vector set, resolve it into components along $\hat{\mathbf{t}}$ and $\hat{\mathbf{n}}$ by taking dot products $\hat{\mathbf{t}} \cdot \mathbf{F}$ and $\hat{\mathbf{n}} \cdot \mathbf{F}$.




Figure 2.1: Gravitational force acting on a block on an inclined plane.

2.2.1.2 A less familiar application: polarized light

In an electromagnetics course you'll learn that light is a wave in an EM field. Plane EM waves are transverse: if a plane wave is traveling in the x direction (along \hat{i}) then $\mathbf{E} \perp \hat{i}$ and $\mathbf{B} \perp \hat{i}$, which we can express using the dot product: $\mathbf{E} \cdot \hat{i} = 0$ and $\mathbf{B} \cdot \hat{i} = 0$. It can also be shown that in a plane wave $\mathbf{E} \perp \mathbf{B}$. In the rest of this discussion we'll focus on the electric field and ignore the magnetic field. The polarization state of a wave is the direction of the electric field \mathbf{E} . A typical light source (an LED bulb, a star, etc) emits light that is unpolarized: a superposition of different polarization states.

Although most (not all!) emitters produce unpolarized light, it is possible to obtain polarized light. Materials called polarizers transmit only light with a specific polarization state, absorbing all else. Unpolarized light entering a polarizer emerges polarized. Other processes can select for certain polarizations; these include scattering and reflection. We'll focus on polarizing materials, and consider a polarizer to be a "black box" that selects a particular polarization.

For a mathematical model of the action of a polarizer, we need two vectors: \mathbf{E} and \hat{p} .

2.3 Cross product

Two vectors \mathbf{a} and \mathbf{b} define a parallelogram. A direction, or orientation, can be assigned to the parallelogram using the right-hand rule: start with your right fingers along \mathbf{a} , curl your fingers into \mathbf{b} , and your thumb indicates the direction of $\mathbf{a} \times \mathbf{b}$.

- Definition: The cross product $\mathbf{a} \times \mathbf{b}$ is the vector in the direction given by the right-hand rule, having magnitude $\|\mathbf{a} \times \mathbf{b}\|$ equal to the area of the parallelogram.
- Consequences:
 1. $\mathbf{a} \times \mathbf{b} = -\mathbf{b} \times \mathbf{a}$
 2. $\mathbf{a} \times \mathbf{a} = \mathbf{0}$
 3. $\mathbf{a} \cdot (\mathbf{a} \times \mathbf{b}) = 0$
 4. $\|\mathbf{a} \times \mathbf{b}\| = \|\mathbf{a}\| \|\mathbf{b}\| \sin \theta_{ab}$
- You can compute the cross product using the determinant formula

$$\mathbf{a} \times \mathbf{b} = \begin{vmatrix} \hat{i} & \hat{j} & \hat{k} \\ a_x & a_y & a_z \\ b_x & b_y & b_z \end{vmatrix} = (a_y b_z - a_z b_y) \hat{i} - (a_x b_z - a_z b_x) \hat{j} + (a_x b_y - a_y b_x) \hat{k}.$$

2.4 Orthogonal curvilinear coordinates

If $\langle q_1, q_2, q_3 \rangle$ are orthogonal curvilinear coordinates, then the scale factors h_j are

$$h_j = \left\| \frac{\partial \mathbf{r}}{\partial q_j} \right\|,$$

and the unit vectors tangent to the q_1 coordinate line, then

$$\hat{e}_j = \frac{1}{h_j} \frac{\partial \mathbf{r}}{\partial q_j}.$$

2.4.1 The three most important coordinate systems

- Cartesian: $\mathbf{r}(x, y, z) = x\hat{i} + y\hat{j} + z\hat{k}$
 - $h_x = h_y = h_z = 1$
- Cylindrical polar coordinates: $\mathbf{r}(\rho, \phi, z) = \rho(\hat{i} \cos \phi + \hat{j} \sin \phi) + z\hat{z}$
 - $h_\rho = 1; \hat{\rho} = \hat{i} \cos \phi + \hat{j} \sin \phi$
 - $h_\phi = \rho; \hat{\phi} = -\hat{i} \sin \phi + \hat{j} \cos \phi$
 - $h_z = 1; \hat{z} = \hat{k}$

Notice that $\mathbf{r} = \rho\hat{\rho} + z\hat{z}$. When $z = 0$, the system reduces to 2D polar (“plane polar”) coordinates.

- Spherical polar coordinates: $\mathbf{r}(r, \theta, \phi) = r((\hat{i} \cos \phi + \hat{j} \sin \phi) \sin \theta + \hat{k} \cos \theta)$
 - $h_r = 1; \hat{r} = (\hat{i} \cos \phi + \hat{j} \sin \phi) \sin \theta + \hat{k} \cos \theta$
 - $h_\theta = r; \hat{\theta} = (\hat{i} \cos \phi + \hat{j} \sin \phi) \cos \theta - \hat{k} \sin \theta$
 - $h_\phi = r \sin \theta; \hat{\phi} = -\hat{i} \sin \phi + \hat{j} \cos \phi$

Notice that $\mathbf{r} = r\hat{r}$.

Except in Cartesian coordinates, the unit vectors depend on the coordinates. One consequence to be explored below is that if a particle’s position is described in non-Cartesian coordinates, the unit vectors change as the particle moves.

Certainly in cylindrical and possibly in spherical coordinates you can reason through the geometry to figure out the unit vectors, and skip the calculation of the scale factors and partial derivatives. However, the geometrical reasoning gets much more complicated for coordinate systems such as ellipsoidal or parabolic coordinates, while the brute force calculation will always work. The calculation might be complicated, but it’s mindless and can be done by a computer.

2.4.2 Cartesian unit vectors represented in non-Cartesian coordinates

It’s sometimes useful (see 2.5.3.3 below) to write the Cartesian unit vectors in terms of unit vectors in another system. We can do this with dot products: for example, to find the components of \hat{i} in the cylindrical unit vectors, write \hat{i} as

$$\hat{i} = (\hat{i} \cdot \hat{\rho}) \hat{\rho} + (\hat{i} \cdot \hat{\phi}) \hat{\phi} + (\hat{i} \cdot \hat{z}) \hat{z}$$

and work through the algebra,

$$\begin{aligned}\hat{\mathbf{i}} \cdot \hat{\boldsymbol{\rho}} &= \cos \phi \\ \hat{\mathbf{i}} \cdot \hat{\boldsymbol{\phi}} &= -\sin \phi \\ \hat{\mathbf{i}} \cdot \hat{\mathbf{z}} &= 0,\end{aligned}$$

leading to the result

$$\hat{\mathbf{i}} = \hat{\boldsymbol{\rho}} \cos \phi - \hat{\boldsymbol{\phi}} \sin \phi.$$

A similar calculation finds

$$\begin{aligned}\hat{\mathbf{j}} &= \hat{\boldsymbol{\rho}} \sin \phi + \hat{\boldsymbol{\phi}} \cos \phi \\ \hat{\mathbf{k}} &= \hat{\mathbf{z}}.\end{aligned}$$

The same procedure can be used to do any transformation between any two systems of orthonormal unit vectors.

2.5 Time derivatives of vectors and products

- Differentiate a vector component-by-component:

$$\begin{aligned}\frac{d\mathbf{f}}{dt} &= \frac{d}{dt} \left[\sum_{j=1}^3 f_j(t) \hat{\mathbf{e}}_j(t) \right] \\ &= \sum_{j=1}^3 \frac{df_j}{dt} \hat{\mathbf{e}}_j + \sum_{j=1}^3 f_j \frac{d\hat{\mathbf{e}}_j}{dt}.\end{aligned}$$

When the unit vectors $\{\hat{\mathbf{e}}_j\}$ are constant in time, then the second term is zero.

- By grinding through the ordinary product rule, you can easily show the following:

$$\begin{aligned}\frac{d}{dt}(\alpha \mathbf{f}) &= \alpha \frac{d\mathbf{f}}{dt} + \frac{d\alpha}{dt} \mathbf{f} \\ \frac{d}{dt}(\mathbf{f} \cdot \mathbf{g}) &= \frac{d\mathbf{f}}{dt} \cdot \mathbf{g} + \mathbf{f} \cdot \frac{d\mathbf{g}}{dt} \\ \frac{d}{dt}(\mathbf{f} \cdot \mathbf{f}) &= 2\mathbf{f} \cdot \frac{d\mathbf{f}}{dt} \\ \frac{d}{dt}(\mathbf{f} \times \mathbf{g}) &= \frac{d\mathbf{f}}{dt} \times \mathbf{g} + \mathbf{f} \times \frac{d\mathbf{g}}{dt}\end{aligned}$$

2.5.1 Applications

2.5.1.1 Angular momentum and torque

The angular momentum of a particle is $\mathbf{L} = m\mathbf{r} \times \mathbf{v}$. Differentiate \mathbf{L} , using the product rule for the cross product:

$$\begin{aligned}\frac{d\mathbf{L}}{dt} &= m \frac{d\mathbf{r}}{dt} \times \mathbf{v} + m\mathbf{r} \times \frac{d\mathbf{v}}{dt} \\ &= m\mathbf{v} \times \mathbf{v} + \mathbf{r} \times (m\mathbf{a}) \\ &= \mathbf{r} \times \mathbf{F};\end{aligned}$$

this is the familiar relation between angular momentum \mathbf{L} and torque $\mathbf{r} \times \mathbf{F}$. When the force is entirely radial, the torque is zero, so $\frac{d\mathbf{L}}{dt} = 0$ and therefore $\mathbf{L} = \text{constant}$.

2.5.1.2 Motion in a magnetic field

The Lorentz force on a charged particle in a magnetic field is $\mathbf{F} = q\mathbf{v} \times \mathbf{B}$; the nonrelativistic equation of motion is

$$m \frac{d\mathbf{v}}{dt} = q\mathbf{v} \times \mathbf{B}.$$

We won't solve this equation now; however, we can deduce some properties of the motion even without a full solution.

- The acceleration is \perp to the velocity.
- The magnitude of the velocity is constant. To prove this, compute

$$\frac{d}{dt} (\|\mathbf{v}\|^2) = 2\mathbf{v} \cdot \frac{d\mathbf{v}}{dt}$$

and use the equation of motion and vector identities to find the result.

2.5.2 Time derivatives of unit vectors

Let \mathbf{e} be any unit vector. Then $\frac{d\mathbf{e}}{dt} \perp \mathbf{e}$. You can prove this using the product rule and the property $\mathbf{e} \cdot \mathbf{e} = 1$. Here's how to understand it: if $\frac{d\mathbf{e}}{dt}$ had a component along \mathbf{e} , then its magnitude would change; this is impossible, therefore $\frac{d\mathbf{e}}{dt}$ must be $\perp \mathbf{e}$.

In Cartesian coordinates the unit vectors are independent of time. In other coordinate systems, this will not be the case.

2.5.2.1 Cylindrical coordinates

Differentiate the expressions for $\hat{\rho}$, $\hat{\phi}$, and \hat{z} :

- $\frac{d\hat{\rho}}{dt} = -\dot{\phi}\hat{i}\sin\phi + \dot{\phi}\hat{j}\cos\phi$
- $\frac{d\hat{\phi}}{dt} = -\dot{\phi}\hat{i}\cos\phi - \dot{\phi}\hat{j}\sin\phi$
- $\frac{d\hat{z}}{dt} = \mathbf{0}$

You'll usually want these in terms of the cylindrical unit vectors. By inspection, you can spot that

$$\begin{aligned}\frac{d\hat{\rho}}{dt} &= \dot{\phi}\hat{\phi} \\ \frac{d\hat{\phi}}{dt} &= -\dot{\phi}\hat{\rho}\end{aligned}$$

In more complicated coordinate systems it won't be so easy to spot the expansion coefficients, but it's always possible to work them out using the dot product:

$$\frac{d\hat{\rho}}{dt} = \left(\hat{\rho} \cdot \frac{d\hat{\rho}}{dt}\right)\hat{\rho} + \left(\hat{\phi} \cdot \frac{d\hat{\rho}}{dt}\right)\hat{\phi}$$

which you can show is equal to $\dot{\phi}\hat{\phi}$.

In mechanics, we'll also want the second derivatives (used in accelerations). The hard part was computing the first derivatives; with those in hand, it follows that

$$\begin{aligned}\frac{d^2\hat{\rho}}{dt^2} &= \ddot{\phi}\hat{\phi} - \dot{\phi}^2\hat{\rho} \\ \frac{d^2\hat{\phi}}{dt^2} &= -\ddot{\phi}\hat{\rho} - \dot{\phi}^2\hat{\phi}\end{aligned}$$

2.5.3 Newton's second law in cylindrical coordinates

For a particle with constant mass m , Newton's second law of motion is

$$m\frac{d^2\mathbf{r}}{dt^2} = \mathbf{F}.$$

In 2.4.1 we saw that $\mathbf{r} = \rho\hat{\rho} + z\hat{z}$. The acceleration is

$$\begin{aligned}\frac{d^2\mathbf{r}}{dt^2} &= \ddot{\rho}\hat{\rho} + 2\dot{\rho}\frac{d\hat{\rho}}{dt} + \rho\frac{d^2\hat{\rho}}{dt^2} + \ddot{z}\hat{z} \\ &= \left(\ddot{\rho} - \rho\dot{\phi}^2\right)\hat{\rho} + \left(\rho\ddot{\phi} + 2\dot{\rho}\dot{\phi}\right)\hat{\phi} + \ddot{z}\hat{z}.\end{aligned}$$

The equations of motion are

$$m \left(\ddot{\rho} - \rho \dot{\phi}^2 \right) = F_\rho = \hat{\rho} \cdot \mathbf{F}$$

$$m \left(\rho \ddot{\phi} + 2\dot{\rho}\dot{\phi} \right) = F_\phi = \hat{\phi} \cdot \mathbf{F}$$

$$m\ddot{z} = F_z = \hat{z} \cdot \mathbf{F}.$$

This is a system of three coupled second order differential equations.

2.5.3.1 Angular momentum conservation again

The angular equation of motion is

$$m \left(\rho \ddot{\phi} + 2\dot{\rho}\dot{\phi} \right) = F_\phi.$$

This is a second order differential equation involving both ρ and ϕ ; it can't be solved without also solving the other two equations of motion. But notice that if we introduce $L_z = m\rho^2\dot{\phi}$ and differentiate

$$\frac{d}{dt} \left(m\rho^2\dot{\phi} \right) = m\rho^2\ddot{\phi} + 2m\rho\dot{\phi}\dot{\rho},$$

we find

$$\frac{dL_z}{dt} = \rho F_\phi.$$

When $F_\phi = 0$, the quantity L_z is constant in time.

2.5.3.2 Uniform circular motion

Consider uniform circular motion in the plane $z = 0$, centered on the origin. Cylindrical coordinates are the obvious choice for this problem; the radial coordinate ρ remains constant while the angular coordinate varies linearly with time,

$$\rho(t) = a; \quad \phi(t) = \omega t + \phi_0; \quad z(t) = 0$$

Then $\dot{\rho} = 0$, $\ddot{\rho} = 0$, $\dot{\phi} = \omega$, and $\ddot{\phi} = 0$. Plug into the equations of motion, finding

$$-m\rho\omega^2 = F_\rho$$

$$F_\phi = 0$$

$$F_z = 0.$$

The first of these equations is the well-known condition for the centripetal force required to hold a particle in circular motion.

2.5.3.3 Equation of motion of an ideal pendulum

It will be convenient work in the $x - y$ plane but to orient the x axis downwards and the y axis pointing to the right. Then ϕ is the angle (CCW) from the downward vertical, and the gravitational force is $\mathbf{F} = mg\hat{\mathbf{i}}$. Cylindrical coordinates are the natural choice: the pendulum moves, the radial coordinate $\rho(t)$ remains constant and the angular coordinate varies.

The forces on the pendulum are gravitational, $\mathbf{F}_{\text{grav}} = mg\hat{\mathbf{i}}$, and an unknown, variable, tension in the pendulum rod, $\mathbf{F}_{\text{tens}} = F_{\text{tens}}\hat{\boldsymbol{\rho}}$. Since we're working in cylindrical coordinates, use the method of 2.4.2 to write the gravitational force as

$$\mathbf{F}_{\text{grav}} = mg\hat{\boldsymbol{\rho}} \cos \phi - mg\hat{\boldsymbol{\phi}} \sin \phi.$$

In an ideal pendulum, the tension is a *constraint* that will be chosen to keep the length of the pendulum rod constant. The total force is then

$$\mathbf{F} = (mg \cos \phi + F_{\text{tens}}) \hat{\boldsymbol{\rho}} - mg\hat{\boldsymbol{\phi}} \sin \phi$$

Write out the equations of motion (ignoring the unused coordinate z),

$$\begin{aligned} m \left(\ddot{\rho} - \rho \dot{\phi}^2 \right) &= mg \cos \phi + F_{\text{tens}} \\ m \left(\rho \ddot{\phi} + 2\dot{\rho}\dot{\phi} \right) &= -mg \sin \phi. \end{aligned}$$

Since $\rho(t)$ is the constant ℓ , these simplify to

$$\begin{aligned} -m\ell\dot{\phi}^2 &= mg \cos \phi + F_{\text{tens}} \\ m\ell\ddot{\phi} &= -mg \sin \phi. \end{aligned}$$

These are two differential equations with, apparently, only one unknown: $\phi(t)$. However, the tension F_{tens} is a free variable that we choose to maintain a perfect balance with the radial component of gravity and the fictitious radial force $m\ell\dot{\phi}^2$. The first equation is then satisfied by assumption, leaving the equation of motion for $\phi(t)$,

$$\ddot{\phi} = -\frac{g}{\ell} \sin \phi.$$

This equation is nonlinear and can't be solved exactly in closed form; a useful approach when $|\phi| \ll 1$ is to use the small angle approximation $\sin \phi \approx \phi$ to derive a linear equation

$$\ddot{\phi} = -\frac{g}{\ell} \phi.$$

This is the harmonic oscillator equation $\ddot{\phi} + \omega_0^2 \phi = 0$ with natural frequency $\omega_0 = \sqrt{g/\ell}$; we'll study this in great depth in (8). For now, recall from elementary physics that the solution to the simple harmonic oscillator equation is

$$\phi(t) = A \cos(\omega_0 t + \delta_0),$$

where the amplitude A and phase δ_0 are found from the initial conditions $\phi(0)$ and $\phi'(0)$. The period of the motion (in the small angle approximation only) is

$$T = \frac{2\pi}{\omega_0} = 2\pi \sqrt{\frac{\ell}{g}}.$$

You will see later how to derive corrections to this formula when the amplitude is large enough that the small angle approximation is no longer valid.

Chapter 3

Integration

3.1 Line, area, and volume elements

3.2 Line integrals

3.3 Area, surface, and volume integrals

3.4 Some integration tricks

3.4.1 Poisson's Gaussian integral trick

The integral $G = \int_{-\infty}^{\infty} e^{-x^2} dx$ appears frequently in applications, especially in statistical physics and quantum physics. The indefinite integral can't be evaluated by any standard methods; Liouville proved that the function e^{-x^2} has no closed-form antiderivative. No clever substitution will get you there. However, the *definite* integral of e^{-x^2} over the real line can be computed exactly by means of a diabolically clever trick by Poisson.¹

We'll follow Poisson by squaring G :

$$G^2 = \left(\int_{-\infty}^{\infty} e^{-x^2} dx \right) \left(\int_{-\infty}^{\infty} e^{-x^2} dx \right).$$

In a definite integral the variable is a dummy; in the second copy of the integral we replace x by y ,

$$G^2 = \left(\int_{-\infty}^{\infty} e^{-x^2} dx \right) \left(\int_{-\infty}^{\infty} e^{-y^2} dy \right).$$

¹The value of the Gaussian integral was first obtained by Laplace, using an equally clever but less simple trick. I'll teach you Poisson's trick because it's simpler. For more about the history of this integral and a few other tricks for its evaluation, refer to https://www.york.ac.uk/depts/maths/histstat/normal_history.pdf. My knowledge of French is next to nothing, but even I can understand Sturm's comment about the method: "...déterminée par M. Poisson à l'aide d'un procédé très-remarquable."

But this is equal to the double integral

$$G^2 = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} e^{-x^2} e^{-y^2} dx dy = \int_{\mathbb{R}^2} e^{-(x^2+y^2)} dx dy.$$

Change to polar coordinates,

$$G^2 = \int_0^{2\pi} \int_0^{\infty} h_{\rho} h_{\phi} e^{-\rho^2} d\rho d\phi = \int_0^{2\pi} \int_0^{\infty} \rho e^{-\rho^2} d\rho d\phi = 2\pi \int_0^{\infty} \rho e^{-\rho^2} d\rho.$$

That last integral can be done with the substitution $u = \rho^2$, $du = 2\rho d\rho$, after which we have

$$G^2 = \pi \int_0^1 e^{-u} du = \pi.$$

Take the square root to find $G = \sqrt{\pi}$. We've done it:

$$\int_{-\infty}^{\infty} e^{-x^2} dx = \sqrt{\pi}.$$

Beautiful!

Problem 1. Show that $\int_{-\infty}^{\infty} e^{-\alpha x^2} dx = \sqrt{\frac{\pi}{\alpha}}$.

Problem 2. Explain why $\int_{-\infty}^{\infty} x^n e^{-x^2} dx$ is zero for all odd n .

Problem 3. Use completion of the square to evaluate $\int_{-\infty}^{\infty} e^{\alpha x} e^{-\beta x^2} dx$.

Problem 4. In a system in thermodynamic equilibrium at temperature T , the probability of finding a particle with energy in the interval $(E, E + dE)$ is $p(E) dE = C e^{-\beta E} g(E) dE$, where $\beta = 1/k_B T$, $g(E) dE$ is proportional the number of possible states having energy in the range $(E, E + dE)$, and C is a normalization constant. The normalization constant will be fixed by the condition

$$\int p(E) dE = 1.$$

3.4.1.1 Multidimensional Gaussian integrals

The Gaussian function of $\|\mathbf{r}\|$,

$$f(\mathbf{r}) = e^{-\alpha \|\mathbf{r}\|^2} = e^{-\alpha \mathbf{r} \cdot \mathbf{r}},$$

can be evaluated in any number of dimensions. Let's work in \mathbb{R}^n , in which case

$$f(\mathbf{r}) = e^{-\alpha(x_1^2 + x_2^2 + \dots + x_n^2)} = e^{-\alpha x_1^2} e^{-\alpha x_2^2} \dots e^{-\alpha x_n^2}.$$

Integrate over all space:

$$\int_{\mathbb{R}^n} e^{-\alpha \mathbf{r} \cdot \mathbf{r}} d^n \mathbf{r} = \left(\int_{-\infty}^{\infty} e^{-\alpha x_1^2} dx_1 \right) \left(\int_{-\infty}^{\infty} e^{-\alpha x_2^2} dx_2 \right) \dots \left(\int_{-\infty}^{\infty} e^{-\alpha x_n^2} dx_n \right)$$

$$= \left(\sqrt{\frac{\pi}{\alpha}} \right)^n.$$

Let's generalize slightly, by letting the surfaces of constant f be hyperellipsoids rather than hyperspheres:

$$f(\mathbf{r}) = e^{-\alpha_1 x_1^2} e^{-\alpha_2 x_2^2} \dots e^{-\alpha_n x_n^2}.$$

Use the reasoning above to show that

$$\int_{\mathbb{R}^n} f(\mathbf{r}) d^n \mathbf{r} = \frac{\pi^{n/2}}{\sqrt{\alpha_1 \alpha_2 \dots \alpha_n}}.$$

3.4.2 Feynman's trick

Richard Feynman didn't invent this trick; it was known long before Feynman was born, and he learned it from a textbook. However, Feynman used it frequently and made it widely known among physicists, so it's often called Feynman's trick.

The starting point is **Leibniz's formula** for differentiating an integral with respect to a parameter: If we have a definite integral E that depends on a parameter α ,

$$E(\alpha) = \int_{a(\alpha)}^{b(\alpha)} f(\alpha, x) dx,$$

then its derivative with respect to α is

$$\frac{dE}{d\alpha} = \int_{a(\alpha)}^{b(\alpha)} \frac{\partial f}{\partial \alpha} dx + f(\alpha, b(\alpha)) b'(\alpha) - f(\alpha, a(\alpha)) a'(\alpha).$$

This is a function of α ; we'll call it $H(\alpha)$. In the most common applications, the limits $a(\alpha)$ and $b(\alpha)$ will be constants; hereafter we'll assume that's true; then $a'(\alpha)$ and $b'(\alpha)$ are zero. In that case, Leibniz's formula simplifies to

$$H(\alpha) = E'(\alpha) = \int_a^b \frac{\partial f}{\partial \alpha} dx.$$

We now have two integrals:

$$H(\alpha) = \int_a^b \frac{\partial f}{\partial \alpha}(\alpha, x) dx$$

and

$$E(\alpha) = \int_a^b f(\alpha, x) dx,$$

related by $H(\alpha) = E'(\alpha)$. The idea behind Feynman's trick is this: suppose H is hard to do, but E is easy. Then compute $E(\alpha)$, and obtain $H(\alpha) = E'(\alpha)$ by differentiation.

3.4.2.1 Simple examples

Let's see it in action; in this first example we'll start with an easy integral and find a harder integral. The easy integral will be

$$E(\alpha) = \int_0^{\infty} e^{-\alpha x} dx = \frac{1}{\alpha}.$$

Differentiate the integral,

$$E'(\alpha) = \int_0^{\infty} \frac{\partial}{\partial \alpha} (e^{-\alpha x}) dx = - \int_0^{\infty} x e^{-\alpha x} dx$$

and the result,

$$E'(\alpha) = -\frac{1}{\alpha^2}.$$

Setting both forms of $E'(\alpha)$ equal to one another, we've computed the harder integral

$$\int_0^{\infty} x e^{-\alpha x} dx = \frac{1}{\alpha^2}.$$

In practice, though, we'll usually be given a hard integral $H(\alpha)$ and have to spot how to work backwards to an easier integral $E(\alpha)$. Suppose we need to compute

$$H(\alpha) = \int_{-\infty}^{\infty} x^2 e^{-\alpha x^2} dx.$$

This can be computed by two rounds of integration by parts; it's easier to use Feynman's trick. Recognize the integrand as the derivative of a simpler function,

$$x^2 e^{-\alpha x^2} = \frac{\partial}{\partial \alpha} (-e^{-\alpha x^2}).$$

This leads us to the easier integral

$$E(\alpha) = - \int_{-\infty}^{\infty} e^{-\alpha x^2} dx = -\sqrt{\frac{\pi}{\alpha}}$$

(computed in problem 1). Our hard integral is obtained by differentiation:

$$H(\alpha) = E'(\alpha) = \frac{\sqrt{\pi}}{2\alpha^{3/2}}.$$

3.4.2.2 Repeated differentiation

Sometimes you'll need to differentiate $E(\alpha)$ more than once to recover the hard integral. Consider the hard integral

$$H(\alpha) = \int_0^{\infty} x^4 e^{-\alpha x} dx,$$

which can be recognized as the *fourth* derivative of

$$E(\alpha) = \int_0^{\infty} e^{-\alpha x} dx = \frac{1}{\alpha}.$$

Therefore,

$$H(\alpha) = E^{(4)}(\alpha) = \frac{4!}{\alpha^5}.$$

Problem 5. Use mathematical induction to prove the general formula $\int_0^\infty x^n e^{-\alpha x} dx = \frac{n!}{\alpha^{n+1}}$ for $n \in \mathbb{N}_0$.

Problem 6. Use repeated differentiation to evaluate $\int_{-\infty}^\infty x^4 e^{-\alpha x^2} dx$ and $\int_{-\infty}^\infty x^6 e^{-\alpha x^2} dx$.

Problem 7. Use repeated differentiation to evaluate the integral $H(n) = \int_{-\pi}^\pi x^2 \cos(nx) dx$.

3.4.2.3 Inserting parameters

Sometimes there's no obvious parameter in an integral. Consider the hard integral

$$H = \int_{-\infty}^\infty \frac{x^2 dx}{(1+x^2)^2},$$

and compare to the easy integral

$$E = \int_{-\infty}^\infty \frac{dx}{1+x^2} = \pi.$$

To produce the x^2 in the numerator, insert a parameter next to the x^2 in the denominator:

$$H(\alpha) = \int_{-\infty}^\infty \frac{x^2 dx}{(1+\alpha x^2)^2}$$

and

$$E(\alpha) = \int_{-\infty}^\infty \frac{dx}{1+\alpha x^2} = \frac{\pi}{\sqrt{\alpha}}.$$

Notice that $H(\alpha) = -E'(\alpha)$, so that the hard integral is

$$H(\alpha) = \frac{\pi}{2\alpha^{3/2}}.$$

If you want the original integral H , just evaluate $H(\alpha)$ at $\alpha = 1$:

$$H = \frac{\pi}{2}.$$

Problem 8. Suppose you're given an "easy" integral $E = \int_{-\infty}^\infty \frac{dx}{(1+x^2)^4} = \frac{5\pi}{16}$. (Here the word "easy" is used in a relative sense). Use Feynman's trick to derive

$$H = \int_{-\infty}^\infty \frac{x^4 dx}{(1+x^2)^6} = \frac{3\pi}{256}.$$

3.5 The Dirac delta function

Chapter 4

First order ordinary differential equations

4.1 Separation of variables

4.2 First order linear equations (FOLDE)

4.3 FOLDE worked examples

4.4 Sinusoidally forced FOLDECC

Chapter 5

Second-order ordinary differential equations (first look)

5.1 Second order linear equations (SOLDE)

5.1.1 Superposition

5.2 SOLDECC

5.3 Sinusoidally forced SOLDECC

Chapter 6

Vectors: a more abstract look

6.1 Linear independence, span, and basis

6.1.1 Functions as vectors

6.1.2 Inner products and orthogonality

6.1.3 Orthogonal functions

6.2 Matrices

6.2.1 Matrix-vector multiplication

6.2.2 Inner products

6.2.3 Systems of equations

6.2.4 Homogeneous and nonhomogeneous equations; the null space

6.2.5 The determinant

6.3 Eigenvalues and eigenvectors

Given a matrix A , are there vectors \mathbf{v} such that A times \mathbf{v} comes out proportional to \mathbf{v} ?

6.3.1 Diagonalization

Chapter 7

Infinite series

7.1 Taylor and Maclaurin series

7.1.1 The exponential and friends

7.1.2 The binomial series

7.2 Functions defined by series

7.3 Fourier series

7.4 Generalized Fourier series

Chapter 8

Second-order ordinary differential equations (second look)

8.1 Sturm-Liouville theory and orthogonal functions

8.1.1 The five easy Sturm-Liouville problems

8.1.2 The spectral theorem

8.2 SOLDE with variable coefficients

8.2.1 Cauchy-Euler equations

8.2.2 Series solutions

8.2.3 Bessel's equation

Chapter 9

Scalar and vector fields

9.1 Gradient, divergence, and curl

9.2 Double-del identities

9.3 The Helmholtz theorem and potentials

9.4 Applications:

9.4.1 Ideal flow

9.4.2 Electrostatics and magnetostatics

9.4.3 Maxwell's equations

9.4.4 Stokes flow

Chapter 10

Partial differential equations

10.1 Separation of variables

10.2 Laplace's equation

10.2.1 Laplace in 2D Cartesian coordinates

10.2.2 Laplace in plane polar coordinates

10.3 The Helmholtz equation

10.3.1 Helmholtz in 2D Cartesian coordinates

Chapter 11

Calculus of variations

Chapter 12

Complex analysis

12.1 Analytic functions

12.2 Power series

12.3 Computing real integrals by complex contour integration

Chapter 13

The Fourier transform

13.1 Identities and simple transform pairs

13.1.1 Basics

13.1.2 Generalized functions

13.1.3 Applications

13.1.3.1 1D Boundary value problems

13.1.4 Fourier convolution

13.2 Signals and uncertainty

13.2.1 Tuning a piano

13.2.2 Fraunhofer diffraction

13.2.3 The uncertainty principle

13.3 Initial-boundary value problems on the real line

13.3.1 The heat equation

13.3.2 The free-particle Schrödinger equation

13.3.3 Approximate solution; phase and group velocities