Virtual Machine Admin Access on vCenter

https://kb.vmware.com/s/article/1023189

To create a role and assign the necessary privileges:

1. Open a vSphere Client connection to the vCenter Server.
2. Click **Home** > **Administration** > **Roles** > **Add Role**.
3. Give the new role a name, then select these Privileges:
    - Datastore
        - Allocate space
        - Browse datastore
    - Global
        - Cancel task
    - Network
        - Assign network
    - Resource
        - Assign virtual machine to resource pool
    - Scheduled task
        - Create tasks
        - Modify task
        - Remove task
        - Run task
    - Virtual machine
        - Change Configuration
            - Acquire disk lease
            - Add existing disk
            - Add new disk
            - Add or remove device
            - Advanced configuration
            - Change CPU count
            - Change Memory
            - Change Settings
            - Change resource
            - Modify device settings
            - Remove disk
            - Rename
            - Reset guest information
            - Upgrade virtual machine compatibility
        - Edit Inventory
            - Create from existing
            - Create new
            - Move
            - Register
            - Remove
            - Unregister
        - Interaction
            - Answer question
            - Configure CD media
            - Configure floppy media
            - Connect devices
            - Console interaction
            - Guest operating system management by VIX API
            - Install VMware Tools
            - Power off
            - Power on
            - Reset Suspend

- Provisioning
    - Read customization specifications
- Snapshot management
    - Create snapshot
    - Remove snapshot
    - Rename snapshot
    - Revert to snapshot

4. Add the permission at the highest level and set to propagate the permissions.

   Alternatively, set specific levels within vCenter Server:
    1. Click the Inventory object, then click the **Permissions** tab.
    2. Click on the plus (+) sign to **Add Permissions**.
    3. Under User, select the domain the user is located in

       Note: Leaving the Domain entry as (server) shows the vCenter Server's local Windows accounts.

    4. Find the user and assigned the newly created Role
    5. Deselect **Propagate to Child Objects**.