

Операционные системы

Продвинутое использование git

Нухова Камилла Руслановна

16 августа 2025

Российский университет дружбы народов, Москва, Россия

Цели и задачи работы

Получение навыков правильной работы с репозиториями git.

- 1 Выполнить работу для тестового репозитория.
- 2 Преобразовать рабочий репозиторий в репозиторий с git-flow и conventional commits.

Процесс выполнения лабораторной работы

```
krnuhova@krnuhova:~$ pnpm setup
Appended new lines to /home/krnuhova/.bashrc

Next configuration changes were made:
export PNPM_HOME="/home/krnuhova/.local/share/pnpm"
case ":$PATH:" in
  *":$PNPM_HOME:*)" ;;
  *) export PATH="$PNPM_HOME:$PATH" ;;
esac

To start using pnpm, run:
source /home/krnuhova/.bashrc
krnuhova@krnuhova:~$ source ~/.bashrc
krnuhova@krnuhova:~$
```

Рис. 1: Node.js

```
krnuhova@krnuhova:~$  
krnuhova@krnuhova:~$ pnpm add -g commitizen
```

Update available! 9.13.0 → 10.14.0.
Changelog: <https://github.com/pnpm/pnpm/releases/tag/v10.14.0>
Run "pnpm self-update" to update.

Follow @pnpmjs for updates: <https://x.com/pnpmjs>

```
  
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6  
Packages: +151  
+++++  
Progress: resolved 151, reused 0, downloaded 151, added 151, done  
  
/home/krnuhova/.local/share/pnpm/global/5:  
+ commitizen 4.3.1  
  
Done in 2.7s  
krnuhova@krnuhova:~$
```

Рис. 2: установка commitizen

```
krnuhova@krnuhova:~$  
krnuhova@krnuhova:~$ pnpm add -g standard-changelog  
WARN 2 deprecated subdependencies found: glob@7.2.3, inflight@1.0.6  
Packages: +34  
+++++  
Progress: resolved 185, reused 151, downloaded 34, added 34, done  
  
/home/krnuhova/.local/share/pnpm/global/5:  
+ standard-changelog 7.0.1  
  
Done in 2.1s  
krnuhova@krnuhova:~$
```

Рис. 3: установка standard-changelog




Рис. 4: package.json

Использование commitizen

```
krnuhova@krnuhova:~/git-extended$
krnuhova@krnuhova:~/git-extended$ git add .
krnuhova@krnuhova:~/git-extended$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:  Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master 07c4060] chore: test
1 file changed, 14 insertions(+)
create mode 100644 package.json
krnuhova@krnuhova:~/git-extended$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.11 КиБ | 1.11 МБ/с, готово.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:krnuhova/git-extended.git
   0fdb03d..07c4060  master -> master
krnuhova@krnuhova:~/git-extended$
```

Рис. 5: Отправка

```
krnuhova@krnuhova:~/git-extended$  
krnuhova@krnuhova:~/git-extended$ git flow init  
  
Which branch should be used for bringing forth production releases?  
- master  
Branch name for production releases: [master]  
Branch name for "next release" development: [develop]  
  
How to name your supporting branch prefixes?  
Feature branches? [feature/]   
Bugfix branches? [bugfix/]   
Release branches? [release/]   
Hotfix branches? [hotfix/]   
Support branches? [support/]   
Version tag prefix? []   
Hooks and filters directory? [/home/krnuhova/git-extended/.git/hooks]  
krnuhova@krnuhova:~/git-extended$ git branch  
* develop  
  master  
krnuhova@krnuhova:~/git-extended$ git push --all  
Total 0 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
remote:  
remote: Create a pull request for 'develop' on GitHub by visiting:  
remote:      https://github.com/krnuhova/git-extended/pull/new/develop  
remote:  
To github.com:krnuhova/git-extended.git  
* [new branch]      develop -> develop  
krnuhova@krnuhova:~/git-extended$
```

Рис. 6: Инициализация и загрузка изменений

```

krnuhova@krnuhova:~/git-extended$
krnuhova@krnuhova:~/git-extended$ git branch --set-upstream-to=origin/develop develop
branch 'develop' set up to track 'origin/develop'.
krnuhova@krnuhova:~/git-extended$ git flow release start 1.0.0
Переключились на новую ветку «release/1.0.0»

Summary of actions:
- A new branch 'release/1.0.0' was created, based on 'develop'
- You are now on branch 'release/1.0.0'

Follow-up actions:
- Bump the version number now!
- Start committing last-minute fixes in preparing your release
- When done, run:

    git flow release finish '1.0.0'

krnuhova@krnuhova:~/git-extended$ standard-changelog --first-release
krnuhova@krnuhova:~/git-extended$ git add CHANGELOG.md
krnuhova@krnuhova:~/git-extended$ git commit -am 'chore(site): add changelog'
[release/1.0.0 flec0e7] chore(site): add changelog
1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
krnuhova@krnuhova:~/git-extended$ git flow release finish 1.0.0
Переключились на ветку «master»
Эта ветка соответствует «origin/master».
Merge made by the 'ort' strategy.
CHANGELOG.md | 4 ++++
1 file changed, 4 insertions(+)
 create mode 100644 CHANGELOG.md
Уже на «master»
Ваша ветка опережает «origin/master» на 2 коммита.
(используйте «git push», чтобы опубликовать ваши локальные коммиты)
Переключились на ветку «develop»
Эта ветка соответствует «origin/develop».
Merge made by the 'ort' strategy.

```

Рис. 7: Завершение релиза

Отправим данные на github

```
krnuhova@krnuhova:~/git-extended$  
krnuhova@krnuhova:~/git-extended$ git push --all  
Перечисление объектов: 6, готово.  
Подсчет объектов: 100% (6/6), готово.  
При сжатии изменений используется до 4 потоков  
Сжатие объектов: 100% (4/4), готово.  
Запись объектов: 100% (5/5), 2.66 КиБ | 2.66 МиБ/с, готово.  
Total 5 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:krnuhova/git-extended.git  
  07c4060..cbb01a5  develop -> develop  
  07c4060..fe96f1e  master -> master  
krnuhova@krnuhova:~/git-extended$ git push --tags  
Перечисление объектов: 1, готово.  
Подсчет объектов: 100% (1/1), готово.  
Запись объектов: 100% (1/1), 153 байта | 153.00 КиБ/с, готово.  
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)  
To github.com:krnuhova/git-extended.git  
 * [new tag]          1.0.0 -> 1.0.0  
krnuhova@krnuhova:~/git-extended$ gh release create v1.0.0 -F CHANGELOG.md  
https://github.com/krnuhova/git-extended/releases/tag/v1.0.0  
krnuhova@krnuhova:~/git-extended$
```

Рис. 8: Отправка

```
krnuhova@krnuhova:~/git-extended$  
krnuhova@krnuhova:~/git-extended$ git flow feature start feature_branch  
Переключились на новую ветку «feature/feature_branch»  
  
Summary of actions:  
- A new branch 'feature/feature_branch' was created, based on 'develop'  
- You are now on branch 'feature/feature_branch'  
  
Now, start committing on your feature. When done, use:  
  
    git flow feature finish feature_branch  
  
krnuhova@krnuhova:~/git-extended$ touch test2  
krnuhova@krnuhova:~/git-extended$ git flow feature finish feature_branch  
Переключились на ветку «develop»  
Эта ветка соответствует «origin/develop».  
Уже актуально.  
Ветка feature/feature_branch удалена (была cbb01a5).  
  
Summary of actions:  
- The feature branch 'feature/feature_branch' was merged into 'develop'  
- Feature branch 'feature/feature_branch' has been locally deleted  
- You are now on branch 'develop'  
  
krnuhova@krnuhova:~/git-extended$
```

Рис. 9: Объединение веток

```
Summary of actions:
- Release branch 'release/1.2.3' has been merged into 'master'
- The release was tagged '1.2.3'
- Release tag '1.2.3' has been back-merged into 'develop'
- Release branch 'release/1.2.3' has been locally deleted
- You are now on branch 'develop'

krnuhova@krnuhova:~/git-extended$ git push --all
Перечисление объектов: 9, готово.
Подсчет объектов: 100% (9/9), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (6/6), готово.
Запись объектов: 100% (6/6), 2.77 КиБ | 2.77 МиБ/с, готово.
Total 6 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:krnuhova/git-extended.git
   cbb01a5..5f3c584  develop -> develop
   fe96f1e..357dcf4  master -> master
krnuhova@krnuhova:~/git-extended$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 154 байта | 154.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:krnuhova/git-extended.git
 * [new tag]           1.2.3 -> 1.2.3
krnuhova@krnuhova:~/git-extended$ gh release create v1.2.3 -F CHANGELOG.md
https://github.com/krnuhova/git-extended/releases/tag/v1.2.3
krnuhova@krnuhova:~/git-extended$
```

Рис. 10: Завершение релиза

Подготовка рабочего репозитория

```
krmuhova@krmuhova:~/work/study/2024-2025/Операционные системы/os-intro$ gedit package.json
krmuhova@krmuhova:~/work/study/2024-2025/Операционные системы/os-intro$ git add .
krmuhova@krmuhova:~/work/study/2024-2025/Операционные системы/os-intro$ git cz
cz-cli@4.3.1, cz-conventional-changelog@3.3.0

? Select the type of change that you're committing: chore:    Other changes that don't modify src or test files
? What is the scope of this change (e.g. component or file name): (press enter to skip)
? Write a short, imperative tense description of the change (max 93 chars):
  (4) test
? Provide a longer description of the change: (press enter to skip)

? Are there any breaking changes? No
? Does this change affect any open issues? No
[master ce4ae00] chore: test
 1 file changed, 14 insertions(+)
 create mode 100644 package.json
krmuhova@krmuhova:~/work/study/2024-2025/Операционные системы/os-intro$ git push
Перечисление объектов: 4, готово.
Подсчет объектов: 100% (4/4), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (3/3), готово.
Запись объектов: 100% (3/3), 1.11 КиБ | 1.11 МБ/с, готово.
Total 3 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:krmuhova/os-intro.git
 6ab26e2..ce4ae00  master -> master
krmuhova@krmuhova:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 11: package.json и коммит

Подготовка рабочего репозитория

```
Summary of actions:
- Release branch 'release/1.0.0' has been merged into 'master'
- The release was tagged '1.0.0'
- Release tag '1.0.0' has been back-merged into 'develop'
- Release branch 'release/1.0.0' has been locally deleted
- You are now on branch 'develop'

krnuhova@krnuhova:~/work/study/2024-2025/Операционные системы/os-intro$ git push --all
Перечисление объектов: 7, готово.
Подсчет объектов: 100% (7/7), готово.
При сжатии изменений используется до 4 потоков
Сжатие объектов: 100% (5/5), готово.
Запись объектов: 100% (5/5), 2.80 КиБ | 2.80 МиБ/с, готово.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To github.com:krnuhova/os-intro.git
   ce4ae00..e2022fe  develop -> develop
   ce4ae00..51da07f  master -> master

krnuhova@krnuhova:~/work/study/2024-2025/Операционные системы/os-intro$ git push --tags
Перечисление объектов: 1, готово.
Подсчет объектов: 100% (1/1), готово.
Запись объектов: 100% (1/1), 154 байта | 154.00 КиБ/с, готово.
Total 1 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To github.com:krnuhova/os-intro.git
 * [new tag]         1.0.0 -> 1.0.0
krnuhova@krnuhova:~/work/study/2024-2025/Операционные системы/os-intro$
```

Рис. 12: Завершение релиза

Выводы по проделанной работе

Мы приобрели практические навыки взаимодействия с дополнительными функциями гитхаб.