```
Collecting streamlit
 Using cached streamlit-1.49.1-py3-none-any.whl.metadata (9.5 kB)
Collecting pandas
 Using cached pandas-2.3.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (91 kB)
Collecting plotly
 Using cached plotly-6.3.0-py3-none-any.whl.metadata (8.5 kB)
Collecting openai
 Using cached openai-1.108.2-py3-none-any.whl.metadata (29 kB)
Collecting altair!=5.4.0,!=5.4.1,<6,>=4.0 (from streamlit)
 Using cached altair-5.5.0-py3-none-any.whl.metadata (11 kB)
Collecting blinker<2,>=1.5.0 (from streamlit)
 Using cached blinker-1.9.0-py3-none-any.whl.metadata (1.6 kB)
Collecting cachetools<7,>=4.0 (from streamlit)
 Using cached cachetools-6.2.0-py3-none-any.whl.metadata (5.4 kB)
Collecting click<9,>=7.0 (from streamlit)
 Using cached click-8.3.0-py3-none-any.whl.metadata (2.6 kB)
Collecting numpy<3,>=1.23 (from streamlit)
 Using cached numpy-2.3.3-cp311-cp311-
manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl.metadata (62 kB)
Collecting packaging<26,>=20 (from streamlit)
 Using cached packaging-25.0-py3-none-any.whl.metadata (3.3 kB)
Collecting pillow<12,>=7.1.0 (from streamlit)
 Using cached pillow-11.3.0-cp311-cp311-
manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl.metadata (9.0 kB)
Collecting protobuf<7,>=3.20 (from streamlit)
 Using cached protobuf-6.32.1-cp39-abi3-
manylinux2014_x86_64.whl.metadata (593 bytes)
Collecting pyarrow>=7.0 (from streamlit)
 Using cached pyarrow-21.0.0-cp311-cp311-
manylinux_2_28_x86_64.whl.metadata (3.3 kB)
Collecting requests<3,>=2.27 (from streamlit)
 Using cached requests-2.32.5-py3-none-any.whl.metadata (4.9 kB)
Collecting tenacity<10,>=8.1.0 (from streamlit)
 Using cached tenacity-9.1.2-py3-none-any.whl.metadata (1.2 kB)
Collecting toml<2,>=0.10.1 (from streamlit)
 Using cached toml-0.10.2-py2.py3-none-any.whl.metadata (7.1 kB)
Collecting typing-extensions<5,>=4.4.0 (from streamlit)
 Using cached typing_extensions-4.15.0-py3-none-any.whl.metadata (3.3 kB)
Collecting watchdog<7,>=2.1.5 (from streamlit)
 Using cached watchdog-6.0.0-py3-none-
manylinux2014_x86_64.whl.metadata (44 kB)
Collecting gitpython!=3.1.19,<4,>=3.0.7 (from streamlit)
 Downloading gitpython-3.1.45-py3-none-any.whl.metadata (13 kB)
Collecting pydeck<1,>=0.8.0b4 (from streamlit)
 Using cached pydeck-0.9.1-py2.py3-none-any.whl.metadata (4.1 kB)
Collecting tornado!=6.5.0,<7,>=6.0.3 (from streamlit)
```

```
Using cached tornado-6.5.2-cp39-abi3-
manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux
2014_x86_64.whl.metadata (2.8 kB)
Collecting python-dateutil>=2.8.2 (from pandas)
 Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl.metadata
(8.4 kB)
Collecting pytz>=2020.1 (from pandas)
 Using cached pytz-2025.2-py2.py3-none-any.whl.metadata (22 kB)
Collecting tzdata>=2022.7 (from pandas)
 Using cached tzdata-2025.2-py2.py3-none-any.whl.metadata (1.4 kB)
Collecting jinja2 (from altair!=5.4.0,!=5.4.1,<6,>=4.0->streamlit)
 Using cached jinja2-3.1.6-py3-none-any.whl.metadata (2.9 kB)
Collecting jsonschema>=3.0 (from altair!=5.4.0,!=5.4.1,<6,>=4.0->streamlit)
 Using cached jsonschema-4.25.1-py3-none-any.whl.metadata (7.6 kB)
Collecting narwhals>=1.14.2 (from altair!=5.4.0,!=5.4.1,<6,>=4.0->streamlit)
 Using cached narwhals-2.5.0-py3-none-any.whl.metadata (11 kB)
Collecting gitdb<5,>=4.0.1 (from gitpython!=3.1.19,<4,>=3.0.7->streamlit)
 Downloading gitdb-4.0.12-py3-none-any.whl.metadata (1.2 kB)
Collecting smmap<6,>=3.0.1 (from gitdb<5,>=4.0.1->gitpython!
=3.1.19, <4, >=3.0.7-> streamlit)
 Downloading smmap-5.0.2-py3-none-any.whl.metadata (4.3 kB)
Collecting charset_normalizer<4,>=2 (from requests<3,>=2.27->streamlit)
 Using cached charset_normalizer-3.4.3-cp311-cp311-
manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.
metadata (36 kB)
Collecting idna<4,>=2.5 (from requests<3,>=2.27->streamlit)
 Using cached idna-3.10-py3-none-any.whl.metadata (10 kB)
Collecting urllib3<3,>=1.21.1 (from requests<3,>=2.27->streamlit)
 Using cached urllib3-2.5.0-py3-none-any.whl.metadata (6.5 kB)
Collecting certifi>=2017.4.17 (from requests<3,>=2.27->streamlit)
 Using cached certifi-2025.8.3-py3-none-any.whl.metadata (2.4 kB)
Collecting anyio<5,>=3.5.0 (from openai)
 Using cached anyio-4.11.0-py3-none-any.whl.metadata (4.1 kB)
Collecting distro<2,>=1.7.0 (from openai)
 Using cached distro-1.9.0-py3-none-any.whl.metadata (6.8 kB)
Collecting httpx<1,>=0.23.0 (from openai)
 Using cached httpx-0.28.1-py3-none-any.whl.metadata (7.1 kB)
Collecting jiter<1,>=0.4.0 (from openai)
 Using cached jiter-0.11.0-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (5.2 kB)
Collecting pydantic<3,>=1.9.0 (from openai)
 Using cached pydantic-2.11.9-py3-none-any.whl.metadata (68 kB)
Collecting sniffio (from openai)
 Using cached sniffio-1.3.1-py3-none-any.whl.metadata (3.9 kB)
Collecting tgdm>4 (from openai)
 Using cached tqdm-4.67.1-py3-none-any.whl.metadata (57 kB)
```

Collecting httpcore==1.* (from httpx<1,>=0.23.0->openai)

```
Using cached httpcore-1.0.9-py3-none-any.whl.metadata (21 kB)
Collecting h11>=0.16 (from httpcore==1.*->httpx<1,>=0.23.0->openai)
 Using cached h11-0.16.0-py3-none-any.whl.metadata (8.3 kB)
Collecting annotated-types>=0.6.0 (from pydantic<3,>=1.9.0->openai)
 Using cached annotated_types-0.7.0-py3-none-any.whl.metadata (15 kB)
Collecting pydantic-core==2.33.2 (from pydantic<3,>=1.9.0->openai)
 Using cached pydantic_core-2.33.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (6.8 kB)
Collecting typing-inspection>=0.4.0 (from pydantic<3,>=1.9.0->openai)
 Using cached typing_inspection-0.4.1-py3-none-any.whl.metadata (2.6 kB)
Collecting MarkupSafe>=2.0 (from jinja2->altair!=5.4.0,!=5.4.1,<6,>=4.0-
>streamlit)
 Using cached MarkupSafe-3.0.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.0 kB)
Collecting attrs>=22.2.0 (from jsonschema>=3.0->altair!=5.4.0,!
=5.4.1, <6, >=4.0->streamlit)
 Using cached attrs-25.3.0-py3-none-any.whl.metadata (10 kB)
Collecting jsonschema-specifications>=2023.03.6 (from jsonschema>=3.0-
>altair!=5.4.0,!=5.4.1,<6,>=4.0->streamlit)
 Using cached jsonschema_specifications-2025.9.1-py3-none-
any.whl.metadata (2.9 kB)
Collecting referencing>=0.28.4 (from jsonschema>=3.0->altair!=5.4.0,!
=5.4.1, <6, >=4.0->streamlit)
 Using cached referencing-0.36.2-py3-none-any.whl.metadata (2.8 kB)
Collecting rpds-py>=0.7.1 (from jsonschema>=3.0->altair!=5.4.0,!
=5.4.1, <6, >=4.0->streamlit)
 Using cached rpds_py-0.27.1-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (4.2 kB)
Collecting six>=1.5 (from python-dateutil>=2.8.2->pandas)
 Using cached six-1.17.0-py2.py3-none-any.whl.metadata (1.7 kB)
Using cached streamlit-1.49.1-py3-none-any.whl (10.0 MB)
Using cached pandas-2.3.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (12.4 MB)
Using cached altair-5.5.0-py3-none-any.whl (731 kB)
Using cached blinker-1.9.0-py3-none-any.whl (8.5 kB)
Using cached cachetools-6.2.0-py3-none-any.whl (11 kB)
Using cached click-8.3.0-py3-none-any.whl (107 kB)
Downloading gitpython-3.1.45-py3-none-any.whl (208 kB)
Downloading gitdb-4.0.12-py3-none-any.whl (62 kB)
Using cached numpy-2.3.3-cp311-cp311-
manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (16.9 MB)
Using cached packaging-25.0-py3-none-any.whl (66 kB)
Using cached pillow-11.3.0-cp311-cp311-
manylinux_2_27_x86_64.manylinux_2_28_x86_64.whl (6.6 MB)
Using cached protobuf-6.32.1-cp39-abi3-manylinux2014_x86_64.whl (322 kB)
Using cached pydeck-0.9.1-py2.py3-none-any.whl (6.9 MB)
Using cached requests-2.32.5-py3-none-any.whl (64 kB)
```

```
Using cached charset normalizer-3.4.3-cp311-cp311-
manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl
(150 kB)
Using cached idna-3.10-py3-none-any.whl (70 kB)
Downloading smmap-5.0.2-py3-none-any.whl (24 kB)
Using cached tenacity-9.1.2-py3-none-any.whl (28 kB)
Using cached toml-0.10.2-py2.py3-none-any.whl (16 kB)
Using cached tornado-6.5.2-cp39-abi3-
manylinux_2_5_x86_64.manylinux1_x86_64.manylinux_2_17_x86_64.manylinux
2014_x86_64.whl (443 kB)
Using cached typing_extensions-4.15.0-py3-none-any.whl (44 kB)
Using cached urllib3-2.5.0-py3-none-any.whl (129 kB)
Using cached watchdog-6.0.0-py3-none-manylinux2014_x86_64.whl (79 kB)
Using cached plotly-6.3.0-py3-none-any.whl (9.8 MB)
Using cached openai-1.108.2-py3-none-any.whl (948 kB)
Using cached anyio-4.11.0-py3-none-any.whl (109 kB)
Using cached distro-1.9.0-py3-none-any.whl (20 kB)
Using cached httpx-0.28.1-py3-none-any.whl (73 kB)
Using cached httpcore-1.0.9-py3-none-any.whl (78 kB)
Using cached jiter-0.11.0-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (348 kB)
Using cached pydantic-2.11.9-py3-none-any.whl (444 kB)
Using cached pydantic_core-2.33.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (2.0 MB)
Using cached annotated_types-0.7.0-py3-none-any.whl (13 kB)
Using cached certifi-2025.8.3-py3-none-any.whl (161 kB)
Using cached h11-0.16.0-py3-none-any.whl (37 kB)
Using cached jinja2-3.1.6-py3-none-any.whl (134 kB)
Using cached jsonschema-4.25.1-py3-none-any.whl (90 kB)
Using cached attrs-25.3.0-py3-none-any.whl (63 kB)
Using cached jsonschema_specifications-2025.9.1-py3-none-any.whl (18 kB)
Using cached MarkupSafe-3.0.2-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (23 kB)
Using cached narwhals-2.5.0-py3-none-any.whl (407 kB)
Using cached pyarrow-21.0.0-cp311-cp311-manylinux_2_28_x86_64.whl (42.8
MB)
Using cached python_dateutil-2.9.0.post0-py2.py3-none-any.whl (229 kB)
Using cached pytz-2025.2-py2.py3-none-any.whl (509 kB)
Using cached referencing-0.36.2-py3-none-any.whl (26 kB)
Using cached rpds_py-0.27.1-cp311-cp311-
manylinux_2_17_x86_64.manylinux2014_x86_64.whl (384 kB)
Using cached six-1.17.0-py2.py3-none-any.whl (11 kB)
Using cached sniffio-1.3.1-py3-none-any.whl (10 kB)
Using cached tqdm-4.67.1-py3-none-any.whl (78 kB)
Using cached typing_inspection-0.4.1-py3-none-any.whl (14 kB)
```

Using cached tzdata-2025.2-py2.py3-none-any.whl (347 kB)

Installing collected packages: pytz, watchdog, urllib3, tzdata, typing-

extensions, tgdm, tornado, toml, tenacity, sniffio, smmap, six, rpds-py, pyarrow, protobuf, pillow, packaging, numpy, narwhals, MarkupSafe, jiter, idna, h11, distro, click, charset_normalizer, certifi, cachetools, blinker, attrs, annotatedtypes, typing-inspection, requests, referencing, python-dateutil, pydantic-core, plotly, jinja2, httpcore, gitdb, anyio, pydeck, pydantic, pandas, jsonschemaspecifications, httpx, gitpython, openai, jsonschema, altair, streamlit Successfully installed MarkupSafe-3.0.2 altair-5.5.0 annotated-types-0.7.0 anyio-4.11.0 attrs-25.3.0 blinker-1.9.0 cachetools-6.2.0 certifi-2025.8.3 charset_normalizer-3.4.3 click-8.3.0 distro-1.9.0 gitdb-4.0.12 gitpython-3.1.45 h11-0.16.0 httpcore-1.0.9 httpx-0.28.1 idna-3.10 jinja2-3.1.6 jiter-0.11.0 jsonschema-4.25.1 jsonschema-specifications-2025.9.1 narwhals-2.5.0 numpy-2.3.3 openai-1.108.2 packaging-25.0 pandas-2.3.2 pillow-11.3.0 plotly-6.3.0 protobuf-6.32.1 pyarrow-21.0.0 pydantic-2.11.9 pydanticcore-2.33.2 pydeck-0.9.1 python-dateutil-2.9.0.post0 pytz-2025.2 referencing-0.36.2 requests-2.32.5 rpds-py-0.27.1 six-1.17.0 smmap-5.0.2 sniffio-1.3.1 streamlit-1.49.1 tenacity-9.1.2 toml-0.10.2 tornado-6.5.2 tqdm-4.67.1 typing-extensions-4.15.0 typing-inspection-0.4.1 tzdata-2025.2 urllib3-2.5.0 watchdog-6.0.0