```
Block 0 (PC 0-8)
0: DeclareGlobalVar "test"
 1: CreateEnvironment r1
2: CreateClosure r1, r1, Function<test>1
3: GetGlobalObject r2
4: PutById
            r2, r1, 1, "test"
5: LoadConstUndefined r2
6: Mov
                     r1, r2
7: Ret
                     r1
                     Unconditional
                   EXIT
```

Function 0

```
Block 0 (PC 0-17)
 0: CreateEnvironment r1
 1: LoadConstUndefined r2
 2: StoreNPToEnvironment r1, 0, r2
 3: LoadConstUndefined r2
 4: StoreNPToEnvironment r1, 1, r2
 5: LoadConstUndefined r2
 6: StoreNPToEnvironment r1, 2, r2
 7: LoadConstUInt8 r2, 42
 8: StoreNPToEnvironment r1, 0, r2
 9: LoadConstUInt8
                      r2, 10
 10: StoreNPToEnvironment r1, 1, r2
 11: LoadFromEnvironment r2, r1, 0
 12: LoadFromEnvironment r3, r1, 1
 13: Add
                       r2, r2, r3
 14: StoreToEnvironment r1, 2, r2
 15: LoadFromEnvironment r1, r1, 2
 16: Ret
                       r1
                 Unconditional
```

EXIT

Function 1