
Block 0 (PC 0–32)
0: DeclareGlobalVar "ifElseTest"
1: DeclareGlobalVar "forLoopTest"
2: DeclareGlobalVar "switchTest"
3: DeclareGlobalVar "whileTest"
4: DeclareGlobalVar "tryCatchTest"
5: DeclareGlobalVar "asyncAwaitTest"
6: DeclareGlobalVar "promiseChainTest"
7: DeclareGlobalVar "generatorTest"
8: DeclareGlobalVar "callbackTest"
9: CreateEnvironment r1
10: CreateClosure r0, r1, Function<ifElseTest>1
11: GetGlobalObject r2
12: PutById r2, r0, 1, "ifElseTest"
13: CreateClosure r0, r1, Function<forLoopTest>2
14: PutById r2, r0, 2, "forLoopTest"
15: CreateClosure r0, r1, Function<switchTest>3
16: PutById r2, r0, 3, "switchTest"
17: CreateClosure r0, r1, Function<whileTest>4
18: PutById r2, r0, 4, "whileTest"
19: CreateClosure r0, r1, Function<tryCatchTest>5
20: PutById r2, r0, 5, "tryCatchTest"
21: CreateAsyncClosure r0, r1, Function<asyncAwaitTest>6
22: PutById r2, r0, 6, "asyncAwaitTest"
23: CreateClosure r0, r1, Function<promiseChainTest>9
24: PutById r2, r0, 7, "promiseChainTest"
25: CreateClosure r0, r1, Function<generatorTest>12
26: PutById r2, r0, 8, "generatorTest"
27: CreateClosure r0, r1, Function<callbackTest>15
28: PutById r2, r0, 9, "callbackTest"
29: CreateClosure r0, r1, Function<sleep>17
30: StoreToEnvironment r1, 0, r0
31: LoadConstUndefined r0
Block 1 (PC 32–33)
0: Ret r0
EXIT

Function 0


Block 0 (PC 0–3)
0: LoadParam r1, 1
1: LoadConstUInt8 r0, 10
2: JGreater L1, r1, r0
Block 1 (PC 3–4)
0: LoadConstString r0, "small"
Block 3 (PC 5–6)
0: LoadConstString r0, "large"
Block 2 (PC 4–5)
0: Ret r0
Block 4 (PC 6–7)
0: Ret r0
EXIT

Function 1


Block 0 (PC 0–8)
0: LoadParam r5, 1
1: GetByIdShort r1, r5, 1, "length"
2: LoadConstZero r0
3: Less r1, r0, r1
4: LoadConstUInt8 r4, 50
5: LoadConstZero r3
6: LoadConstZero r2
7: JmpFalse L1, r1
Block 1 (PC 8–13)
0: GetByVal r1, r5, r2
1: Add r7, r3, r1
2: Mov r1, r2
3: Mov r0, r7
4: JGreater L1, r0, r4
Block 2 (PC 13–18)
0: Inc r2, r1
1: GetByIdShort r1, r5, 1, "length"
2: Mov r3, r7
3: Mov r0, r3
4: JLess L2, r2, r1
Block 3 (PC 18–19)
0: Ret r0
EXIT

Function 2


Block 0 (PC 0–3)
0: LoadParam r1, 1
1: LoadConstString r0, "a"
2: JStrictEqual L1, r0, r1
Block 1 (PC 3–5)
0: LoadConstString r0, "b"
1: JStrictEqual L2, r0, r1
Block 6 (PC 9–10)
0: LoadConstUInt8 r0, 1
Block 2 (PC 5–6)
0: LoadConstZero r0
Block 4 (PC 7–8)
0: LoadConstUInt8 r0, 2
Block 3 (PC 6–7)
0: Ret r0
Block 5 (PC 8–9)
0: Ret r0
Block 7 (PC 10–11)
0: Ret r0
EXIT

Function 3


Block 0 (PC 0–6)
0: LoadParam r3, 1
1: LoadConstZero r2
2: Greater r4, r3, r2
3: LoadConstUInt8 r1, 1
4: Mov r0, r1
5: JmpFalse L1, r4
Block 1 (PC 6–10)
0: Mul r1, r1, r3
1: Dec r3, r3
2: Mov r0, r1
3: JGreater L2, r3, r2
Block 2 (PC 10–11)
0: Ret r0
EXIT

Function 4


Block 0 (PC 0–4)
0: LoadParam r0, 1
1: Mov r1, r0
2: LoadConstUndefined r0
3: Call1 r0, r1, r0
Block 3 (PC 6–7)
0: LoadConstString r0, "error"
Block 1 (PC 4–5)
0: Ret r0
Block 2 (PC 5–6)
0: Catch r0
Block 4 (PC 7–8)
0: Ret r0
EXIT

Function 5


Block 0 (PC 0–9)
0: LoadConstUndefined r4
1: LoadConstUndefined r0
2: ReifyArguments r0
3: Mov r3, r0
4: GetBuiltinClosure r2, 52
5: CreateEnvironment r0
6: CreateGeneratorClosure r1, r0, Function<?anon_0_asyncAwaitTest>7
7: LoadThisNS r0
8: Call4 r0, r2, r4, r1, r0, r3
Block 1 (PC 9–10)
0: Ret r0
EXIT

Function 6


Block 0 (PC 0–2)
0: CreateEnvironment r0
1: CreateGenerator r0, r0, Function<?anon_0_?anon_0_asyncAwaitTest>8
Block 1 (PC 2–3)
0: Ret r0
EXIT

Function 7


Block 0 (PC 0–3)
0: StartGenerator
1: ResumeGenerator r0, r1
2: JmpTrue L1, r1
Block 3 (PC 10–12)
0: ResumeGenerator r1, r2
1: JmpTrue L2, r2
Block 1 (PC 3–9)
0: GetEnvironment r1, 2
1: LoadFromEnvironment r3, r1, 0
2: LoadConstUndefined r2
3: LoadConstUInt8 r1, 100
4: Call2 r1, r3, r2, r1
5: SaveGenerator [4]
Block 8 (PC 17–18)
0: CompleteGenerator
Block 4 (PC 12–14)
0: LoadConstString r2, "done"
1: CompleteGenerator
Block 6 (PC 15–16)
0: CompleteGenerator
Block 2 (PC 9–10)
0: Ret r1
Block 9 (PC 18–19)
0: Ret r0
Block 5 (PC 14–15)
0: Ret r2
Block 7 (PC 16–17)
0: Ret r1
EXIT

Function 8


Block 0 (PC 0–12)
0: CreateEnvironment r0
1: GetGlobalObject r1
2: TryGetById r3, r1, 1, "Promise"
3: GetByIdShort r2, r3, 2, "resolve"
4: LoadConstUInt8 r1, 5
5: Call2 r3, r2, r3, r1
6: GetByIdShort r2, r3, 3, "then"
7: CreateClosure r1, r0, Function<>10
8: Call2 r2, r2, r3, r1
9: GetByIdShort r1, r2, 4, "catch"
10: CreateClosure r0, r0, Function<>11
11: Call2 r0, r1, r2, r0
Block 1 (PC 12–13)
0: Ret r0
EXIT

Function 9


Block 0 (PC 0–3)
0: LoadParam r1, 1
1: LoadConstUInt8 r0, 2
2: Mul r0, r1, r0
Block 1 (PC 3–4)
0: Ret r0
EXIT

Function 10



Function 11


Block 0 (PC 0–10)
0: CreateEnvironment r0
1: LoadParam r1, 1
2: StoreToEnvironment r0, 0, r1
3: CreateGeneratorClosure r1, r0, Function<gen>13
4: LoadConstUndefined r0
5: Call1 r4, r1, r0
6: NewArray r0, 0
7: LoadConstZero r3
8: Mov r5, r0
9: CallBuiltin r1, 46, 4
Block 1 (PC 10–11)
0: Ret r0
EXIT

Function 12


Block 0 (PC 0–2)
0: CreateEnvironment r0
1: CreateGenerator r0, r0, Function<?anon_0_gen>14
Block 1 (PC 2–3)
0: Ret r0
EXIT

Function 13


Block 0 (PC 0–3)
0: StartGenerator
1: ResumeGenerator r0, r1
2: JmpTrue L1, r1
Block 4 (PC 11–13)
0: ResumeGenerator r1, r5
1: JmpTrue L3, r5
Block 1 (PC 3–8)
0: GetEnvironment r4, 1
1: LoadFromEnvironment r1, r4, 0
2: LoadConstZero r3
3: Less r1, r3, r1
4: JmpFalse L2, r1
Block 5 (PC 13–16)
0: Inc r3, r2
1: LoadFromEnvironment r2, r4, 0
2: JLess L4, r3, r2
Block 10 (PC 21–22)
0: CompleteGenerator
Block 8 (PC 19–20)
0: CompleteGenerator
Block 2 (PC 8–10)
0: Mov r2, r3
1: SaveGenerator [4]
Block 6 (PC 16–18)
0: LoadConstUndefined r2
1: CompleteGenerator
Block 9 (PC 20–21)
0: Ret r1
Block 11 (PC 22–23)
0: Ret r0
Block 3 (PC 10–11)
0: Ret r2
Block 7 (PC 18–19)
0: Ret r2
EXIT

Function 14


Block 0 (PC 0–9)
0: CreateEnvironment r1
1: LoadParam r0, 1
2: StoreToEnvironment r1, 0, r0
3: GetGlobalObject r0
4: TryGetById r3, r0, 1, "setTimeout"
5: LoadConstUndefined r0
6: CreateClosure r2, r1, Function<>16
7: LoadConstUInt8 r1, 50
8: Call3 r1, r3, r0, r2, r1
Block 1 (PC 9–10)
0: Ret r0
EXIT

Function 15


Block 0 (PC 0–5)
0: GetEnvironment r0, 0
1: LoadFromEnvironment r2, r0, 0
2: LoadConstUndefined r1
3: LoadConstString r0, "callback"
4: Call2 r0, r2, r1, r0
Block 1 (PC 5–6)
0: Ret r0
EXIT

Function 16


Block 0 (PC 0–11)
0: CreateEnvironment r0
1: LoadParam r1, 1
2: StoreToEnvironment r0, 0, r1
3: GetGlobalObject r1
4: TryGetById r2, r1, 1, "Promise"
5: GetByIdShort r1, r2, 2, "prototype"
6: CreateThis r1, r1, r2
7: CreateClosure r3, r0, Function<>18
8: Mov r4, r1
9: Construct r0, r2, 2
10: SelectObject r0, r1, r0
Block 1 (PC 11–12)
0: Ret r0
EXIT

Function 17


Block 0 (PC 0–7)
0: GetGlobalObject r0
1: TryGetById r3, r0, 1, "setTimeout"
2: GetEnvironment r0, 0
3: LoadFromEnvironment r2, r0, 0
4: LoadConstUndefined r1
5: LoadParam r0, 1
6: Call3 r0, r3, r1, r0, r2
Block 1 (PC 7–8)
0: Ret r0
EXIT

Function 18