$$Br$$
 N
 Br
 F

REACTANTS TABLE:

amount	condition	equality	formula	id	moles	mw	name
186.008	186.008 solid 1.4	1.0	C ₆ H ₄ BrNO	6	1.0	186.01	2-[4-[3- (2- chloro-5- methyl- pyrimidi n-4- yl)pheny l]butoxy] pyridin- 4-amine
186.008	Solid	1.0		0			2-[4-[3- (2- chloro-5- methyl- pyrimidi n-4- yl)pheny l]butoxy] pyridin- 4-amine

REAGENTS TABLE:

structure	amount	condition	equality	formula	id	moles	mw	name
B_f O	150.177	solid	1.0	C ₉ H ₁₀ O ₂	4	1.0	150.18	benzyl acetate

PRODUCTS TABLE:

structure amou		condition	equality	formula		id moles n		name		
ils → ily	208.006	pure	1.0	C ₆ H ₄ BrF ₂ N]C< sub>6H ₄ BrF ₂ N-C <su b>6H₄BrF₂N[C₆H₄BrF₂N-3-bromo-5-(difluoromethyl)pyridine-3-bromo-5-(difluoromethyl)pyridine]3-bromo-5-(difluoromethyl)pyridine]3-bromo-5-(difluoromethyl)pyridine]3-bromo-5-(difluoromethyl)pyridine</su 	6	1.0	208.01	3-bromo-5-(difluoromethyl)pyridine]3-bromo-5-(difluoromethyl)pyridine(3-bromo-5-(difluoromethyl)pyridine-3-bromo-5-(difluoromethyl)pyridine[3-bromo-5-(difluoromethyl)pyridine-3-bromo-5-(difluoromethyl)pyridine		

PROCEDURE:

(5-bromonicotinaldehyde; mw=186.01g/mol; amount=186.008g) (benzyl acetate; mw=150.18g/mol; amount=150.177g) (3-bromo-5-(difluoromethyl)pyridine; mw=208.01g/mol; amount=208.006g; crude) 5.19.2.4.3.(iii) N-Substituted amidrazones by N-alkylation of simpler amidrazones The alkylation of amidrazones has been studied by Smith and co-workers <1971JOC1155, 1973JOC1344, 1977JOC1862>. Depending upon the substitution pattern, alkylation can occur on any of the three nitrogen atoms, but in most cases alkylation occurs at N2 or N3 so that an "amidinium like" delocalized cation is formed. Scheme 31 gives an example of N2 alkylation via a delocalized cation, whereas in Scheme 32 amidrazones 108 and 109 are also alkylated to give a delocalized cation but via alkylation at the N3 atom. Further examples are given in chapter 5.19.2.4.3 of <1995COFGT(5)741>, and there have been no significant advances since the publication of that chapter.