

# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

## **CERTIFICATE**

This is to certify that

Mr. /Ms Rabati Krish N.	
With enrollment no 2484030400082	from
Semester Div has Succ	cessfully
completed his/her laboratory experiments in the Html	markup
for web designers (4040243136) from the departmen	t of
during	the
academic year 2024-25	
Date of Submission: Staff In charge:	2

**Head of Department** 



## **EDUCATION TO INNOVATION**

## **EXPERIMENT NO: 1**

Aim: Create and save simple HTML document & modifying the

- 1. background of HTML
- 2. Webpage with different colors.

In this practical, we created a basic HTML document and applied CSS to change the background color of the webpage. Additionally, we used CSS properties to modify the color of different webpage elements like headers an paragraphs. This demonstrates the basic concept of styling HTML elements using CSS.

<1 Doctype h+m1) Lhtmu < +i+1e) we 6 Page ( Ititle) LS+yle > BODY & Background-color red; Color: 98884) color: Blue; (1st318) 1 (head) ( 6084 ) Khylthis is an heading (1h1) LP> this is an praggaph LIP>



EDUCATION TO INNOVATION

(16084)

Conclusion:

In this experiment we successfully cheated a simple

HTML document applied basic css for styling and explored

methods to change background and test color this remons

trated the importance of css in enhanching the visual

Presentation of web lage, the experiment phovided a

countational premiterstanding of HTML structure

#### Post Practical Question:

1. How can you apply different background images instead of a color to your webpage?

Ans: Body & Background-image voic')

2. How would you change the colors dynamically using JavaScript?

Ans: To dynamically change the colors of a web page using tava schipt you can use the some socument object model to manipulate the cs; phopeaties of html element

Signature with Date of
Completion

Marks out of 10

1+ : weblage

This is an heading (hi)
This is an oadagraph(P)



EDUCATION TO INNOVATION EXPERIMENT NO: 2

Aim: Demonstrate use of

- 1. subscript,
- 2. super script,
- 3. align tag and
- 4. Format the text by using formatting tags like bold and italic.

#### Description:

In this practical, we demonstrated how to use:

LIL+MI>

- 1. Subscript (<sub>) and superscript (<sup>) tags to format text in mathematical and chemical notations.
- 2. Align attribute to control text alignment (center, right).
- 3. Formatting tags like bold (<b>) and italic (<i>) to emphasize specific parts of the text.

#### Procedure:

Zhend>
Zhead Litte I webpage Lititle>

Zhead L

Lbody > Lp swaller's chemical H Lsub > 2 Lisub > 0 Lip>
Lp> the mathematical x Lsub > 2 Lisub > 0 Lip>
Lp> the mathematical x Lsub > 2 Lisub > 6 Lip>
Lp> tyle = "text - align center;"> centerent
Lp> style = "text - align center;"> centerent
Lp> this is Lb> Bold Lib> text Lip>
Lp> this is Lb> Bold Lib> text Lip>
Lp> this is Lb> idalic Lli> textLip>
Llbody>



**EDUCATION TO INNOVATION** 

outfut

webpage

wderschemical Hzo

Right-aligned text tuis is Bold text

This is I talic text

Conclusion:

In this experiment we ledined how to use HIML king for text cornetting and alignment we successfully emplemented subschift and supplyschift tags tags like bold and Holic to emphasize specific Parts of text

#### **Post Practical Question:**

- 1. Which tag is used to display text as a subscript in HTML?
- a) <sup>
- b) <sub>
- c) <script>
- d) <small>

Answer: b. LSU65

- 2. Which of the following tags is used to display text as superscript in HTML?
- a) <sub>
- b) <i>
- c) <sup>
- d) <u>

C. LSUPS



**EDUCATION TO INNOVATION** 

Answer:

3.1	What is the	correct way	to alien text	to the center in a	paragraph using	HTML?
-----	-------------	-------------	---------------	--------------------	-----------------	-------

- a) This is centered text
- b) This is centered text
- c) This is centered text
- d) This is centered text

Answer:

6. Lealign="center"> this is centered text LIPS

- 4. Which tag is used to make text bold in HTML?
- a) <b>
- b) <i>
- c) <u>
- d) <strong>

Answer:

a. 26)

- 5. What is the purpose of the <i> tag in HTML?
- a) To underline the text
- b) To make the text bold
- c) To italicize the text
- d) To strike through the text

Answer:

c. To italicize the text

6. Which tag is used to underline text in HTML?

- a) <i>
- b) <b>
- c) <u>
- d) <sub>

Answer: (10)



**EDUCATION TO INNOVATION** 

7. Which of the following attributes is used to align text within a tag?

- a) text-align
- b) align
- c) style
- d) font-align

A text-atigh

Signature with Date of Completion	
Marks out of 10	



#### **EXPERIMENT NO: 3**

Aim: Draw the table as given format

#### Description:

In this exercise, a table is created using the , , , and tags. The table structure was enhanced with attributes like borders, cell padding, and cell spacing. This demonstrates the creation of structure data presentation using tables in HTML.

Procedure:

Zhall cheals

Zheals

Zharsample table Lihas

Zharsample table table Lihas

Zharsample table Lihas

Zharsample table table Lihas

Zharsample table Lihas

Zharsample table table Lihas

Zharsample table table Lihas

Zharsample table tab



**EDUCATION TO INNOVATION** 

LItables LILITALS

Conclusion: In this explainment we successfully cheated Ltables, Lth)
Ltro, Add tags the table sthuctual enhances with
attributes like borders cen fadding and cen specing

#### Post Practical Question:

- 1. Which tag is used to create a table in HTML?
  - a)
  - b) <tab>
  - c)
  - d)

Answer:

A. Ltables

- 2. What does the tag represent in an HTML table?
- a) A table cell
- b) A table row
- c) A table header
- d) A table caption

Answer:

B. A table you

- 3. Which tag is used to define a header cell in a table?
- a)
- b)
- c) <header>
- d) <cell>

Answer:

B. Lth)



**EDUCATION TO INNOVATION** 

- 4. What attribute is used to add a caption to a table?
- a) <caption>
- b) <tablecaption>
- c) title
- d) description

Answer:

Leaptions

- 5. Which attribute would you use to specify the border of a table in HTML?
- a) border
  - b) border-style
- c) frame
  - d) cellpadding

Answer: A 6088 C4

Signature with Date of Completion	
Marks out of 10	

out Put table sample table name age

Alice 23 Bob 24



**EDUCATION TO INNOVATION** 

**EXPERIMENT NO: 4** 

Aim: Create web page using metadata &<! DOCTYPE html> tag.

#### Description:

This practical demonstrates the use of the <! DOCTYPE html> declaration to specify the HTML version. It also covers the use of metadata tags like <meta> to define the character set, description, keywords, and other important information for the webpage. Metadata is essential for SEO and webpage responsiveness.

Procedure:

Lipoctype htmls

Lheads Lineta name="description" content=" An example web page using metadatas

Imetarane = "keywords" content = "H7ML, me web deviolments

Ltitles meta data example LI titles

LILPOLIS, LAIS 1600 ys we knowe to my web page this (1/4m1> 1/6097>

in this experiment we rearned the importance of L onclusion: ntml> declaration which specifies thehtml verson we imply versions Limetal toss within the Linears section of the

HTMI secoment to serine essential mormating

Practical Question:

about the web Page such as the character keyword and author



SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

outfu+

meta data example welcome to my webpage (hi)

Signature with Date of Completion	Carried State of the State of t
Marks out of 10	CHARLES AND



EDUCATION TO INNOVATION

#### **EXPERIMENT NO: 5**

Aim: Create a Web page to display basic your resume

#### Description:

In this practical, a simple webpage was created to showcase a basic resume layout. HTML tags such as <h1>, , and are used to structure sections like personal details, education, skills, and contact information. This is useful for creating personal portfolios or professional resumes online.

Procedure:

Lhtmi> Lhead> Ltitle>my Resume LItitle>

Thead?

Thody>

This my Resume Linis

This Robali khish Linis

This Personal details Linis

This personal details Linis

This personal setails Linis

This personal setails Linis LP> Lb> Emall: LIb) korishdesai gogy @gmall (0 TB) TP) brone: TP) 4318423507 TIB) Lh3) Exection LIh3>

Ltable 6000 en = "1">

4483 L+3> B. SC 1+ L1+3> L+3> Silver oak uni L(+37 L+3> 2024 L1+3>

2+8) High school 2/18> 148) L+1 > 2019-2023 L 1+3>



**EDUCATION TO INNOVATION** 

LItables Lhasskins LIhas

LUI)

LIIS HIMLICSSCLIS LII) Java Liis

LII) web 2111)

11413

2160845 / lhtml>

Conclusion:

re with Date of mpletion	
out of 10	There is a second of the secon



**EDUCATION TO INNOVATION** 

## **EXPERIMENT NO: 6**

Aim: Show the use of all tags and attributes of

- 1. ordered list
- 2. unordered list.

#### Description:

This exercise demonstrates the use of ordered (<01>) and unordered (<u1>) lists in HTML. The <11> tag is used for list items. Attributes like type, start, and reversed for ordered lists, and bullet styling for unordered lists, are explored to enhance list formatting.

Procedure:

LI Roctype . WMIS

Lhamis

Lhead> Hitles list Lititles

1 (head)

They arsened list Thes Total arsened list Thes Total arsened Tiet Thes L1133 2111)

111/2/11/ LdisILIlis

Tois the = "Clacifus">
The modphes list Thes Llis second Llis CIIL GRINT LIIS

21413

(16023)

LIHAMI



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

Conclusion:

IN this explainent - the use of ordered conductor dell's

IN this explainent - the use of ordered conductor dell's

IN him the List tag is used for list I tems built

Styling for unordered list

#### **Post Practical Question:**

1. Which tag is used to create an unordered list in HTML?

- a)
- o)
- :) )
- ) <list>

nswer:

B. LUIS

What is the purpose of the <1i> tag in both ordered and unordered lists?

To define the list itself
To represent each item within a list
To create a heading for the list
To style the list items

er: B. to se Present each item within a list

ch attribute can be used to specify the type of bullet in an unordered list?



## SILVER OA VIVERSIT **EDUCATION TO INNOVATIO**

- a) style
- b) type
- c) bullet
- d) list-style-type

Answer:

B. typp

- 4. What tag is used to create an ordered list in HTML?
- a)
- b) <1i>>
- c) <01>
- d) <list>

Answer:

LOD

- 5. Which attribute can you use to change the numbering style of an ordered list?
- a) style
- b) type
- c) numbering
- d) format

Answer: B. Lype

Signature with Date of	
Completion	

Marks out of 10

F= trigmisages output links Using Hyperlink visit an external website: google section 1 This is section 1 sections This is section 2 &= + meningascs i mage i mage (h2) lmg. image as a link experiment table creating ta618 (+i+18)

Student duta

name 12 Age sub orthode Alice 1 21 modes At



## **EXPERIMENT NO: 7**

Aim: Create webpage which shows the use of hyperlink.

In this practical, hyperlinks were created using the <a> tag. The href attribute was used to link to external and internal such internal web pages, while the target attribute was used to control how the linked page opens (e.g., in a new tab). This exercise is key in learning how to navigate between web pages.

#### Procedure:

LI 20ct yPP. html>

LHMIS LLEGISS / LITIES LINKS LITITES

LP> visit an external website. LIPS 160977 [ MISUSING HYPEOLINK LINIS Likeass Lahere - "https://www.google.com'ta

La here -" # sectiony" > go to sect io hy Laheren # sections" > 90 to section Thesia = "section 7" > section 711 This is section & L This is section & T

LPS this is section ZLIPS

Conclusion:

Lhank

Post Practical Question:



## **EDUCATION TO INNOVATION**

1. What are the security implications of using hyperlinks that open in a new tab (i.e., using

Ans: tising takeet =" blank" without rel = "noo Pendu nake tielus"

Can expose the oxiginal page to tab nabbing attas

allowing the new page to manifulate as resi

2. How would you create an anchor link that scrolls to a specific section of the same webpage?

Ans: 

Ans:

Lhtmis Lheads

Ltitles Ahcharlink Lititles

T116097

La here = "section" > gotospaio Lh218 = section "> section LIPS Lps this is section LIPS Llbotys

TIPHUIZ

gnature with Date of Completion	
Marks out of 10	



**EXPERIMENT NO: 8** 

<u>Nim:</u>Show the use of all tags related to images.

#### Description:

nis practical demonstrates the use of the <img> tag to display images on a webpage. Attributes like src ource), alt (alternative text), height, and width are explored to control the display of images. It also overs image alignment and linking an image to another page using the <a> tag.

Procedure:

// Doctype names

Lineads

Conclusion:



## **EDUCATION TO INNOVATION**

Post	Practical	Question:

1.	Which t	ag is	sused	to	embed	an	image in	an	HTML	document?	
----	---------	-------	-------	----	-------	----	----------	----	------	-----------	--

- a) <img>
- b) <picture>
- c) <image>
- d) <src>

100					
A	n	11	10	200	٠
4	ш		20		

B. Llmgs

2.	What attribute	is essential for	or the	<img/>	tag to	specify	the	image	SOURCE
						opeoutly.	uic	marc	SOUTHER

- a) source
- b) src
- c) href
- d) file

#### Answer:

B.58C

3. What attribute is used in the <img> tag to provide alternative text for an image?

- a) alt
- b) title
- c) description
- d) text

Answer: A

- 4. How do you specify a caption for an image using HTML?
- a) Using the <figcaption> tag inside the <figure> tag
- b) Using the <caption> tag
- c) Using the alt attribute
- d) Using the <1abel> tag

Answer: A. Using the Laigealtionstag inside the Laigure stop

Signature with Date of Completion	
Marks out of 10	



#### **EXPERIMENT NO: 9**

Aim: Create a webpage and use the following TAG to perform operation.

- 1. Create a simple table with at least three rows and three columns.
- 2. Use the , , , and tags.
- 3. Add a caption to the table created above using the <caption> tag.
- 4. Add a border to your table using the border attribute in the tag.
- 5. Align the content of your table cells using the align and valign attributes.
- 6. Change the background color of your table and its cells using the bgcolor attribute.
- 7. Use the cellpadding and cellspacing attributes to adjust the spacing inside and between the table cells.
- 8. Create a nested table by inserting one table inside another table's cell.

#### Description:

This practical focuses on creating a table with at least three rows and three columns using the , , , and tags. Features such as captions, borders, alignment, background colors, cellpadding, and cellspacing were demonstrated. Additionally, a nested table was created by placing one table inside a table cell.

# Procedure: Lide type hamis Lint mis Lint mi

Lt daligh= " center" > Alice (1 )

L+d aligh " contly >21/1+8



## **EDUCATION TO INNOVATION**

a lichabud
Ltake border="1" centradding="5" cents acing="2" bgco lor="sky blue"
Ttage posses = " Jellom, Titage)
Linaligh = "center" Sub LI+hs (LI+h)
[ That 134 - [ [ 4 ] ]
Litables
[142] TI 609 A)
Conclusion: Ltd alighe" (enter" ) At Litd Litd Linemis
In this experiment we reached to create and format
table using him al successfully checked tables with
multiPil rows and columns added captions a pplifd
box dexs alighed content using alignment attributes
and customized the appearance with bocky found
Cologs
Practical Question:
. What are the benefits of using CSS to style tables instead of inline HTML attributes?
Ans: Using css to styll tables allows for cleanermore
maintainable code and provisingde steater frexibility
and cost to over a sigh
low would you handle large tables with
low would you handle large tables with many rows and columns to improve readability and
is: use cecturies like fixed headers row highrigh
9hting, pagination and harrizontal scrolling
21, 19, 19 May 100 May 20,8011'M
e with Date of ppletion
out of 10



## **EDUCATION TO INNOVATION**

## **EXPERIMENT NO: 10**

n:Create a webpage and use the following TAG to perform operation.

Jse the <frameset> tag to create a webpage with two frames.

Jse the <frame> tag to define the content of each frame.

specify different attributes like border, frameborder, framespacing, and rginwidth for the frames.

set the width and height of the frames using the cols and rows attributes in the

Create a navigation menu in one frame and display the corresponding content in other frame using the target attribute in the <a> tag.

#### scription:

is practical shows the use of the <frameset> and <frame> tags to create a webpage with two frames. The opage includes a navigation menu in one frame and displays related content in another frame using the target ibute. Attributes like border, frameborder, framespacing, and marginwidth are also demonstrated to strol the appearance and spacing of frames.

#### cedure:

poctype htm 1)

LETERTS Et rows. "20-1, 80-1."

Gramebor der ="1" Framsfacing

608884 = "1">

TERRUMENTE: "MEMU, LIMI"]

LE samesac = "Youkent himinamp

=" (ontent")

L I (html)

11 DOCKYPP WHMIS

Lhamis

160247

Lhi shesation Uh

1411

Llistahaet:

entul, takk

"content XII

Page htmi

+48994+="1

n+ 1/19> Lahra.

Zhimi"ita

= "(OHPL

11074

1 a hre



## SILVER OAK NIMBRSITA

**EDUCATION TO INNOVATION** 

OUT PUT:

· web Page loyout · bop chamelrowing ation men)

#### Conclusion:

In this experiment we suess turn created a weblage using the L Agrelety Sand LEHames tag to display two crames are used attaributes like porden chamboaten Post Practical Question: 2 scrimes and margin wid to to costomize the

- 1. What are the drawbacks of using frames in modern web development, and what alternatives exist? Ans: . oraw backs of frames
  - · seo issues
  - · ASCESSI GILL Pro biem
  - · Browser compatibility issues
    - · security risks
- 2. How can you handle issues related to frame security and browser compatibility? Ans: Frame security

1.USP HTTAS encryPtion

2 set content se covityPoliay

3. USP santox atribute

· Browser compatibility

1 - crosp browespr teststing

2 Java scrift likerils

gnature with Date of Completion	
Marks out of 10	



CATION TO INNOVATION

#### **EXPERIMENT NO: 11**

:: Create a webpage for online Jewellery shopping. Display Menu in left frame.

Clicking on menu should display related webpage in right frame. Keep header and footer frames to display related information.

#### escription:

this exercise, a webpage is designed using frames to create a simple online jewelry shopping interface. The left ame displays the menu, and clicking on the items in the menu displays the related content in the right frame. dditionally, a header and footer are used to display additional information.

#### rocedure:

LIDOCTYPE LAMIS Lhamis Lheads Littles LaptoB Littles
Link STC="style Lead" LATE="style (55" Uhead) Lbody) Z) Cahref="# Acer Lartop" > hp21 a) 211) 211) Lahref="# Acer Lartop"> Acer Cla) 211) 21:> carref="#msi Laptop"> msi Lla) Lli) 2007) (main) Esection id = "he laptop"> Chr hp ZS LIhr) Limgsoc = "hpips) Clmain) Lfooter de Copy , 2000 4 Ap. Clfooter) 4/body> ZIhtm1)



#### **EDUCATION TO INNOVATION**

h P

MOT CShowhan images COPY 2024 4 P

#### Conclusion:

neceder with title havigation menu main content with sections for rings etc.

footer with copy right information

#### Post Practical Question:

How would you enhance the user experience by integrating JavaScript or CSS animations in your jewelry shopping website?

Ans:

Ans:
Scient Scripts

'Product image from 'Houer effects

'Shopping tert

'Shopping tert

2. How can you make your shopping website responsive for mobile and tablet devices?
Ans:

\* Hot strup foundation

\* mobile - first design

\* Responsing images/videos etc.

nature with Date of Completion	
Aarks out of 10	



**EDUCATION TO INNOVATION** 

**EXPERIMENT NO: 12** 

Aim: Create web page for register online exam form filling process.

#### Description:

This practical involves creating a form for registering for an online exam. The form uses various form elements like <input>, <select>, <textarea>, and buttons for user input. The exercise highlights form validation, data submission, and user interaction on a webpage.

## Procedure: 21. Doctyperhtmi) Chemity Cheud? Chitle online exam registration Libitle) Lityle) body of font-family for bul! from dwith s soy, margin shopse auto pading 120 px; lorder! solid # cccs border - redius 110px 1 fox shordor 100 2/styles Uhead) shody) The online exam registration LIhr) Llabel full name: 21 label) Einput type = "text" nume = "nume required> Llabel Email! [ [ [abel) Linput type="email="name="number"> LIbr> Clabel > phone ( Lllabel) Clahell exam (11a bel)

Lselect name= 'exam' Aselect > Chr > Llbr>



## **EDUCATION TO INNOVATION**

#### Conclusion:

m this exteriment we successfully designed anomine exam registration as on using various HTML from using such as Linguity 45 lects and Ltextareas this formstructure as I will aris styled using cy

#### Post Practical Question:

- 1. Which HTML tag is used to create a form in a webpage?
- a) <input> ...
- b) <form>
- c) <register>
- d) <fieldset>

Answer: b) <form>

- 2. What attribute is used to specify the method of form submission in HTML?
- a) action
- b) method
- c) submit
- d) enctype

#### Answer:

### B. method

- 3. Which input type would you use for a text field where users can enter their names?
- ) <input type="number">
- ) <input type="text">
- <input type="email">
- <input type="password">

#### swer:

B. Linput +ypp =" text")



## VER OAK VIDIRSII II

## **EDUCATION TO INNOVATION**

4. Which CSS property would you use to change the background color of the form?

- a) color
- b) background
- c) bgcolor
- d) background-color

Answer:

2. park 220 pm - (010)

- 5. What is the purpose of the <label> tag in a form?
- a) To create a text input
- b) To provide a clickable area for form controls.
- c) To define a form section
- d) To display error messages

B to Provide alickable area for from controls

- 6. Which CSS property is used to adjust the spacing between the form fields?
- a) margin
- b) padding
- c) border
- d) spacing

Answer:

A. margin

- 7. How can you make a field required in a form?
- a) By adding the required attribute to the input tag
- b) By using the mandatory attribute
- c) By adding required="true" in the form tag
- d) By setting the validate attribute to true

Answer:

By adding the requires attribute to the in put



## UNIVERSIT EDUCATION TO INNOVATION

Signature with Date of Completion	
Marks out of 10	

OU+ PU+

solm croating

online exam registration.

emal - requires

Passoword: required

SU 6mit



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

EXPERIMENT NO: 13

im:Create a Web page to display your resume.

Li Doctale. Html >

Lheads

LTITLES RESUMP LTITLES

LIbert I Gody 1

Zheaders Zhis yout name LILIS

LPS location: (ity LIPS

LINEARLY
LSectionid = "Summary" 1

LPJ SUMMCHY about your selflip

Lisections Lisectionid="experience"s Ldivclass=Jab"s

LPJ month year Presen

2417

Llisachievementizhis
Llisachievementizhis
Llisachievementizhis



## SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

This practical involves creating a more detailed and formatted resume using HTML. Sections like personal details, education, work experience, and skills are presented using appropriate tags like chira, epo, calls, and chabilets. This showcases how HTML can be used to create professional colone resumes

Procedure:

LSQUIONID = "SkiPS"> LL23 SKITS M23 2411 Zlisskill 121153 Llistanii 241il Hisskill 34111 Llisskilluzilis 1413

LISPETIONS 1500+0027 L60245 LI POSTOYS CPS Q 2023 Yourname LIPS

Conclusion: The Provised HTML ans acss excles asimple Struct by applage to display a resumpreautations unseco for reasonal information experimence education un

est Practical Question:



## SILVER OAK VERSION

## **EDUCATION TO INNOVATION**

What enhancements can you add to make the resume more interactive, such as using modal

Ans: To enhance the resume interactive you could add mobil windows to display detailed in Edemation about each 1019 exberince more ciercs broniting à more in Beeth over view with eluttering the main Page in Petementing section such as a Polyersion of the resume could allow usen to easily save or Phin

How would you update your resume in the future while maintaining consistency and formatting

Ans: To update your resume in futule and formatting a cross devices use reforms in webbesign ternigues to the layout for different screen sizes ensu na reasopility on JERKtobs tables and Empt+ Phones implement a presunce and ease of updates Additaraliz offise aversion content system like wit to track changes and & ficiently ENSURING à consistent cormet overtime

nature with Date of Completion	
Marks out of 10	THE RESERVE TO STATE OF THE PARTY OF THE PAR



## SILVER OAK INIVERSITY EDUCATION TO INNOVATION

## **EXPERIMENT NO: 14**

Aim: Show the use of all tags and attributes of ordered list and unordered list.

Description:

In this practical, ordered and unordered lists were created using <01> and <u1> tags. Different attributes of lists were explored, such as the type attribute for ordered lists (e.g., numbers, letters) and various bullet styles for unordered lists. This practical highlights how to create and style lists on a webpage.

Procedure: DEGUL NUMBERED

LW33

LOIS LISITEM [ LILIS LIIJItem 2/11;

Llasth

LIIS I + em ILUIS LIISHOM ILILIS

Bonet 115+ 4-33 LULY HOMIDIS LILLY COSTOME SQUERK LIMED allistem Illis Wistem 2 (11)

in this experiment we demonstarted the creation and styling of ossesed and unorted list using him and 45 css de excluded various list types (101) and attributes awappied custom styles to hance their apreame this knowledge help ino anizing and Presenting content effectively areb pags infroving readobility on visual of



# SILVER OAK UNIVERSITY EDUCATION TO INNOVATION

Post Practical Question:

1. Which tag is used to create an ordered list in HTML?	
a) <ul></ul>	
b) <1i>>	
c) <o1></o1>	
d) <list></list>	
Answer:	
c. Lol	
2. What attribute can you use to specify the starting number of an ordered list?	
a) start	
b) type	
c) value	
d) number	
Answer:	
A. Stalet	
Which of the following tags is used to define each item in a list?	
<pre><item></item></pre>	
<pre><li><li><li>tem&gt;</li></li></li></pre>	
<li><li></li></li>	
<element></element>	
iswer:	
c. Llis	
What is the default bullet style for an unordered list created with the <ul> tag?</ul>	
quare	
Sircle	
isc	
one	



**EDUCATION TO INNOVATION** 

- 5. Which attribute can be used with the <01> tag to change the numbering style of the list?
- a) start
- b) type
- c) style
- d) numbering

Answer: B. + ype

out Put

Default mombered

Items

Items

Romannumbere

Item y

Item tt

601(e+1)st

Item 2

custom square list

custom square list

Signature with Date of Completion

Marks out of 10