1. Install the Database Driver

```
(c) Microsoft Corporation. All rights reserved.

C:\Users\Ryan Neil>cd my-first-api

C:\Users\Ryan Neil\my-first-api>npm install better-sqlite3
npm warn deprecated prebuild-install@7.1.3: No longer maintained. Please contact
the author of the relevant native addon; alternatives are available.

added 35 packages, and audited 101 packages in 5s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities
```

2. Initialize the Connection

```
const Database = require('better-sqlite3');
const db = new Database('shop.db');
```

3. Architecture
   a. server.js modification
      i. Table

```
db.exec(`
  CREATE TABLE IF NOT EXISTS products (
    id INTEGER PRIMARY KEY AUTOINCREMENT,
    name TEXT,
    price NUMERIC
  )
`);
```

      ii. GET Endpoint (Fetch All)

```
app.get('/api/products', (req, res) => {
  const stmt = db.prepare('SELECT * FROM products');
  const products = stmt.all();
  res.json(products);
});
```

      iii. POST Endpoint (Insert Data

```
app.post('/api/products', (req, res) => {
  const { name, price } = req.body;
  const stmt = db.prepare('INSERT INTO products (name, price) VALUES (?, ?)');
  stmt.run(name, price);
  res.status(201).json({ message: 'Product added successfully' });
});
```

4. Test Progress
   a. Start the server

```
(c) Microsoft Corporation. All rights reserved.

C:\Users\Ryan Neil>cd my-first-api

C:\Users\Ryan Neil\my-first-api>npm install better-sqlite3
npm warn deprecated prebuild-install@7.1.3: No longer maintained. Please contact
the author of the relevant native addon; alternatives are available.

added 35 packages, and audited 101 packages in 5s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\Users\Ryan Neil\my-first-api>node server.js
Server running at http://localhost:3000
```



   b. Add a product (POST)

```
Microsoft Windows [Version 10.0.26200.8037]
(c) Microsoft Corporation. All rights reserved.

C:\Users\Ryan Neil>cd my-first-api

C:\Users\Ryan Neil\my-first-api>curl -X POST http://localhost:3000/api/products ^
More? -H "Content-Type: application/json" ^
More? -d "{\"name\":\"Mechanical Keyboard\",\"price\":120.50}"
{"message":"Product added successfully"}
```

   c. Verify (GET)



d. Persistence Test

i. Stop the server

```
(c) Microsoft Corporation. All rights reserved.

C:\Users\Ryan Neil>cd my-first-api

C:\Users\Ryan Neil\my-first-api>npm install better-sqlite3
npm warn deprecated prebuild-install@7.1.3: No longer maintained. Please contact
the author of the relevant native addon; alternatives are available.

added 35 packages, and audited 101 packages in 5s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\Users\Ryan Neil\my-first-api>node server.js
Server running at http://localhost:3000
^C
```



ii. Restart Server

```
(c) Microsoft Corporation. All rights reserved.

C:\Users\Ryan Neil>cd my-first-api

C:\Users\Ryan Neil\my-first-api>npm install better-sqlite3
npm warn deprecated prebuild-install@7.1.3: No longer maintained. Please contact
the author of the relevant native addon; alternatives are available.

added 35 packages, and audited 101 packages in 5s

31 packages are looking for funding
  run `npm fund` for details

found 0 vulnerabilities

C:\Users\Ryan Neil\my-first-api>node server.js
Server running at http://localhost:3000
^C
C:\Users\Ryan Neil\my-first-api>node server.js
Server running at http://localhost:3000
```



Members:

1. James John Martizano
2. Desiree Sedigo
3. Paula Blanch Graellos
4. Neña Jezza Fernando
5. Ryan Neil Rabaya