

Compass is ready to update to 1.47.1! [RESTART](#)

+

ADD DATA

EXPORT DATA

UPDATE

DELETE

25

<pre>_id: ObjectId('68e64287178321a3ab15b962') username: "alice" balance: 1000 email: "alice@example.com" accountType: "savings"</pre>
<pre>_id: ObjectId('68e64287178321a3ab15b963') username: "bob" balance: 500 email: "bob@example.com" accountType: "current"</pre>
<pre>_id: ObjectId('68e64287178321a3ab15b964') username: "charlie" balance: 2000 email: "charlie@example.com" accountType: "savings"</pre>
<pre>_id: ObjectId('68e64287178321a3ab15b965') username: "diana" balance: 1500 email: "diana@example.com" accountType: "business"</pre>

Server running on http://localhost:3000

POST /admin/dashboard

[2025-10-03T11:09:22.707Z] POST /admin/dashboard

Admin router middleware executed

█

GET http://localhost:3000/balance

Send

Params Auth Headers (10) Body Scripts Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {  
2   "amount": 200  
3 }  
4
```

Body

200 OK • 11 ms • 270 B • e.g.

{ } JSON

Preview Visualize

Copy

```
1 {  
2   "username": "alice",  
3   "balance": 1000  
4 }
```



POST

http://localhost:3000/withdraw

Send

Params Auth Headers (10) Body Scripts Settings

Cookies

raw

JSON

Schema

Beautify

```
1 {  
2   "amount": 200  
3 }  
4
```

body

200 OK

11 ms

285 B



e.g.



{ } JSON

Preview

Visualize



```
1 {  
2   "message": "Withdrawal successful",  
3   "balance": 1000  
4 }
```

Runner



Vault





Experiment_6.1 / **Post data**



Save



Share



POST



http://localhost:3000/deposit

Send



Params

Auth



Headers (10)

Body



Scripts



Settings

Cookies



Auth Type

Bearer Token



Token

.....



The authorization header will be

Body



200 OK

• 46 ms •

282 B •



e.g.



{ } JSON



▶ Preview



Visualize



```
1 {
2   "message": "Deposit successful",
3   "balance": 1200
4 }
```



Runner



Vault





Experiment_6.1 / Post data



Save



Share



POST



http://localhost:3000/login

Send



Params

Auth

Headers (9)

Body

Scripts

Settings

Cookies

raw



JSON



Schema

Beautify

```
1  {
2    "username": "alice",
3    "password": "pass123"
4  }
```

Body



200 OK

73 ms

453 B



{ } JSON



Preview



Visualize



```
2    "token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJhbGJjZSIsInJvbGUiOiJ1c2VyIiwiaWF0IjoxNzU5ODUyNzAwLCJleHAiOiE3NTk4NTYzMDB9.NedYlZvaJAN8aSXwb60mZ98VdvgZyhE0396ME1yqu0A",
3    "token_type": "Bearer",
```



Experiment_6.1 / **Get data**

POST



http://localhost:3000/login

Params

Authorization ●

Headers (10)

Body ●

Scripts ●

Settings

Body

Cookies

Headers (7)

Test Results (0/1)



401 Unauthorized

• 12 m

{ } JSON ▾

▶ Preview

🔍 Debug with AI



```
1  {
2    "message": "Invalid credentials"
3  }
```

HTTP

Experiment_6.1 / Get data



Save



Share



GET



http://localhost:3000/public

Send



Params Authorization Headers (8) Body Scripts Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body Cookies Headers (7) Test Results (1/1)



200 OK

9 ms

300 B



Save Response



{ } JSON

Preview



Visualize



```
1 {
2   "message": "This is a public route. No authentication required."
3 }
```




GET



http://localhost:3000/protected

Send



Params Authorization Headers (8) Body Scripts Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

Cookies

Headers (7)

Test Results (0/1)



401 Unauthorized



8 ms



300 B



Save Response



{ } JSON



Preview



Debug with AI



```
1 {
2   "message": "Authorization header missing or incorrect"
3 }
```



Experiment_6.1 / Get data



Save



Share



GET



http://localhost:3000/protected

Send



Params Authorization Headers (9) Body Scripts Settings

Cookies

Auth Type

Bearer To...



Token

.....



The authorization header will be automatically generated when you

Body Cookies Headers (7) Test Results (1/1)



200 OK

19 ms

311 B



Save Response



{ } JSON



Preview



Visualize



```
1 {
2   "message": "You have accessed a protected route with a valid Bearer token!"
3 }
```

```
PS C:\Users\piyus\check\Experiment_6.1> npm run dev
```

```
🔗 MongoDB connected
```

```
[2025-10-07T14:34:20.829Z] GET /
```

```
[2025-10-07T14:34:30.307Z] GET /public
```

```
[2025-10-07T14:38:57.456Z] GET /public
```

```
[2025-10-07T14:39:19.896Z] GET /protected
```

```
[2025-10-07T14:43:35.059Z] GET /protected
```