# **DOKUMENTACIJA**

https://krsmanovic013.github.io/KrsmanShop/

Web Programiranje 2

Milos Krsmanovic 22/20

# Sadržaj

# 1.0 Uvod

- 1.1. Korišćeni programski jezici
- 1.2. Template
- 1.3. Slike stranica I opis funkcionalnosti

# 2.0 Organizacija

- 2.1 Organizaciona šema
- 2.2 Sitemap
- 2.3 Robot.txt

## 3.0 Kodovi

- **3.1 HTML**
- 3.2 JavaScript
- 3.3 JSON-i

# 1. Uvod

# 1.1. Korišćeni programski jezici

Sajt je izrađen korišćenjem HTML5,CSS3(Bootstrap5),JavaScript,jQuery I kod je pisan u Visual Studio Code editoru.

# 1.2. Template

Za izradu sajta nije korišćen template.

# 1.3. Slike stranica I opis funkcionalnosti


#### **1.3.1. INDEX.HTML**



Navigacioni meni dohvacen Ajax-om iz nav.json I dinamicki ispisan prilikom ucitavanje stranice, responsive je.




Trending products sekcija je ispisana dinamicki takodje dohvacen je sadrzaj Ajaxom iz trending.json I dinamicki se ispisuje prilikom ucitavanja stranice, responsive je.




Our services sekcija je pisana u HTML-u I responsive je, footer takodje.

#### **1.3.2. SHOP.HTML**




Navigacioni meni dohvacen Ajax-om iz nav.json I dinamicki ispisan prilikom ucitavanje stranice, responsive je. Checkbox liste su takodje dinamicki ispisane njihovi podaci su takodje iz json fajlova (brends.json , callular.json , market.json) dohvaceni su ajax pozivom I ispisani takodje dinamicki su ispisani brojevi prizvoda koji pripadaju odredjenom svojstvu '(broj)'. Tako sort lista je dinamicki ispisana dohvacen je sadrzaj ajaxom iz json-a sort.json. Filtraranje si sortiranje radi uskladjeno. Klikom na ADD dugme dodajemo proizvod u korpu , ukoliko taj proizvod ne posotji u korpi broj na korpi ce se povecati ukoliko postoji nece se povecati broj na korpi u nav meni-u nego ce se samo povecati quantity tog proizvoda.

#### 1.3.3. CONTACT-US.HTML




Navigacioni meni dohvacen Ajax-om iz nav.json I dinamicki ispisan prilikom ucitavanje stranice, responsive je. Uradjena je falidacija forma svakog polja onBlur I na kraju klikom n a dugme isto se proverava, ukoliko je sve uneto u skladu sa regularnim izrazima I izadrana je stavka iz ddl I checkbox je cekiran iskace alert "successful sent" I forma se resetuje.

#### 1.3.3. AUTHOR.HTML




Navigacioni meni dohvacen Ajax-om iz nav.json I dinamicki ispisan prilikom ucitavanje stranice, responsive je. Autor slika I tekst I cela sekcija je responsive.

#### **1.3.4. CART.HTML**




Navigacioni meni dohvacen Ajax-om iz nav.json I dinamicki ispisan prilikom ucitavanje stranice, responsive je. Kada u korpi nema nista ispisuje se "Cart is empty" I nema dugmeta za "checkout".



Kada dodamo 2 proizvoda u korpu u nav meniju stoji broj proizvoda (2) I pojavljuje se "Proceed to Pay" dugme, takodje dinamicki se ispisuje slika proizvoda, naziv, region tj trziste kome pripada I njegov cellular (3g,4g ili 5g). Klikom na ikonicu kantice proizvod se brise iz korpe, I broj proizvoda u nav meniju se smanjuje za 1, kad izbacimo I poslednji prozivod dugme nestaje ispisuje se "Cart is empty" I broj proizvoda u nav baru posaje "0".





Takodje ispisuje se ukupna cena tog proizvoda I quantity. Ukupna cena jednaka je ceni proizvoda pomnozemo sa kolicinom.

# 2. Organizacija

# 2.1. Organizaciona šema

Sajt nije organizovan kao single page, vec se sastoji iz vise stranica (index.html, shop.html, contact-us.html, author.html, cart.html).

# 2.2. Site map

### 2.3. Robot.txt

```
User-agent: *
Allow: /
```

# 3. Kodovi

- **3.1 HTML**
- 3.1.1 index.html

```
<html lang="en">
         <meta charset="UTF-8" />
         <meta http-equiv="X-UA-Compatible" content="IE=edge" />
         <meta name="viewport" content="width=device-width, initial-scale=1.0" />
         <title>KrsmanShop</title>
          href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/css/bootstrap.min.css"
           rel="stylesheet"
           integrity="sha384-GLhlTQ8iRABdZLl603oVMWSktQ0p6b7In1Zl3/Jr59b6EGGoI1aFkw7cmDA6j6gD"
           crossorigin="anonymous"
         <link rel="stylesheet" type="text/css" href="style.css" />
           src="https://kit.fontawesome.com/20e4f2537d.js"
           crossorigin="anonymous"
         <script src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.3/jquery.min.js"></script>
       </head>
         <header class="bg-primary boja">
           <nav class="navbar navbar-expand-lg navbar-dark wrapper">
             <div class="container-fluid">
26
               <a class="navbar-brand" href="index.html">KrsmanShop</a>
               <div class="container-fluid">
                 <a class="navbar-brand" href="index.html">KrsmanShop
 26
                  class="navbar-toggler"
                   type="button"
                   data-bs-toggle="collapse"
                   data-bs-target="#navbarNav"
                   aria-controls="navbarNav"
                   aria-expanded="false"
                   aria-label="Toggle navigation"
                  <span class="navbar-toggler-icon"></span>
                 <div class="collapse navbar-collapse" id="navbarNav"></div>
               </div>
            </nav>
           </header>
          <div id="sl">
            <div id="overlay">
               <h2>HOME OF TECHNOLOGY</h2>
              WE OFFER THE BEST DEVICES
              <button>Shop now</button>
            </div>
           </div>
```

```
ksection class="container pt-4">
  Choose Your New Mobilephone
 <h2 class="text-center mb-5">Trending Products</h2>
 <div id="trending" class="position-relative row">
<div class="container my-5 py-5 z-depth-1" id="blok1">
 <section class="px-md-5 mx-md-5 dark-grey-text text-center text-lg-left">
   <div class="row">
       class="col-lg-6 mb-4 mb-lg-0 d-flex align-items-center justify-content-center"
       <img src="img/slika1.jpg" class="img-fluid" alt="slika" />
     <div class="col-lg-6 mb-4 mb-lg-0">
       <h2 class="font-weight-bold">Our services</h2>
       <h4 class="font-weight-bold">Why we are the best?</h4>
       We provide a 2-year warranty on all devices purchased from us,
         during the warranty period all services are free and performed in
         the shortest possible time, also by purchasing devices from us you
         get a discount on all other things such as headphones, chargers,
```

### 3.1.2 shop.html

Head tag nije skrinshotovan jer je svuda isti kao u index.html !!

```
<!DOCTYPE html>
  < <html lang="sr">
3 > <head>
      </head>
        <header class="bg-primary boja">
          <nav class="navbar navbar-expand-lg navbar-dark wrapper">
            <div class="container-fluid">
              <a class="navbar-brand" href="index.html">KrsmanShop</a>
                class="navbar-toggler"
                type="button"
                data-bs-toggle="collapse"
                data-bs-target="#navbarNav"
                aria-controls="navbarNav"
                aria-expanded="false"
                aria-label="Toggle navigation"
                <span class="navbar-toggler-icon"></span>
              </button>
              <div class="collapse navbar-collapse" id="navbarNav"></div>
            </div>
        </header>
```

```
</header>
  <div class="container-fluid wrapper my-5">
     class="row border rounded p-3 d-flex justify-content-between"
      id="searchRow"
      <div class="col-lg-3 col-12 my-3 my-lg-0">
       <div class="input-group">
           class="form-control"
            type="text"
            id="search"
           placeholder="Search products"
        </div>
     </div>
      <div class="col-lg-3 col-12" id="sortLista"></div>
    </div>
    <div class="row">
      <div id="filterList" class="px-0 my-3 col-lg-2 col-12"></div>
      <div id="products" class="col-lg-10 col-12 container-fluid"></div>
    </div>
  </div>
</section>
```

```
<footer class="boja" id="futer">
 <div class="container wrapper">
   <div class="row align-items-center py-3">
     <div class="col-lg-6 col-md-6 col-sm-6 text-center" id="footerNavbar">
         <a href="shop.html">Shop now</a>
         <a href="cart.html">Shopping cart</a>
       <div class="col-lg-6 col-md-6 col-sm-6 text-center" id="footerLinks">
         <a href="seo/sitemapp.xml">Site map</a>
         <a href="seo/robot.txt">Robot.txt</a>
       </div>
   </div>
   <div class="row py-3">
     <div class="col-12 d-flex justify-content-center align-items-center">
       <h6>Milos Krsmanovic 22/20 &copy; <span id="god"></span></h6>
   </div>
 </div>
</footer>
```

#### 3.1.3 contact-us.html

Head tag I footer nisu skrinshotovani jer su svuda isti kao u index.html!!

```
</head>
  <header class="bg-primary boja">
    <nav class="navbar navbar-expand-lg navbar-dark wrapper">
     <div class="container-fluid">
        <a class="navbar-brand" href="index.html">KrsmanShop</a>
          class="navbar-toggler"
          type="button"
          data-bs-toggle="collapse"
          data-bs-target="#navbarNav"
          aria-controls="navbarNav"
          aria-expanded="false"
          aria-label="Toggle navigation"
          <span class="navbar-toggler-icon"></span>
        </button>
        <div class="collapse navbar-collapse" id="navbarNav"></div>
      </div>
    </nav>
  </header>
```

```
</nav>
<div class="container">
 <div class="row">
   <div class="col-lg-8 mx-auto my-5">
     <form class="text-center border border-light p-5 mb-3">
       Contact us
         type="text"
         id="firstName"
         class="form-control mb-4"
         placeholder="example Milos"
         type="email"
         id="email"
         class="form-control mb-4"
         placeholder="me@example.com"
       <label>Select your region:</label>
       <select class="form-control custom-select mb-4" id="ddl">
         <option value="0">Choose option</option>
         <option value="2">Europe</option>
         <option value="3">China</option>
       </select>
        <div class="form-group">
```

```
<option value="2">Europe</option>
          <option value="3">China</option>
        </select>
        <div class="form-group">
          <textarea
            class="form-control rounded-0"
            id="msg"
            rows="3"
            placeholder="Message (minimum 10 characters)"
          ></textarea>
       </div>
       <div class="custom-control custom-checkbox mb-4 polisa">
          <input type="checkbox" class="custom-control-input" id="chb" />
          <label class="custom-control-label" for="defaultContactFormCopy"</pre>
            >I read and agree with our policy</label
        </div>
        <button class="btn btn-info btn-block" id="btnS">
          Send ticket
       </button>
      </form>
   </div>
 </div>
</div>
```

```
// script
// script src="https://cdn.jsdelivr.net/npm/bootstrap@5.3.0-alpha1/dist/js/bootstrap.bundle.min.js"
// integrity="sha384-w76AqPfDkMBDXo30jS1Sgez6pr3x5MlQ1ZAGC+nuZB+EYdgRZgiwxhTBTkF7CXvN"
// crossorigin="anonymous"
// script src="main.js"></script>
// script src="main.js"></script>
// body>
// html>
// script src="main.js"
// script src="main.js"></script>
// brank strap definition of the strap s
```

#### 3.1.4 author.html

Head tag I footer nisu skrinshotovani jer su svuda isti kao u index.html!!

```
<!DOCTYPE html>
<html lang="en">
 </head>
    <header class="bg-primary boja">
      <nav class="navbar navbar-expand-lg navbar-dark wrapper">
        <div class="container-fluid">
          <a class="navbar-brand" href="index.html">KrsmanShop</a>
            class="navbar-toggler"
            type="button"
            data-bs-toggle="collapse"
            data-bs-target="#navbarNav"
            aria-controls="navbarNav"
            aria-expanded="false"
            aria-label="Toggle navigation"
            <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarNav"></div>
        </div>
      </nav>
    </header>
```

```
<div class="container my-5 py-5 z-depth-1">
 <section class="px-md-5 mx-md-5 dark-grey-text text-center text-lg-left">
   <div class="row">
       class="col-lg-6 mb-4 mb-lg-0 d-flex align-items-center justify-content-center"
         src="img/author.jpg"
        class="img-fluid"
        alt="author"
         id="slika"
     <div class="col-lg-6 mb-4 mb-lg-0">
       <h2 class="font-weight-bold">Author</h2>
       <h4 class="font-weight-bold mb-3">Milos Krsmanovic 22/20</h4>
       I am Milos Krsmanovic, a 21 year old student that is curently
         studying web programming module on the Internet technologies, a
         part of the ICT College in Serbia. I come from Pancevo, where i
         finished elementary and high school. Contact me
         milos.krsmanovic.22.20@ict.edu.rs
```

#### 3.1.5 cart.html

Head tag I footer nisu skrinshotovani jer su svuda isti kao u index.html!!

```
<!DOCTYPE html>
<html lang="en">
 </head>
   <header class="bg-primary boja">
      <nav class="navbar navbar-expand-lg navbar-dark wrapper">
        <div class="container-fluid">
          <a class="navbar-brand" href="index.html">KrsmanShop</a>
           class="navbar-toggler"
            type="button"
            data-bs-toggle="collapse"
            data-bs-target="#navbarNav"
            aria-controls="navbarNav"
            aria-expanded="false"
            aria-label="Toggle navigation"
            <span class="navbar-toggler-icon"></span>
          </button>
          <div class="collapse navbar-collapse" id="navbarNav"></div>
        </div>
      </nav>
   </header>
```

### 3.2 JavaScript

## Main.js

```
let url = window.location.pathname;
url = url.substring(url.lastIndexOf("/"));
window.onload = () => {
  ajax("data/products.json", "proizvodi");
  ajax("data/brends.json", "brends");
  ajax("data/cellular-data.json", "cellular");
  ajax("data/sort.json", "sort");
  ajax("data/market.json", "market");
  if (url == "/index.html" || url == "/") {
    ispisTrending(trending);
  if (url == "/shop.html") {
    document.querySelector("#ddlSelect").onchange = () => {
      ispisProzivoda(products);
    document.querySelector("#cbnBrend").onchange = () => {
      ispisProzivoda(products);
    };
    document.querySelector("#cbnCellular").onchange = () => {
      ispisProzivoda(products);
    };
    document.querySelector("#cbnMarket").onchange = () => {
      ispisProzivoda(products);
    };
```

```
async function ajax(url, ime) {
 let res = await fetch(url);
  let data = await res.json();
  localStorage.setItem(ime, JSON.stringify(data));
}
let products = dohvatiLocal("proizvodi");
let brends = dohvatiLocal("brends");
let cellular = dohvatiLocal("cellular");
let sort = dohvatiLocal("sort");
let market = dohvatiLocal("market");
function dohvatiLocal(ime) {
  return JSON.parse(localStorage.getItem(ime));
function setujLocal(ime, data) {
localStorage.setItem(ime, JSON.stringify(data));
```

```
//Prebrojavanje
function prebroj(kat) {
    if (brends.includes(kat)) {
        var novi = products.filter((a) => kat.id == a.idBrend);
    }
    if (market.includes(kat)) {
        var novi = products.filter((a) => kat.id == a.idRegion);
    }
    if (cellular.includes(kat)) {
        var novi = products.filter((a) => kat.id == a.idCellular);
    }
    return novi.length;
}

//Pravljenje ddl Sort
createDdl(sort, "sortLista");

//Funkcija za pravljenje drowdown liste
function createDdl(data, idBloka) {
    let ispis = '<select id="ddlSelect" class="form-select">';
    for (let obj of data) {
        ispis += `<option value='${obj.value}'>${obj.naziv}</option>`;
    }
    document.querySelector(`#${idBloka}`).innerHTML = ispis;
}
```

```
if (a.title < b.title) {
    return -1;
    } else if (a.title > b.title) {
    return 1;
    } else {
    return 0;
    }

    if (izbor == "z-a") {
        if (a.title > b.title) {
            return -1;
        }

        else if (a.title > b.title) {
            return -1;
        } else if (a.title < b.title) {
            return 1;
        } else {
            return 0;
        }

        return 0;
    }

    return 1;
    } else {
        return 0;
    }

    return o;
}

</pre>
```

```
ajax("data/nav.json", "nav");
let nav = dohvatiLocal("nav");
function ispisNav(data) {
 let ispis = "";
  for (let obj of data) {
                                                    let obj: any
   ispis += `
               <a class="nav-link" href="${obj.href}">${obj.tekst}</a>
           `;
 ispis += `<a href='cart.html' class='btn text-light ms-0 ms-lg-3'>
              <i class='fa-solid fa-cart-shopping'></i>
              <span id='cartItemsCounter'>${brojProizvoda()}</span>
         </a>
        ;
 document.querySelector("#navbarNav").innerHTML = ispis;
ispisNav(nav);
document.querySelector("#god").innerHTML = new Date().getFullYear();
```

```
//CART
function addToCart(id) {
let korpaProizvodi = dohvatiLocal("korpaProizvodi");
if (korpaProizvodi) {
    if (proizvodPostoji()) {
        povecaj();
    } else {
        dodajUKorpu();
        ispisNav(dohvatiLocal("nav"));
    }
}
else {
    dodajPrvi();
    ispisNav(dohvatiLocal("nav"));
}
//Dodavanje prvog proizvoda , samo u slucaju da je korpa bila skroz prazna !
function dodajPrvi() {
    let nizPr = [];
    nizPr[0] = {
        id: id,
        kolicina: 1,
    };
    setujLocal("korpaProizvodi", nizPr);
}
```

```
//Provera da li dodajemo novi proizvod ili samo povecavamo kolicinu
function proizvodPostoji() {
    return korpaProizvodi.find((a) => a.id == id); //vraca undefined ako ne postoji
}

//Povecavanje kolicine
function povecaj() {
    let pr = dohvatilocal("korpaProizvodi");
    let item = pr.find((a) => a.id == id);
    item.kolicina++;
    setujLocal("korpaProizvodi", pr);
}

//Dodavanje novog proizvoda
function dodajUKorpu() {
    //a
    let pr = dohvatilocal("korpaProizvodi");
    let obj = {
        id: id,
        kolicina: 1,
        };
        pr.push(obj);
        setujLocal("korpaProizvodi", pr);
}

319
}
```

```
<div class="col-md-3 col-lg-3 col-xl-3">
 ${obj.title}
   <span class="text-muted"> Region: ${obrada(
    market
   )}</span>
    Cellular: ${obrada(
     obj.idCellular,
</div>
<div class="col-md-3 col-lg-3 col-xl-2 d-flex">
 <input</pre>
   id="kol"
   data-id='${p.id}'
   name="quantity"
   value="Quantity: ${p.kolicina}"
   type="text"
   class="form-control form-control-sm kol"
   readonly
```

```
</div>
                    <div class="col-md-3 col-lg-2 col-xl-2 offset-lg-1">
                      <h5 class="mb-0">$${(
                      ).toFixed(2)}</h5>
                    </div>
                    <div class="col-md-1 col-lg-1 col-xl-1 text-end">
                      <button data-id='${
                      }' class="btn text-danger btnBrisi">
                      <i class="fas fa-trash fa-lg"></i></i>
                      </button>
                    </div>
                  </div>
                </div>
              </div>
  ispis += `<div class="card">
 <div class="card-body">
   <button type="button" class="btn boja btn-block btn-lg">
     Proceed to Pay
    </button>
  </div>
</div>`;
```

```
Proceed to Pay
              </button>
            </div>
          </div>`;
            ispis = `<h1>Cart is empty</h1>`;
          document.querySelector("#ispisKart").innerHTML = ispis;
          const sviBtnBrisi = Array.from(document.querySelectorAll(".btnBrisi"));
          console.log(sviBtnBrisi);
          for (let btn of sviBtnBrisi) {
            btn.onclick = () => {
              let id = btn.getAttribute("data-id");
              let prKorpa = dohvatiLocal("korpaProizvodi");
              let index = prKorpa.indexOf(prKorpa.find((a) => a.id == id));
              prKorpa.splice(index, 1);
              setujLocal("korpaProizvodi", prKorpa);
              ispisKorpa();
              ispisNav(dohvatiLocal("nav"));
419
```

```
//Fix footera da se ne raspada veliki i srednji ekrani
if (prKorpa.length < 3) {

document.getElementById("footer").classList.add("fix");
} else {

document.getElementById("footer").classList.remove("fix");
}

//Fix footera mobile
if (prKorpa.length < 1) {

document.getElementById("footer").classList.add("fixx");
} else {

document.getElementById("footer").classList.add("fixx");
} else {

document.getElementById("footer").classList.remove("fixx");
}

ispisKorpa();

433
}

ispisKorpa();
```

```
function proveriDdl() {
  let id = ddl.options[ddl.selectedIndex].value;
  if (id == "0") {
    ddl.classList.add("border");
   ddl.classList.add("border-danger");
    br++;
    ddl.classList.remove("border");
   ddl.classList.remove("border-danger");
function proveriMsg() {
  if (msg.value.length < 10) {</pre>
    msg.classList.add("border");
    msg.classList.add("border-danger");
   br++;
  } else {
    msg.classList.remove("border");
   msg.classList.remove("border-danger");
```

```
//Funkcija proveri checkbox
function proveriChb() {

if (box.checked) {
    document.querySelector(".polisa").classList.remove("border");
    document.querySelector(".polisa").classList.remove("border-danger");
} else {
    document.querySelector(".polisa").classList.add("border");
    document.querySelector(".polisa").classList.add("border-danger");
    br++;
}

**Provided Company of the Company of the
```

```
const ime = document.querySelector("#firstName");
ime.onblur = () => {
 proveriIme();
};
const email = document.querySelector("#email");
email.onblur = () => {
 proveriEmail();
const ddl = document.querySelector("#ddl");
ddl.onchange = () => {
proveriDdl();
const msg = document.querySelector("#msg");
msg.onblur = () \Rightarrow {
proveriMsg();
const box = document.querySelector("#chb");
box.onclick = () => {
 proveriChb();
```

```
//Provera klikom na dugme
const btn = document.querySelector("#btnS");
btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

btn.onclick = (e) => {...
};

//Provera klikom na dugme
const btn = document.querySelector("#btnS");

//Provera klikom na dugme
//Provera klikom
//Provera k
```

## **3.3 JSON-I**

# 3.3.1 brends.json

```
"id": 1,
        "naziv": "Samsung"
       },
        "id": 2,
        "naziv": "Xiaomi"
       },
        "id": 3,
        "naziv": "Apple"
       },
       "id": 4,
        "naziv": "Huawei"
16
     1
```

# 3.3.2 nav.json

```
"href": "index.html",
         "tekst": "Home"
       },
         "href": "shop.html",
         "tekst": "Shop"
       },
         "href": "contact-us.html",
        "tekst": "Contact us"
       },
         "href": "dokumentacija.pdf",
         "tekst": "Documentation"
       },
         "href": "author.html",
         "tekst": "Author"
23
```

# 3.3.3 cellular.json

# 3.3.4 market.json

## 3.3.5 sort.json

```
3
      "value": "default",
      "naziv": "Default"
     "value": "a-z",
      "naziv": "Name A-Z"
     "value": "z-a",
     "naziv": "Name Z-A"
     },
     "value": "price-asc",
      "naziv": "Price Ascending"
     },
      "value": "price-desc",
      "naziv": "Price Descending"
    ]
```

# 3.3.6 trending.json

```
"image": {
         "src": "img/ajfon14pro.png",
          "alt": "Iphone 14 pro"
        "id": 2,
        "image": {
        "src": "img/huaweip50pocket.png",
          "alt": "Huawei P50 Pocket"
13
        "id": 3,
        "image": {
         "src": "img/ajfon12.png",
         "alt": "Iphone 12"
        "image": {
         "src": "img/xiaomi12.webp",
         "alt": "Xiaomi 12"
```

# 3.3.7 products.json

# Slikana su samo 3 od 12 proizvoda

```
"title": "Huawei 10 Pro",
         "image": {
          "src": "img/huawei10pro.png",
"alt": "Huawei 10 Pro"
          "price": {
           "new": 899.99
          "idBrend": 4,
          "idCellular": 2,
          "idRegion": 3
         "title": "Iphone 12",
         "image": {
           "src": "img/ajfon12.png",
           "alt": "Iphone 12"
           "old": null,
          "idBrend": 3,
          "idCellular": 2,
          "idRegion": 2
          "title": "Huawei P50 Pocket",
           "src": "img/huaweip50pocket.png",
           "alt": "Huawei P50 Pocket"
40
         "idBrend": 4,
         "idRegion": 1
```