

CSS backdrop-filter Property

Complete Guide to Glass Morphism and Visual Effects

CSS Visual Effects Mastery

May 10, 2026

Contents

1	Introduction to backdrop-filter	2
1.1	What is backdrop-filter?	2
1.2	Why Use backdrop-filter?	2
1.3	Browser Compatibility	3
2	Basic Syntax and Filter Functions	4
2.1	backdrop-filter Syntax	4
2.2	Common Filter Functions	5
2.3	Filter Values Reference	5
3	Glass Morphism Designs	6
3.1	Basic Glass Card	6
3.2	Glass Navigation Bar	7
3.3	Glass Modal Dialog	8
4	Advanced Filter Effects	10
4.1	Multiple Filter Combinations	10
4.2	Responsive Backdrop Filters	11
4.3	Conditional Backdrop Filters	11
5	Real-World Examples	13
5.1	Example 1: Glass Morphism Login Form	13
5.2	Example 2: Glass Notification Card	15
6	Performance and Accessibility	17
6.1	Performance Considerations	17
6.2	Accessibility Considerations	17
6.3	Browser Support Fallbacks	18
7	Quick Reference	19
7.1	All backdrop-filter Functions	19
7.2	Glass Morphism Template	19
7.3	Common Effects	20

Chapter 1

Introduction to backdrop-filter

1.1 What is backdrop-filter?

The `backdrop-filter` CSS property applies graphical effects to the area behind an element. It creates a frosted glass or blur effect on the background while keeping content visible, enabling modern glass morphism designs.

Key facts about backdrop-filter:

- Applies effects to background content
- Common filters: blur, brightness, contrast, grayscale, etc.
- Requires semi-transparent background for visibility
- Works with modal dialogs, overlays, cards
- Part of CSS Backdrop Filter Module
- Modern browser support
- Creates glass morphism design pattern
- No impact on element's own content

1.2 Why Use backdrop-filter?

Backdrop filters provide sophisticated visual design:

- **Glass morphism:** Trendy frosted glass effect
- **Better readability:** Blur background behind text
- **Depth perception:** Create visual hierarchy
- **Modern aesthetic:** Professional, contemporary look
- **Accessibility:** Can improve text contrast
- **User focus:** Guide attention to important content
- **No extra markup:** Pure CSS implementation

1.3 Browser Compatibility

Backdrop-filter is supported in modern browsers:

- Chrome 76+ (2019)
- Firefox 103+ (2022)
- Safari 9+ (2015)
- Edge 79+ (2020)
- Opera 63+ (2019)
- Mobile browsers (varying support)

Chapter 2

Basic Syntax and Filter Functions

2.1 backdrop-filter Syntax

```
/* Basic syntax */
backdrop-filter: filter-function | filter-list;

/* Single filter */
.element {
    backdrop-filter: blur(10px);
}

/* Multiple filters */
.element {
    backdrop-filter: blur(10px) brightness(0.8);
}

/* No effect */
.element {
    backdrop-filter: none;
}

/* With semi-transparent background */
.glass {
    background: rgba(255, 255, 255, 0.1);
    backdrop-filter: blur(10px);
}
```

2.2 Common Filter Functions

Filter	Effect
<code>blur(px)</code>	Blur the background (0-100px typical)
<code>brightness(%)</code>	Brighten or darken (100% = normal)
<code>contrast(%)</code>	Increase or decrease contrast
<code>grayscale(%)</code>	Convert to grayscale (0-100%)
<code>invert(%)</code>	Invert colors (0-100%)
<code>opacity(%)</code>	Adjust transparency (0-100%)
<code>saturate(%)</code>	Increase or decrease saturation
<code>sepia(%)</code>	Convert to sepia tone (0-100%)
<code>hue-rotate(deg)</code>	Rotate hue (0-360 degrees)
<code>drop-shadow()</code>	Add shadow effect

2.3 Filter Values Reference

```

/* Blur effect */
backdrop-filter: blur(5px);      /* Slight blur */
backdrop-filter: blur(15px);    /* Medium blur */
backdrop-filter: blur(30px);    /* Heavy blur */

/* Brightness adjustment */
backdrop-filter: brightness(50%); /* Darken */
backdrop-filter: brightness(100%); /* Normal */
backdrop-filter: brightness(150%); /* Brighten */

/* Contrast adjustment */
backdrop-filter: contrast(75%);  /* Reduce contrast */
backdrop-filter: contrast(100%); /* Normal */
backdrop-filter: contrast(150%); /* Increase contrast */

/* Saturation adjustment */
backdrop-filter: saturate(50%);  /* Desaturate */
backdrop-filter: saturate(100%); /* Normal */
backdrop-filter: saturate(200%); /* Increase saturation */

```

Chapter 3

Glass Morphism Designs

3.1 Basic Glass Card

```
<style>
  body {
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    min-height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
  }

  .glass-card {
    width: 300px;
    padding: 2rem;
    background: rgba(255, 255, 255, 0.1);
    backdrop-filter: blur(10px);
    border-radius: 12px;
    border: 1px solid rgba(255, 255, 255, 0.2);
    color: white;
    box-shadow: 0 8px 32px 0 rgba(31, 38, 135, 0.37);
  }

  .glass-card h2 {
    margin-top: 0;
  }

  .glass-card button {
    width: 100%;
    padding: 0.75rem;
    background: rgba(255, 255, 255, 0.3);
    border: 1px solid rgba(255, 255, 255, 0.5);
    color: white;
    border-radius: 8px;
    cursor: pointer;
    transition: all 0.3s ease;
  }

  .glass-card button:hover {
```

```
        background: rgba(255, 255, 255, 0.5);
    }
</style>

<div class="glass-card">
    <h2>Welcome</h2>
    <p>This is a glass morphism card effect</p>
    <button>Learn More</button>
</div>
```

3.2 Glass Navigation Bar

```
<style>
/* Blurred background image */
body {
    background: url('background.jpg');
    background-attachment: fixed;
}

/* Glass navbar */
nav {
    position: fixed;
    top: 0;
    width: 100%;
    background: rgba(255, 255, 255, 0.05);
    backdrop-filter: blur(20px);
    border-bottom: 1px solid rgba(255, 255, 255, 0.1);
    padding: 1rem 2rem;
    display: flex;
    justify-content: space-between;
    align-items: center;
    z-index: 100;
}

nav a {
    color: white;
    text-decoration: none;
    transition: color 0.3s ease;
}

nav a:hover {
    color: #0066cc;
}

/* Content with top padding */
main {
    margin-top: 60px;
    padding: 2rem;
}
</style>

<nav>
```



```
<div class="logo">Logo</div>
<div class="nav-links">
  <a href="#">Home</a>
  <a href="#">About</a>
  <a href="#">Services</a>
</div>
</nav>
```

3.3 Glass Modal Dialog

```
<style>
/* Semi-transparent overlay */
.modal-overlay {
  position: fixed;
  top: 0;
  left: 0;
  width: 100%;
  height: 100%;
  background: rgba(0, 0, 0, 0.5);
  backdrop-filter: blur(5px);
  display: flex;
  align-items: center;
  justify-content: center;
  z-index: 1000;
}

/* Glass modal */
.modal-content {
  width: 90%;
  max-width: 500px;
  background: rgba(255, 255, 255, 0.15);
  backdrop-filter: blur(15px);
  border-radius: 16px;
  border: 1px solid rgba(255, 255, 255, 0.3);
  padding: 2rem;
  box-shadow: 0 8px 32px 0 rgba(31, 38, 135, 0.37);
  color: white;
}

.modal-content h2 {
  margin-top: 0;
  font-size: 1.5rem;
}

.modal-buttons {
  display: flex;
  gap: 1rem;
  margin-top: 1.5rem;
}

.modal-buttons button {
  flex: 1;
}
```

```
padding: 0.75rem;
border: none;
border-radius: 8px;
cursor: pointer;
transition: all 0.3s ease;
}

.modal-buttons .cancel {
  background: rgba(255, 255, 255, 0.2);
  color: white;
}

.modal-buttons .confirm {
  background: #0066cc;
  color: white;
}
}
</style>

<div class="modal-overlay">
  <div class="modal-content">
    <h2>Confirm Action</h2>
    <p>Are you sure you want to proceed?</p>
    <div class="modal-buttons">
      <button class="cancel">Cancel</button>
      <button class="confirm">Confirm</button>
    </div>
  </div>
</div>
</div>
```

Chapter 4

Advanced Filter Effects

4.1 Multiple Filter Combinations

```
/* Blur + Brightness */
.effect1 {
    backdrop-filter: blur(10px) brightness(0.8);
}

/* Blur + Contrast */
.effect2 {
    backdrop-filter: blur(10px) contrast(1.2);
}

/* Blur + Grayscale */
.effect3 {
    backdrop-filter: blur(10px) grayscale(30%);
}

/* Complex combination */
.effect-complex {
    backdrop-filter: blur(15px) brightness(0.9) contrast(1.1)
        saturate(1.2);
}

/* With drop shadow */
.effect-shadow {
    backdrop-filter: blur(10px) drop-shadow(0 4px 8px rgba(0, 0, 0, 0.2));
}

/* Sepia effect */
.effect-sepia {
    backdrop-filter: blur(10px) sepia(20%);
}

/* Hue rotation */
.effect-hue {
    backdrop-filter: blur(10px) hue-rotate(90deg);
}
```

4.2 Responsive Backdrop Filters

```
/* Desktop - strong blur */
.card {
  backdrop-filter: blur(20px);
}

/* Tablet - medium blur */
@media (max-width: 1024px) {
  .card {
    backdrop-filter: blur(15px);
  }
}

/* Mobile - subtle blur (less performance intensive) */
@media (max-width: 768px) {
  .card {
    backdrop-filter: blur(10px);
    background: rgba(255, 255, 255, 0.2);
  }
}

/* Very small devices - no blur */
@media (max-width: 480px) {
  .card {
    backdrop-filter: none;
    background: rgba(255, 255, 255, 0.95);
  }
}
```

4.3 Conditional Backdrop Filters

```
/* Only apply if supported */
@supports (backdrop-filter: blur(10px)) {
  .glass {
    background: rgba(255, 255, 255, 0.1);
    backdrop-filter: blur(10px);
  }
}

/* Fallback for unsupported browsers */
@supports not (backdrop-filter: blur(10px)) {
  .glass {
    background: rgba(255, 255, 255, 0.85);
  }
}

/* Respecting reduced motion */
@media (prefers-reduced-motion: reduce) {
  .glass {
    backdrop-filter: none;
    background: rgba(255, 255, 255, 0.95);
  }
}
```

```
}  
}
```

Chapter 5

Real-World Examples

5.1 Example 1: Glass Morphism Login Form

```
<style>
  body {
    background: linear-gradient(135deg, #667eea 0%, #764ba2 100%);
    min-height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
    margin: 0;
    font-family: Arial, sans-serif;
  }

  .glass-form {
    width: 350px;
    padding: 2.5rem;
    background: rgba(255, 255, 255, 0.08);
    backdrop-filter: blur(15px);
    border-radius: 16px;
    border: 1px solid rgba(255, 255, 255, 0.2);
    box-shadow: 0 8px 32px 0 rgba(31, 38, 135, 0.37);
    color: white;
  }

  .glass-form h2 {
    text-align: center;
    margin-top: 0;
    margin-bottom: 2rem;
  }

  .form-group {
    margin-bottom: 1rem;
  }

  .form-group label {
    display: block;
    margin-bottom: 0.5rem;
    font-weight: 500;
  }
```

```
}

.form-group input {
  width: 100%;
  padding: 0.75rem;
  background: rgba(255, 255, 255, 0.15);
  border: 1px solid rgba(255, 255, 255, 0.3);
  border-radius: 8px;
  color: white;
  font-size: 1rem;
}

.form-group input::placeholder {
  color: rgba(255, 255, 255, 0.6);
}

.form-group input:focus {
  outline: none;
  background: rgba(255, 255, 255, 0.25);
  border: 1px solid rgba(255, 255, 255, 0.5);
}

.submit-btn {
  width: 100%;
  padding: 0.75rem;
  background: rgba(255, 255, 255, 0.3);
  border: 1px solid rgba(255, 255, 255, 0.5);
  border-radius: 8px;
  color: white;
  font-weight: 600;
  cursor: pointer;
  transition: all 0.3s ease;
  margin-top: 1rem;
}

.submit-btn:hover {
  background: rgba(255, 255, 255, 0.5);
}
</style>

<div class="glass-form">
  <h2>Sign In</h2>
  <form>
    <div class="form-group">
      <label for="email">Email</label>
      <input type="email" id="email" placeholder="Enter email">
    </div>
    <div class="form-group">
      <label for="password">Password</label>
      <input type="password" id="password" placeholder="Enter password">
    </div>
    <button type="submit" class="submit-btn">Sign In</button>
  </form>
```

```
</div>
```

5.2 Example 2: Glass Notification Card

```
<style>
.notification {
  position: fixed;
  top: 20px;
  right: 20px;
  width: 350px;
  padding: 1.5rem;
  background: rgba(255, 255, 255, 0.1);
  backdrop-filter: blur(10px);
  border-radius: 12px;
  border: 1px solid rgba(255, 255, 255, 0.2);
  color: white;
  box-shadow: 0 8px 32px 0 rgba(31, 38, 135, 0.37);
  animation: slideIn 0.3s ease;
}

@keyframes slideIn {
  from {
    transform: translateX(400px);
    opacity: 0;
  }
  to {
    transform: translateX(0);
    opacity: 1;
  }
}

.notification.success {
  background: rgba(40, 167, 69, 0.1);
  border: 1px solid rgba(40, 167, 69, 0.3);
}

.notification.error {
  background: rgba(255, 0, 0, 0.1);
  border: 1px solid rgba(255, 0, 0, 0.3);
}

.notification.warning {
  background: rgba(255, 193, 7, 0.1);
  border: 1px solid rgba(255, 193, 7, 0.3);
}

.notification-title {
  font-weight: 600;
  margin-bottom: 0.5rem;
}

.notification-message {
```



```
        font-size: 0.9rem;
        opacity: 0.9;
    }
</style>

<div class="notification success">
    <div class="notification-title">Success!</div>
    <div class="notification-message">Your changes have been saved.</div>
</div>

<div class="notification error">
    <div class="notification-title">Error</div>
    <div class="notification-message">Something went wrong. Please try
        again.</div>
</div>
```

Chapter 6

Performance and Accessibility

6.1 Performance Considerations

- **GPU intensive:** Backdrop filters use GPU rendering
- **Reduce blur on mobile:** Use smaller blur values on phones
- **Test performance:** Monitor frame rates and battery usage
- **Disable if needed:** Remove filters on low-end devices
- **Combine sparingly:** Limit multiple filters on same element

6.2 Accessibility Considerations

```
/* Respect reduced motion preference */
@media (prefers-reduced-motion: reduce) {
  .glass {
    backdrop-filter: none;
    background: rgba(255, 255, 255, 0.95);
  }
}

/* Ensure sufficient contrast */
.glass-text {
  background: rgba(0, 0, 0, 0.2); /* Dark text needs darkening */
  color: white;
  font-weight: 600;
}

/* Focus states visible */
.glass-input:focus {
  outline: 2px solid #0066cc;
  outline-offset: 2px;
}

/* High contrast mode support */
@media (prefers-contrast: more) {
  .glass {
```

```
        background: rgba(255, 255, 255, 0.3);
        backdrop-filter: blur(5px);
    }
}
```

6.3 Browser Support Fallbacks

```
/* Primary backdrop-filter approach */
.card {
    background: rgba(255, 255, 255, 0.1);
    backdrop-filter: blur(10px);
}

/* Fallback for unsupported browsers */
@supports not (backdrop-filter: blur(10px)) {
    .card {
        background: rgba(255, 255, 255, 0.85);
    }
}

/* Alternative with feature detection */
.glass-effect {
    background: rgba(255, 255, 255, 0.5); /* Solid fallback */
}

@supports (backdrop-filter: blur(10px)) {
    .glass-effect {
        background: rgba(255, 255, 255, 0.1);
        backdrop-filter: blur(10px);
    }
}
```

Chapter 7

Quick Reference

7.1 All backdrop-filter Functions

```
/* Blur */
backdrop-filter: blur(10px);

/* Brightness */
backdrop-filter: brightness(1.1);

/* Contrast */
backdrop-filter: contrast(1.2);

/* Grayscale */
backdrop-filter: grayscale(50%);

/* Invert */
backdrop-filter: invert(20%);

/* Opacity */
backdrop-filter: opacity(80%);

/* Saturate */
backdrop-filter: saturate(1.5);

/* Sepia */
backdrop-filter: sepia(30%);

/* Hue rotate */
backdrop-filter: hue-rotate(45deg);

/* Drop shadow */
backdrop-filter: drop-shadow(0 4px 8px rgba(0,0,0,0.3));

/* Multiple combined */
backdrop-filter: blur(10px) brightness(0.9) contrast(1.1);
```

7.2 Glass Morphism Template

```
/* Production-ready glass morphism setup */

/* Glass container */
.glass {
  background: rgba(255, 255, 255, 0.08);
  backdrop-filter: blur(15px);
  border-radius: 16px;
  border: 1px solid rgba(255, 255, 255, 0.2);
  box-shadow: 0 8px 32px 0 rgba(31, 38, 135, 0.37);
  padding: 2rem;
}

/* Glass with darker overlay */
.glass-dark {
  background: rgba(0, 0, 0, 0.1);
  backdrop-filter: blur(10px);
}

/* Glass with light overlay */
.glass-light {
  background: rgba(255, 255, 255, 0.15);
  backdrop-filter: blur(12px);
}

/* Responsive glass */
@media (max-width: 768px) {
  .glass {
    backdrop-filter: blur(10px);
    background: rgba(255, 255, 255, 0.12);
  }
}

/* Accessibility */
@media (prefers-reduced-motion: reduce) {
  .glass {
    backdrop-filter: none;
    background: rgba(255, 255, 255, 0.9);
  }
}
```

7.3 Common Effects

```
/* Frosted glass */
.frosted {
  backdrop-filter: blur(10px);
  background: rgba(255, 255, 255, 0.1);
}

/* Dark overlay */
.dark-overlay {
  backdrop-filter: blur(8px);
```

```
    background: rgba(0, 0, 0, 0.3);
}

/* Subtle effect */
.subtle {
    backdrop-filter: blur(5px);
    background: rgba(255, 255, 255, 0.05);
}

/* Strong effect */
.strong {
    backdrop-filter: blur(20px);
    background: rgba(255, 255, 255, 0.15);
}

/* Colorful effect */
.colorful {
    backdrop-filter: blur(10px) saturate(1.5) hue-rotate(20deg);
}

/* Dimmed effect */
.dimmed {
    backdrop-filter: blur(10px) brightness(0.7);
}
```