

CSS3 ::marker Pseudo-Element Complete Guide to Styling List Item Markers

CSS List Styling Mastery

May 10, 2026

Contents

1	Introduction to ::marker	2
1.1	What is the ::marker Pseudo-Element?	2
1.2	Why Use ::marker?	2
1.3	Browser Compatibility	3
2	Basic Syntax and Properties	4
2.1	::marker Syntax	4
2.2	Supported Properties	4
2.3	Properties NOT Supported	5
3	Marker Color and Styling	6
3.1	Basic Marker Coloring	6
3.2	Font Size and Weight Styling	7
3.3	Interactive Marker Styling	7
4	Practical List Examples	9
4.1	Checklist Styling	9
4.2	Numbered Lists with Styling	10
4.3	Nested List Styling	10
4.4	Color-Coded Lists	11
5	Advanced Marker Techniques	13
5.1	Animated Markers	13
5.2	Text Transform on Markers	14
5.3	Marker with Different Font Families	14
5.4	Opacity and Subtle Effects	15
6	Complex List Examples	17
6.1	Documentation Navigation	17
6.2	Project Roadmap	18
6.3	Requirements and Checklist	19
7	Best Practices	20
7.1	When to Use ::marker	20
7.2	Accessibility Considerations	20
7.3	Performance Tips	21
7.4	Browser Support Fallbacks	21

8	Quick Reference	22
8.1	Common Marker Properties	22
8.2	Marker States	22
8.3	Complete Setup Template	23
8.4	Browser Compatibility Check	24

Chapter 1

Introduction to `::marker`

1.1 What is the `::marker` Pseudo-Element?

The `::marker` pseudo-element represents the marker box of a list item, which contains the list marker (bullet, number, or custom string). It allows you to style the marker independently from the list item content.

Key facts about `::marker`:

- Targets only the list marker, not the content
- Works on `<li>` elements
- Limited to specific CSS properties
- Allows styling marker color, font size, font weight
- Works with ordered and unordered lists
- Part of CSS Pseudo-Elements Module Level 4
- Enables professional list customization
- Inherits properties from `<li>` element

1.2 Why Use `::marker`?

Before `::marker`, styling list markers was limited:

- **Separate styling:** Style markers differently from list content
- **Professional appearance:** Color, size, weight control
- **Brand consistency:** Match markers to brand colors
- **Accessibility:** Enhance marker visibility for readability
- **Visual hierarchy:** Different markers for different list levels
- **Better typography:** Precise control over list appearance
- **Semantic HTML:** No need for custom markup workarounds

1.3 Browser Compatibility

The `::marker` pseudo-element is supported in modern browsers:

- Chrome 86+ (2020)
- Firefox 68+ (2019)
- Safari 11+ (2017)
- Edge 86+ (2020)
- Opera 72+ (2020)

Chapter 2

Basic Syntax and Properties

2.1 ::marker Syntax

```
/* Basic marker styling */
li::marker {
    color: #0066cc;
    font-size: 1.2em;
    font-weight: bold;
}

/* Combined with other pseudo-classes */
li:first-child::marker {
    color: #ff6b6b;
}

li:hover::marker {
    color: #0052a3;
}

/* Specific list styling */
ul li::marker {
    font-size: 1.5em;
}

ol li::marker {
    font-weight: bold;
    color: #333;
}
```

2.2 Supported Properties

Not all CSS properties can be applied to `::marker`. The following are supported:

Property	Description
<code>color</code>	Text color of the marker
<code>font-size</code>	Size of the marker text
<code>font-weight</code>	Weight of the marker font
<code>font-style</code>	Italic or normal style
<code>font-family</code>	Font family for marker
<code>text-transform</code>	Uppercase/lowercase
<code>animation</code>	Animate marker properties
<code>transition</code>	Smooth transitions
<code>opacity</code>	Marker transparency
<code>direction</code>	Text direction (RTL/LTR)

2.3 Properties NOT Supported

These properties do not work on `::marker`:

- `background-color` or any background property
- `border`, `padding`, `margin`
- `width`, `height`
- `position`, `transform`
- `box-shadow`
- Most layout properties

Chapter 3

Marker Color and Styling

3.1 Basic Marker Coloring

```
<style>
  /* Blue markers */
  .blue-list li::marker {
    color: #0066cc;
  }

  /* Red markers */
  .red-list li::marker {
    color: #ff0000;
  }

  /* Green markers */
  .green-list li::marker {
    color: #28a745;
  }

  /* Colored markers with bold text */
  .bold-markers li::marker {
    color: #667eea;
    font-weight: bold;
  }
</style>

<ul class="blue-list">
  <li>Item one</li>
  <li>Item two</li>
  <li>Item three</li>
</ul>

<ul class="red-list">
  <li>Important item</li>
  <li>Critical item</li>
</ul>
```


3.2 Font Size and Weight Styling

```
/* Large markers */
.large-markers li::marker {
    font-size: 1.5em;
    color: #0066cc;
}

/* Small subtle markers */
.small-markers li::marker {
    font-size: 0.8em;
    color: #999;
}

/* Bold numbered list */
ol.bold-numbers li::marker {
    font-weight: bold;
    font-size: 1.1em;
    color: #333;
}

/* Italic markers */
li.italic-marker::marker {
    font-style: italic;
    color: #666;
}

/* Multiple variations */
li:first-child::marker {
    font-size: 1.3em;
    font-weight: bold;
}

li:last-child::marker {
    font-size: 0.9em;
    color: #999;
}
```

3.3 Interactive Marker Styling

```
<style>
/* Hover effect on markers */
li::marker {
    color: #0066cc;
    transition: all 0.3s ease;
}

li:hover::marker {
    color: #ff6b6b;
    font-size: 1.2em;
    font-weight: bold;
}
```

```
/* Focus state for keyboard navigation */
li:focus::marker {
    color: #28a745;
    font-weight: bold;
}

/* Active/selected item */
li.active::marker {
    color: #667eea;
    font-weight: bold;
    font-size: 1.1em;
}

/* Disabled items */
li.disabled::marker {
    color: #ccc;
    opacity: 0.5;
}
</style>

<ul>
  <li>Item one</li>
  <li class="active">Active item</li>
  <li>Item three</li>
  <li class="disabled">Disabled item</li>
</ul>
```

Chapter 4

Practical List Examples

4.1 Checklist Styling

```
<style>
  /* Task list markers */
  .checklist li::marker {
    color: #0066cc;
    font-weight: bold;
  }

  /* Completed items - strikethrough */
  .checklist li.completed {
    opacity: 0.6;
  }

  .checklist li.completed::marker {
    color: #999;
  }

  /* Priority levels */
  .checklist li.high::marker {
    color: #ff0000;
    font-size: 1.2em;
  }

  .checklist li.medium::marker {
    color: #ffc107;
  }

  .checklist li.low::marker {
    color: #28a745;
  }
</style>

<ul class="checklist">
  <li class="high">Urgent task</li>
  <li class="medium">Important task</li>
  <li class="low">Regular task</li>
  <li class="completed">Completed task</li>
</ul>
```

```
</ul>
```

4.2 Numbered Lists with Styling

```
<style>
/* Tutorial steps */
.tutorial-list li::marker {
    color: #0066cc;
    font-weight: bold;
    font-size: 1.1em;
}

/* Process steps */
.process-list li::marker {
    color: #667eea;
    font-size: 1.2em;
}

/* Instructions with emphasis */
.instructions li::marker {
    color: #ff6b6b;
    font-weight: bold;
}

/* FAQ numbering */
.faq li::marker {
    color: #333;
    font-weight: bold;
    font-size: 1em;
}
</style>

<ol class="tutorial-list">
  <li>First step of tutorial</li>
  <li>Second step</li>
  <li>Third step</li>
</ol>

<ol class="instructions">
  <li>Read instructions carefully</li>
  <li>Prepare materials</li>
  <li>Begin process</li>
</ol>
```

4.3 Nested List Styling

```
<style>
/* Top level - larger bold markers */
ul li::marker {
    color: #0066cc;
```

```
        font-weight: bold;
        font-size: 1.1em;
    }

    /* Nested level 1 - medium markers */
    ul ul li::marker {
        color: #667eea;
        font-size: 1em;
    }

    /* Nested level 2 - small subtle markers */
    ul ul ul li::marker {
        color: #999;
        font-size: 0.9em;
    }

    /* Deep nesting - very subtle */
    ul ul ul ul li::marker {
        color: #ddd;
        font-size: 0.8em;
    }
</style>

<ul>
    <li>Main category
        <ul>
            <li>Subcategory
                <ul>
                    <li>Item A</li>
                    <li>Item B</li>
                </ul>
            </li>
            <li>Another subcategory</li>
        </ul>
    </li>
</ul>
```

4.4 Color-Coded Lists

```
<style>
/* Features list - green markers */
.features li::marker {
    color: #28a745;
    font-weight: bold;
}

/* Requirements list - blue markers */
.requirements li::marker {
    color: #0066cc;
    font-weight: bold;
}
```

```
/* Warnings list - red markers */
.warnings li::marker {
  color: #ff0000;
  font-weight: bold;
}

/* Notes list - yellow markers */
.notes li::marker {
  color: #ffc107;
  font-weight: bold;
}

/* Information list - purple markers */
.info li::marker {
  color: #667eea;
  font-weight: bold;
}
</style>

<h3>Included Features</h3>
<ul class="features">
  <li>Advanced features</li>
  <li>Support included</li>
</ul>

<h3>Requirements</h3>
<ul class="requirements">
  <li>Node.js v14+</li>
  <li>npm or yarn</li>
</ul>

<h3>Warnings</h3>
<ul class="warnings">
  <li>Do not delete important files</li>
  <li>Backup before updating</li>
</ul>
```

Chapter 5

Advanced Marker Techniques

5.1 Animated Markers

```
/* Fade in animation for markers */
@keyframes marker-fade-in {
  from {
    opacity: 0;
  }
  to {
    opacity: 1;
  }
}

li::marker {
  animation: marker-fade-in 0.5s ease;
}

/* Size pulse animation */
@keyframes marker-pulse {
  0%, 100% {
    font-size: 1em;
  }
  50% {
    font-size: 1.2em;
  }
}

li.pulse::marker {
  animation: marker-pulse 1s ease-in-out infinite;
}

/* Color transition animation */
li::marker {
  color: #0066cc;
  transition: color 0.3s ease, font-size 0.3s ease;
}

li:hover::marker {
  color: #ff6666;
}
```

```
    font-size: 1.2em;
}

/* Staggered animation for list items */
li:nth-child(1)::marker {
    animation: marker-fade-in 0.5s ease 0.1s both;
}

li:nth-child(2)::marker {
    animation: marker-fade-in 0.5s ease 0.2s both;
}

li:nth-child(3)::marker {
    animation: marker-fade-in 0.5s ease 0.3s both;
}
```

5.2 Text Transform on Markers

```
/* Uppercase markers */
.uppercase-markers li::marker {
    text-transform: uppercase;
    font-weight: bold;
}

/* Lowercase markers */
.lowercase-markers li::marker {
    text-transform: lowercase;
}

/* Capitalize markers */
.capitalize-markers li::marker {
    text-transform: capitalize;
}

/* With custom list-style-type as strings */
ol.custom-markers li::marker {
    text-transform: uppercase;
    color: #0066cc;
    font-weight: bold;
}
```

5.3 Marker with Different Font Families

```
/* Monospace markers */
.monospace-markers li::marker {
    font-family: 'Courier New', monospace;
    color: #333;
    font-weight: bold;
}
```



```
/* Serif markers */
.serif-markers li::marker {
    font-family: 'Georgia', serif;
    color: #333;
    font-size: 1.1em;
}

/* Sans-serif bold markers */
.sans-serif-markers li::marker {
    font-family: 'Helvetica', Arial, sans-serif;
    font-weight: bold;
    color: #0066cc;
}

/* System font markers */
.system-markers li::marker {
    font-family: system-ui, -apple-system, sans-serif;
    font-weight: 600;
    color: #333;
}
```

5.4 Opacity and Subtle Effects

```
/* Subtle dim markers */
.dim-markers li::marker {
    color: #0066cc;
    opacity: 0.6;
}

/* Bright emphasis markers */
.bright-markers li::marker {
    color: #ff6b6b;
    opacity: 1;
    font-weight: bold;
}

/* Progressive opacity based on nesting */
ul li::marker {
    opacity: 1;
}

ul ul li::marker {
    opacity: 0.8;
}

ul ul ul li::marker {
    opacity: 0.6;
}

/* Hover opacity change */
li::marker {
    color: #0066cc;
}
```

```
    opacity: 0.7;
    transition: opacity 0.3s ease;
}

li:hover::marker {
    opacity: 1;
}
```

Chapter 6

Complex List Examples

6.1 Documentation Navigation

```
<style>
  /* Main section markers */
  .doc-nav > li::marker {
    color: #333;
    font-weight: bold;
    font-size: 1.1em;
  }

  /* Subsection markers */
  .doc-nav li ul li::marker {
    color: #0066cc;
    font-size: 1em;
  }

  /* Sub-subsection markers */
  .doc-nav li ul ul li::marker {
    color: #667eea;
    font-size: 0.95em;
  }

  /* Active section highlight */
  .doc-nav li.active::marker {
    color: #ff6b6b;
    font-weight: bold;
  }
</style>

<ol class="doc-nav">
  <li>Getting Started
    <ul>
      <li>Installation</li>
      <li>Configuration</li>
      <li>First Steps</li>
    </ul>
  </li>
  <li>Usage Guide
```

```
        <ul>
            <li>Basic Usage</li>
            <li>Advanced Features</li>
        </ul>
    </li>
</ol>
```

6.2 Project Roadmap

```
<style>
/* Phase indicators */
.roadmap li::marker {
    font-weight: bold;
    font-size: 1.1em;
    color: #333;
}

/* Completed phase - green */
.roadmap li.completed::marker {
    color: #28a745;
}

/* In progress - blue */
.roadmap li.in-progress::marker {
    color: #0066cc;
    animation: pulse-marker 2s infinite;
}

/* Not started - gray */
.roadmap li.not-started::marker {
    color: #999;
}

/* Future phase - light gray */
.roadmap li.future::marker {
    color: #ddd;
    opacity: 0.5;
}

@keyframes pulse-marker {
    0%, 100% { font-size: 1.1em; }
    50% { font-size: 1.2em; }
}
</style>

<ol class="roadmap">
    <li class="completed">Phase 1: Foundation</li>
    <li class="in-progress">Phase 2: Core Features</li>
    <li class="not-started">Phase 3: Optimization</li>
    <li class="future">Phase 4: Advanced Features</li>
</ol>
```

6.3 Requirements and Checklist

```
<style>
  /* Requirements list */
  .requirements li::marker {
    color: #0066cc;
    font-weight: bold;
  }

  /* Checkbox style markers */
  .checklist li::marker {
    color: #28a745;
    font-weight: bold;
  }

  .checklist li.completed::marker {
    color: #999;
  }

  .checklist li.pending::marker {
    color: #ffc107;
    font-weight: bold;
  }

  .checklist li.blocked::marker {
    color: #ff0000;
    font-weight: bold;
  }
</style>

<ul class="checklist">
  <li class="completed">Task completed</li>
  <li class="pending">Task in progress</li>
  <li class="blocked">Task blocked</li>
  <li>Regular task</li>
</ul>
```

Chapter 7

Best Practices

7.1 When to Use `::marker`

1. **Color customization:** Match brand colors
2. **Size adjustment:** Emphasize or de-emphasize markers
3. **Font styling:** Bold or italic markers
4. **Hover effects:** Interactive marker styling
5. **Nested lists:** Different markers per level
6. **Status indication:** Color-coded markers for status

7.2 Accessibility Considerations

```
/* Ensure marker is distinguishable */
li::marker {
  color: #0066cc;
  font-weight: bold;
  font-size: 1em; /* Don't make too small */
}

/* High contrast for important items */
li.important::marker {
  color: #000;
  font-weight: bold;
}

/* Support reduced motion */
@media (prefers-reduced-motion: reduce) {
  li::marker {
    animation: none;
    transition: none;
  }
}

/* High contrast mode support */
```

```
@media (prefers-contrast: more) {  
    li::marker {  
        font-weight: bold;  
        color: #000;  
    }  
}  
  
/* Focus visible for keyboard navigation */  
li:focus-visible::marker {  
    outline: 2px solid #0066cc;  
    outline-offset: 2px;  
}
```

7.3 Performance Tips

- **Minimal changes:** Only modify what's necessary
- **Efficient selectors:** Use specific selectors for markers
- **CSS over JavaScript:** Prefer CSS animations
- **Inheritance:** Leverage property inheritance from
- **Transitions:** Use smooth transitions instead of instant changes

7.4 Browser Support Fallbacks

```
/* Fallback for older browsers */  
li {  
    color: #0066cc; /* Affects both marker and text */  
}  
  
/* Modern browsers */  
@supports (selector(li::marker)) {  
    li {  
        color: #333;  
    }  
  
    li::marker {  
        color: #0066cc;  
        font-weight: bold;  
    }  
}
```

Chapter 8

Quick Reference

8.1 Common Marker Properties

```
/* Color */
li::marker { color: #0066cc; }

/* Font size */
li::marker { font-size: 1.2em; }

/* Font weight */
li::marker { font-weight: bold; }

/* Font style */
li::marker { font-style: italic; }

/* Font family */
li::marker { font-family: Georgia, serif; }

/* Text transform */
li::marker { text-transform: uppercase; }

/* Opacity */
li::marker { opacity: 0.8; }

/* Combined */
li::marker {
    color: #0066cc;
    font-weight: bold;
    font-size: 1.1em;
}
```

8.2 Marker States

```
/* Hover state */
li:hover::marker {
    color: #ff6b6b;
    font-weight: bold;
}
```



```
}

/* Focus state */
li:focus::marker {
    color: #28a745;
}

/* First item */
li:first-child::marker {
    color: #ff0000;
    font-size: 1.2em;
}

/* Last item */
li:last-child::marker {
    color: #999;
    opacity: 0.6;
}

/* Odd items */
li:nth-child(odd)::marker {
    color: #0066cc;
}

/* Even items */
li:nth-child(even)::marker {
    color: #667eea;
}
```

8.3 Complete Setup Template

```
/* Production-ready ::marker setup */

/* Base marker styling */
li::marker {
    color: #333;
    font-weight: 500;
    font-size: 1em;
    transition: all 0.3s ease;
}

/* Unordered list markers */
ul li::marker {
    color: #0066cc;
}

/* Ordered list markers */
ol li::marker {
    color: #333;
    font-weight: bold;
}
```

```
/* Hover effect */
li:hover::marker {
  color: #0052a3;
  font-weight: bold;
  font-size: 1.1em;
}

/* Nested list adjustments */
ul ul li::marker {
  font-size: 0.95em;
  opacity: 0.8;
}

/* Color variants */
.primary li::marker { color: #0066cc; }
.success li::marker { color: #28a745; }
.danger li::marker { color: #ff0000; }
.warning li::marker { color: #ffc107; }

/* Accessibility */
@media (prefers-reduced-motion: reduce) {
  li::marker {
    transition: none;
  }
}

@media (prefers-contrast: more) {
  li::marker {
    font-weight: bold;
    color: #000;
  }
}

/* Focus visible */
li:focus-visible::marker {
  outline: 2px solid #0066cc;
  outline-offset: 2px;
}
```

8.4 Browser Compatibility Check

```
<script>
  // Check if ::marker is supported
  const isSupported = CSS.supports('selector(li::marker)');

  if (isSupported) {
    document.body.classList.add('marker-supported');
  } else {
    document.body.classList.add('marker-unsupported');
  }
</script>
```

```
<style>
  /* Fallback for unsupported browsers */
  body.marker-unsupported li {
    color: #0066cc;
    font-weight: bold;
  }

  /* Enhanced styling for supported browsers */
  body.marker-supported li::marker {
    color: #0066cc;
    font-weight: bold;
    font-size: 1.1em;
  }
</style>
```