

83. Multiline mode: `m` flag (`^` aur `$` ke liye)

`m` flag sirf `^` aur `$` ka behavior badalta hai. Multiline mode me ye sirf string ke start/end par nahi, balki **har line ke start/end** par match karte hain.

Line ke start par `^`

`/^\\d/gm` har line ki shuruaat ka digit leta hai:

```
js

let str = `1st place: Winnie
2nd place: Piglet
3rd place: Eeyore`;

str.match(/^\\d/gm);    // 1, 2, 3
str.match(/^\\d/g);     // 1    (bina "m" ke sirf pehla)
```

By default `^` sirf text ki shuruaat par match karta hai, multiline mode me **kisi bhi line ki shuruaat** par.

"Line ki shuruaat" ka formal matlab: "line break ke **turant baad**". Multiline mode me `^` un sab positions par match karta hai jinse pehle newline `\\n` ho, aur text ki shuruaat par bhi.

Line ke end par `$`

`$` bhi aise hi. `\\d$` har line ka aakhri digit dhundhta hai:

```
js

let str = `Winnie: 1
Piglet: 2
Eeyore: 3`;

str.match(/\\d$/gm);    // 1,2,3
```

Bina `m` ke `$` sirf poore text ke end par match karta, to sirf aakhri digit milta.

"Line ka end" ka matlab "line break se **turant pehle**", aur text ke end par bhi.

`^$` ke bajay `\\n` dhundhna

Newline dhundhne ke liye anchors ke alawa `\\n` character bhi use kar sakte hain. Farak dekho, `\\d$` ke bajay `\\d\\n`:

```
js
```

```
str.match(/d\n/g); // 1\n,2\n
```

Yaha **2 matches** milte hain, 3 nahi, kyunki `(3)` ke baad newline hai hi nahi (text ka end hai, jo `(\$)` se match hota).

Doosra farak: har match me ab `(\n)` character shamil hai. Anchors sirf condition test karte hain, par `(\n)` ek **character** hai jo result ka hissa ban jaata hai.

Yaani:

- Result me newline chahiye to pattern me `(\n)`
- Line ki shuruaat/end par kuch dhundhna ho to anchors `((^), ($))` with `(m)` flag