

Arrow Functions (dobara)

Arrow function sirf chhota syntax nahi hai. Iske kuch khaas features hain. Ye khaaskar tab kaam aate hain jab koi chhota function kahin aur chalana ho (`forEach`, `setTimeout`) aur hum current context me hi rehna chahte hon.

1. Arrow function ka apna `this` nahi hota

`this` use karo to wo **bahar (outer)** se liya jaata hai, normal variable ki tarah.

```
javascript

let group = {
  title: "Our Group",
  students: ["John", "Pete"],

  showList() {
    this.students.forEach(
      student => console.log(this.title + ": " + student)
    ); // this = group, sahi chalega
  }
};
```

Agar yahan normal `function(student) {...}` hota, to andar `this = undefined` hota aur error aata.

Arrow vs `bind`:

- `bind(this)` naya bound function banata hai.
- Arrow ne kuch bind hi nahi kiya. Uske paas `this` hai hi nahi, isliye bahar se dhoondhta hai.

2. Arrow function ka apna `arguments` nahi hota

Ye decorators me kaam aata hai.

```
javascript

function defer(f, ms) {
  return function () {
    setTimeout(() => f.apply(this, arguments), ms);
  };
}
```

Yahan arrow ke andar `this` aur `arguments` bahar wale wrapper ke hi milte hain. Normal function se karte to `ctx` aur `args` jaise extra variables banane padte.

3. `new` se call nahi ho sakta

`this` nahi hai, to arrow function **constructor** ki tarah use nahi ho sakta.

4. `super` bhi nahi hota

(Ye class inheritance me aayega.)

Summary

Arrow function me nahi hote:

- `this`
- `arguments`
- `new` ke saath use
- `super`

Kab use karein?

Chhote callbacks ke liye, jahan apna alag context nahi chahiye, balki maujuda context hi use karna hai.