

Software Testing Assignment

Module - 5 (Selenium IDE)

1) What is Automation Testing?

Automation testing is the use of software to execute tests, compare actual and expected results, and generate reports. It replaces manual testing with automated scripts, making testing faster, more reliable, and cost-effective for long-term projects.

2) Which Browsers Are Supported by Selenium IDE?

Selenium IDE supports only Mozilla Firefox as it is a browser plugin specifically designed for Firefox.

3) What Are the Benefits of Automation Testing?

Automation testing is faster than manual testing, improves accuracy, ensures consistency, saves time and cost, allows reusable scripts, increases efficiency, and enables frequent execution of test cases.

4) What Are the Advantages of Selenium?

Selenium is open source, supports multiple browsers and operating systems, allows parallel execution, and supports multiple programming languages like Java, Python, and C#.

5) Why Should Testers Choose Selenium Instead of QTP?

Selenium is free, flexible, supports multiple platforms and browsers, and allows parallel testing, whereas QTP is paid, Windows-specific, and less flexible.

6) To validate the tops technologies website Contact us page and enter your friend detail.

```
// Generated by Selenium IDE
import org.junit.Test;
import org.junit.Before;
import org.junit.After;
import static org.junit.Assert.*;
import static org.hamcrest.CoreMatchers.is;
import static org.hamcrest.core.IsNot.not;
import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.firefox.FirefoxDriver;
import org.openqa.selenium.chrome.ChromeDriver;
import org.openqa.selenium.remote.RemoteWebDriver;
import org.openqa.selenium.remote.DesiredCapabilities;
import org.openqa.selenium.Dimension;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.interactions.Actions;
import org.openqa.selenium.support.ui.ExpectedConditions;
import org.openqa.selenium.support.ui.WebDriverWait;
import org.openqa.selenium.JavascriptExecutor;
import org.openqa.selenium.Alert;
import org.openqa.selenium.Keys;
import java.util.*;
import java.net.MalformedURLException;
import java.net.URL;
public class LoginModuleTest {
    private WebDriver driver;
    private Map<String, Object> vars;
    JavascriptExecutor js;
    @Before
    public void setUp() {
        driver = new ChromeDriver();
        js = (JavascriptExecutor) driver;
        vars = new HashMap<String, Object>();
    }
    @After
    public void tearDown() {
        driver.quit();
    }
    @Test
    public void loginModule() {
        driver.get("https://www.tops-int.com/contact-us");
        driver.manage().window().setSize(new Dimension(1056, 850));
        driver.findElement(By.id("inq_name")).click();
        driver.findElement(By.id("inq_name")).click();
    }
}
```

```

driver.findElement(By.id("inq_name")).sendKeys("pritesh vasoya");
driver.findElement(By.id("inq_email")).click();

driver.findElement(By.id("inq_email")).sendKeys("preetvasoya28@gmail.com");
driver.findElement(By.id("inq_contact")).click();
driver.findElement(By.id("inq_contact")).sendKeys("9879429554");
driver.findElement(By.linkText("Send Inquiry")).click();
{
    WebElement element = driver.findElement(By.linkText("Send Inquiry"));
    Actions builder = new Actions(driver);
    builder.moveToElement(element).perform();
}
{
    WebElement element = driver.findElement(By.tagName("body"));
    Actions builder = new Actions(driver);
    builder.moveToElement(element, 0, 0).perform();
}
driver.close();
}
}

```

Selenium IDE - Tops Technologies

Project: Tops_Technologies

Tests +

Search tests...

https://www.tops-int.com/contact-us

Login Module

Command	Target	Value
2. set window size	1056x850	
3. click	id=inq_name	
4. click	id=inq_name	
5. type	id=inq_name	pritesh vasoya
6. click	id=inq_email	
7. type	id=inq_email	preetvasoya28@gmail.com
8. click	id=inq_contact	
9. type	id=inq_contact	9879429554
10. click	linkText=Send Inquiry	
11. mouse over	linkText=Send Inquiry	
12. mouse out	linkText=Send Inquiry	
13. close		

Command

Target

Value

Description

Log Reference

8. click on id=inq_contact OK 11:42:43

9. type on id=inq_contact with value 9879429554 OK 11:42:43

10. click on linkText=Send Inquiry OK 11:42:43

11. mouseOver on linkText=Send Inquiry OK 11:42:44

12. mouseOut on linkText=Send Inquiry OK 11:42:44

13. close OK 11:42:44

"Login Module" completed successfully 11:42:44