

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	16
17	18	19	20	21	22	23	24
25	26	27	28	29			
APRIL	M	T	W	T	F	S	

2023

MARCH
THURSDAY

OB

082-283

(Step 2) Install Visual Studio Code

- Make a new folder by name 'Complete web boot development camp'
- open that folder then right click and use open with code
- If it doesn't open then simply open VSC and in its open folder option is there
- On Cwdc click on first option [file] enter <>Krunal.htm]
 - ↳ {This shows that this is html file}
- enter # Krunal.css
 - ↳ {This shows that this is css file}
- enter @ Js Krunal.js
 - ↳ (— || — is Js file)
- We will start from HTML
 - with VSC we made this 3 files
 - if we made this 3 file with notepad then it will be too critical to make.
- In Krunal.html Insert ! (Emmet abbreviation)
 - click it we will get boiler plate code

08

MARCH
FRIDAY

2013

083-282

5	6	7	1	2	3	4
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	
S	M	T	W	T	F	S


MARCH

1. <!DOCTYPE html>
2. <html lang = "en">
3. <head>
4. <meta charset = "UTF-8">
5. <title> Document </title>
6. <meta name = "viewport" content = "width=device-width, initial-scale=1.0">
7. <meta http-equiv = "X-UA-Compatible" content = "ie=edge" />
8. </head>
9. <body>
10. </body>
11. </html>
12. </html>

In 7th pt remove doc from it & insert 'krunal'
 In 10th pt div enter it shows <div></div>

(open files)

Explorer



file folder refresh

Search

git

Debug

Extensions

Settings

1	2	3	4	5	6	7	8
9	10	11	12	13	14	15	
16	17	18	19	20	21	22	
23	24	25	26	27	28	29	
30							

APRIL

2023

MARCH
SATURDAY

08


084-281

* In extension type live server

- it will open uninstall it & again install
- then go live button will appear at down
- apply it
- In chrome browser Krunal will open



- In 10th pt insert Hello world
- remove `<div></div>` or hello krunal



Settings - Command palette ---
Don't open it

Settings - User / workspace
After again open it

Zoom mouse scroll shows all
modify settings

If you want to learn detailed VS
Python VS Code Python

Copy lines down - `ctrl + D`

→ You can copy hello krunal several time

Terminal - power shell

26 Sunday

08

MARCH
MONDAY

2023

5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
S	M	T	W	T	F	S																				

MARCH

086-278

How to push VS Code to Github

- open Github

- Your repositories
click on new

- Name - HTML FILE

- Creating repository

1st step: Copy the link

- open VS Code
- click 

- Initialize Repository

enter

Message ^ First commit

click - 

enter yes

2nd step Apply same name & repository

Select all files from folder

open it in Github

create repository

(for small files)

30	3	4	5	6	7	8
2	10	11	12	13	14	15
9	17	18	19	20	21	22
16	24	25	26	27	28	29
23			T	F	S	
S	M	T	W	T	F	S

2027

MARCH
TUESDAY

08

087-278

APRIL

<Step 3> HTML Tutorial: Basic structure of website

- Delete all 1 to 12 codes and insert ! enter
- It automatically gives Boiler plate of HTML

11. It is Html doc-

1. `<!DOCTYPE html>`
2. `<html lang = "en">`
3. `<head>`
4. `<meta charset = "UTF-8">`
5. `<meta name = "viewport" content = "width = device-width, initial-scale = 1.0">`
6. `<meta http-equiv = "X-UA-Compatible" content = "ie=edge">`
7. `<title> Document </title>`
8. `</head>`
9. `<body>`
10. `</body>`
11. `</html>`
12. `</>`

2. open Tag `[<]`, `[>]` close tag , lang - abbreviation

8. • Head includes all meta tags
 ' meta means information

Meta Defn:- about - II -

- A set of data that describes and gives information about other data
- We can link krungt.css in head
 js

08

MARCH
WEDNESDAY

2013

088-277

5	6	7	8	1	2	3	4
12	13	14	15	16	17	18	19
19	20	21	22	23	24	25	26
26	27	28	29	30	31		
S	M	T	W	T	F	S	S

MARCH

head

meta tag

<title> external link

head closed

Add in 7th pt

7. this is title and go live

this is title

Blank

Add in 10. this is my body content

(body)

11-11-

10th pt appears here

page

• This looks ugly because we didn't applied CSS

5. Add in pt 2. <!-- Our HTML code starts here -->

{ but browser

6. doesn't execute

browser will
ignore }

• Open this is title

• right click view source page
it will appear there

This is Comment means (you want to write something in web page but it should be ignored.)

• Add in 4th pt <-- head code -->

11th pt <-- Body tag -->

• Shortcut [ctrl + /] → to copy this

1st pt <-- doc type -->



Scanned with OKEN Scanner

30	1
2	2
0	3
10	4
17	5
24	6
M	7
T	8
W	9
T	10
F	11
S	12
	13
	14
	15
	16
	17
	18
	19
	20
	21
	22
	23
	24
	25
	26
	27
	28
	29

2023

MARCH
THURSDAY

089-276

APRIL

8

<Step 4> HTML Tutorial: Title, Script, Link & meta tags

- We will Create new file in VS Code under C:\WDC as <x>tut4.html

- insert ! enter | to 12 same open under emmet

Under head from 3 to 8

4. `<meta charset = "UTF-8">`

mainly used in SEO (search engine optimization)

Helps to google & bing to

show the website

Character will be used as "UTF-8"

5. `<meta name = "viewport" Content = "width = device-width, initial scale = 1.0">`

(This is to encourage responsive design)

(in short your page looks good)

6. `<meta http-equiv = "IE=edge">`

Internet explorer

Add in 7th to 9th pt 7.

`<meta name = "description" content = "This is description">`

8. `<meta name = "keywords" content = "html, html tutorial, web develop">`

9. `<meta name = "robots" content = "INDEX, FOLLOW">`

B8

MARCH
FRIDAY

2023

090-275

5	6	7	8	9	10	11
12	13	14	15	16	17	18
19	20	21	22	23	24	25
26	27	28	29	30	31	
S	M	T	W	T	F	S

MARCH

8 Add in 11th enter link Emmet gives suggestion as CSS enter it

9 11.2 <link rel="stylesheet" href="Harry.css" type="text/css" />

10 enter from 11 to 13 This will show in 13

11 Add in 12. This is how you include external CSS.

12 Save it (ctrl+s)

13 Enter (ctrl+i) by copying

14. enter after 13 to 15

14. Blank

15. This is how you include external js.

16. enter after 15

16. enterScript : src enter in " " (collar)

16. <script src = "Krunal.js" > </script>

(ctrl+s)



Scanned with OKEN Scanner

	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			
30	M	T	W	T	F	S

MAY

2023

APRIL
SATURDAY

08

091-274

<Step 5> HTML Tutorial : Headings & Paragraphs


- <>tut5.html built in VS Code

Enter ! (emmet) {emmet is set of plugin for txt editors
allow for high speed coding & editing }

- Same 1 to 12 will copy as it is

In 7th pt

- <title> Heading paragraphs and emmet </title>



In 10th pt


- Enter h1 & write in it

<h1> Krunal </h1> heading tag

In 11th Enter p & type in it

open tag <p> This is Krunal </p>
close tag

- Go live



02 Sunday

Enter 10 to 15

10. <h1> Harry </h1>

2

3

4

5

15.

6



Scanned with OKEN Scanner

03

~~APRIL~~
MONDAY

2013

093-272

30						
2	3	4	5	6	7	1
9	10	11	12	13	14	8
16	17	18	19	20	15	21
23	24	25	26	27	28	22
S	M	T	W	T	F	29

APRIL

16. <p> This is krunal </p>
17. <-||— new paragraph —||>

Kryna

Krunal

Krung

Krunal

→ Kundalini

~~Knowing~~
This is ~~This is~~ new paragraph

size

varied

from hitob

- Remove 17th point & in 8th & 9th
<head>
<body>

³ Note → Don't use heading for bold purpose

x50

11. </body>

In 16th pt

`<p> lorem 4 </p>`

Emmet Shows 4 Words

if we ϵ < $p > 1$, then y_0 works \leftrightarrow

→ 11 → 40 words

- to remove horizontal bar
 - settings - Command palette
 - At top enter Toggle world wrap

Now text will in proper format

F-11

	1	2	3	4	5	6
7	8	9	10	11	12	13
14	15	16	17	18	19	20
21	22	23	24	25	26	27
28	29	30	31			
S	M	T	W	T	F	S

2013

APRIL
TUESDAY

08

094-271

MAY

We want just 4 words

16. `<p> lorem 4 </p>`
it shows 4 words

from 17 to 20

17. `<p> p * 4 => <p> first </p>`
Sec
Third

20.

fourth

21. Enter `<p> </p>`

automatically VS code will apply

Delete 21

• In 16th Insert `<p> lorem 34 </p>`
34 words

Note → h1, h2, meta, {tag} character - attribute

In 16. Insert strong, `<p> This is -11-</p>`
(anywhere)insert emphasized -11- emphasized
appears as bold | appears as italic as we
not using CSS-11-
bold italic

-11-

08

APRIL
WEDNESDAY

2023

095-270

30	3	4	5	6	7	8
2	9	10	11	12	13	14
16	17	18	19	20	21	22
23	24	25	26	27	28	29
S	M	T	W	T	F	S

App

17. <p> first

18. this is a new line </p>

but it appear in same
as 17.

(line-breaks)

self-closing tag

17. <p> first
 this is a new line

18. </p>

first
this is a new line

19. <hr> (horizontal —)

— line

• If you want to insert bold bold <i> italic <u> underline
otherwise first we use we then <i> <u>



Scanned with OKEN Scanner

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30
S	M	T	W	T	F

2023

APRIL
THURSDAY

OB

096-269

11. p^* 34 {34 rows will show}

23. $\langle \text{p} \rangle$ This is a paragraph $\langle / \text{p} \rangle$

24. ($\text{ctrl} + \text{enter}$) to jump into new line

$\langle \text{ctrl} + \text{l} \rangle \rightarrow \text{I} - \text{ctrl} + \text{enter} \rightarrow \text{line} \rightarrow$

Addin

\Rightarrow 16. lorem 23 for 23 words (dummy text)

$\langle \text{ctrl} + \text{l} \rangle \rightarrow \text{I} - \text{ctrl} + \text{enter} \rightarrow \text{lorem 23}$ for 23 words dummy text
with 23 words

25.