2CEIT5PE5: MOBILE APPLICATION DEVELOPMENT

Practical: 9



AIM- What is Frame by Frame Animation? What is Twin Animation?

How can you achieve edge-to-edge content display in your app? Create Android Application to demonstrate Frame by frame animation and splash screen to demonstrate twin animation according to below instructions.

- 1. Create MainActivity according to below UI design.
- 2. Create SplashActivity according to Video
- 3. Create gradient Rectangle by using <gradient> tag in <shape> tag for background of SplashActivity. Use radial rectangle with x = 0.9, y = 0.9, radius = 1500. Start Color pink and End Color blue. shape should be rectangle
- 4. Add these all in project: <animation-list>, oneShot attribute, <set> tag, android:startOffset = 100, android:duration=1000, <scale> tag,

<translate> tag, <rotate> tag, <alpha> tag

Submitted By :- Krupa Patel Enrollment number :- 21012021070



Activity_main.xml:-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".MainActivity">
  <TextView
    android:id="@+id/textView"
    android:layout_width="wrap_content"
    android:layout height="wrap content"
    android:layout_margin="20dp"
    android:text="@string/app_name"
    android:textAppearance="?attr/textAppearanceHeadline6"
    android:textSize="20sp"
    app:layout constraintStart toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
  <com.google.android.material.card.MaterialCardView</p>
    android:id="@+id/card"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_margin="20dp"
    app:cardElevation="20dp"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/textView">
    <LinearLayout
      android:layout_width="match_parent"
      android:layout_height="wrap_content"
      android:orientation="vertical">
      <ImageView
         android:id="@+id/alarm"
         android:layout width="match parent"
         android:layout_height="250dp"
         android:scaleType="center" />
      <LinearLayout
         android:layout_width="match_parent"
         android:layout_height="wrap_content"
```

```
android:orientation="vertical"
         android:padding="16dp">
         <TextView
           android:layout_width="wrap_content"
           android:layout height="wrap content"
           android:text="Create Alarm Time"
           android:textAppearance="?attr/textAppearanceHeadline6"/>
         <TextView
           android:layout_width="wrap_content"
           android:layout_height="wrap_content"
           android:layout_marginTop="8dp"
           android:text="By pressing buttons, Alarm can be created and cancelled.\n\nCheck current
time by looking below real digital clock. "
           android:textAppearance="?attr/textAppearanceBody2" />
         <ImageView
           android:id="@+id/heart"
           android:layout width="40dp"
           android:layout_height="40dp"
           android:layout_marginTop="2dp"
           android:layout marginEnd="25dp"
           android:layout_gravity="right"
           android:src="@drawable/heart animation list"/>
         <LinearLayout
           android:layout width="wrap content"
           android:layout height="wrap content"
           android:orientation="horizontal"
           android:layout marginTop="10dp">
           <com.google.android.material.button.MaterialButton</p>
              android:id="@+id/create alarm"
              android:layout_width="wrap_content"
              android:layout height="wrap content"
              android:text="Create Alarm"
              android:backgroundTint="@color/blue"
              app:icon="@drawable/baseline_add_alarm_24"/>
           <com.google.android.material.button.MaterialButton
              android:id="@+id/cancel alarm"
              android:layout width="wrap content"
              android:layout_height="wrap_content"
              android:text="Cancel Alarm"
              android:textColor="@color/blue"
              android:background="#00FFFFFF"
              app:icon="@drawable/baseline_alarm_off_24"
              app:iconTint="@color/blue"/>
         </LinearLayout>
       </LinearLayout>
```

Practical: 9

```
</LinearLayout>
</com.google.android.material.card.MaterialCardView>
</androidx.constraintlayout.widget.ConstraintLayout>
```

MainActivity.kt:-

```
package com.example.mad_practical_9_21012021070
import android.graphics.drawable.AnimationDrawable
import androidx.appcompat.app.AppCompatActivity
import android.os.Bundle
import android.widget.ImageView
class MainActivity : AppCompatActivity() {
  lateinit var alarmanimation: AnimationDrawable
  lateinit var heartanimation: AnimationDrawable
  override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    setContentView(R.layout.activity_main)
    val alarm : ImageView = findViewById(R.id.alarm)
    alarm.setBackgroundResource(R.drawable.alarm animation list)
    alarmanimation = alarm.background as AnimationDrawable
    val heart : ImageView = findViewById(R.id.heart)
    heart.setBackgroundResource(R.drawable.heart_animation_list)
    heartanimation = heart.background as AnimationDrawable
  }
  override fun onWindowFocusChanged(hasFocus: Boolean) {
    super.onWindowFocusChanged(hasFocus)
    if (hasFocus) {
       alarmanimation.start()
       heartanimation.start()
    }
    else {
       alarmanimation.stop()
       heartanimation.stop()
```

tween_animation.xml:-

```
<?xml version="1.0" encoding="utf-8"?>
<set xmlns:android="http://schemas.android.com/apk/res/android"</pre>
  android:startOffset="1000">
  <scale
    android:fromXScale="1.0"
    android:fromYScale="1.0"
    android:toXScale="2.0"
    android:toYScale="2.0"
    android:pivotX="50%"
    android:pivotY="50%"
    android:duration = "750" />
  <rotate
    android:fromDegrees="0"
    android:toDegrees="360"
    android:pivotX="50%"
    android:pivotY="50%"
    android:duration = "1500" />
  <translate
    android:fromXDelta="1.0"
    android:fromYDelta="1.0"
    android:toXDelta="10.0"
    android:toYDelta="100.0"
    android:duration = "750" />
  <scale
    android:fromXScale="1.0"
    android:fromYScale="1.0"
    android:toXScale="0.5"
    android:toYScale="0.5"
    android:duration="750"
    android:pivotX="50%"
    android:pivotY="50%"
    android:startOffset="750"/>
  <translate
    android:fromXDelta="1.0"
    android:fromYDelta="1.0"
    android:toXDelta="0.5"
    android:toYDelta="0.5"
    android:duration="750"
    android:startOffset="1500"/>
```

```
<scale
android:fromXScale="1.0"
android:fromYScale="1.0"
android:toXScale="1.5"
android:toYScale="1.5"
android:duration="750"
android:pivotX="50%"
android:pivotY="50%"
android:startOffset="1500"/>

<alpha
android:duration="750"
android:startOffset="1500"
android:fromAlpha="1.0"
android:toAlpha="0"/>
</set>
```

alarm_animation_list.xml:-

```
<?xml version="1.0" encoding="utf-8"?>
<animation-list xmlns:android="http://schemas.android.com/apk/res/android"
  android:oneshot="false">
  <item
    android:drawable="@drawable/alarm1"
    android:duration="200" />
  <item
    android:drawable="@drawable/alarm2"
    android:duration="200" />
  <item
    android:drawable="@drawable/alarm3"
    android:duration="200" />
  <item
    android:drawable="@drawable/alarm4"
    android:duration="200" />
  <item
    android:drawable="@drawable/alarm5"
    android:duration="200" />
  <item
    android:drawable="@drawable/alarm6"
    android:duration="200"/>
  <item
    android:drawable="@drawable/alarm7"
```

Practical: 9

```
android:duration="200" />
<item
    android:drawable="@drawable/alarm8"
    android:duration="200" />
<item
    android:drawable="@drawable/alarm9"
    android:duration="200" />
<item
    android:drawable="@drawable/alarm10"
    android:drawable="@drawable/alarm10"
    android:duration="200" />
</animation-list>
```

uvpce_animation_list :-

```
<?xml version="1.0" encoding="utf-8"?>
<animation-list xmlns:android="http://schemas.android.com/apk/res/android"
  android:oneshot="false">
    android:drawable="@drawable/uvpce_logo"
    android:duration="100"/>
    android:drawable="@drawable/uvpce_logo_1"
    android:duration="100"/>
  <item
    android:drawable="@drawable/uvpce_logo_2"
    android:duration="100"/>
    android:drawable="@drawable/uvpce_logo_3"
    android:duration="200"/>
    android:drawable="@drawable/uvpce_logo_4"
    android:duration="200"/>
    android:drawable="@drawable/uvpce_logo_5"
    android:duration="200" />
    android:drawable="@drawable/uvpce_logo_6"
    android:duration="50" />
    android:drawable="@drawable/uvpce_logo_7"
    android:duration="50"/>
```

</animation-list>

heart_animation_list.xml:-

```
<?xml version="1.0" encoding="utf-8"?>
<animation-list xmlns:android="http://schemas.android.com/apk/res/android"
  android:oneshot="false">
  <item
    android:drawable="@drawable/ic_heart_0"
    android:duration="200" />
  <item
    android:drawable="@drawable/ic_heart_25"
    android:duration="200" />
  <item
    android:drawable="@drawable/ic_heart_50"
    android:duration="200" />
  <item
    android:drawable="@drawable/ic_heart_75"
    android:duration="200" />
  <item
    android:drawable="@drawable/ic_heart_100"
    android:duration="200" />
</animation-list>
```

gradiant_rectangle.xml :-

```
<?xml version="1.0" encoding="utf-8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android"
android:shape="rectangle">

<gradient
    android:startColor="@color/pink"
    android:endColor="@color/blue"
    android:type="radial"
    android:gradientRadius="1500"
    android:centerX="0.9"
    android:centerY="0.9" />
</shape>
```

activity_splash.xml :-

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout</p>
xmlns:android="http://schemas.android.com/apk/res/android"
  xmlns:app="http://schemas.android.com/apk/res-auto"
  xmlns:tools="http://schemas.android.com/tools"
  android:layout width="match parent"
  android:layout_height="match_parent"
  tools:context=".SplashActivity"
  android:background="@drawable/gradiant_rectangle">
  <ImageView
    android:id="@+id/uvpce"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    app:layout constraintBottom toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout constraintTop toTopOf="parent" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

SplashActivity.kt:-

```
package com.example.mad_practical_9_21012021070

import android.content.Intent
import android.graphics.drawable.AnimationDrawable
import android.sappcompat.app.AppCompatActivity
import android.os.Bundle
import android.view.animation.Animation
import android.view.animation.AnimationUtils
import android.widget.ImageView

class SplashActivity : AppCompatActivity() {
    lateinit var logoanimation: AnimationDrawable

    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_splash)

    val logo: ImageView = findViewById(R.id.uvpce)
```

Practical: 9

```
logo.setBackgroundResource(R.drawable. \textit{uvpce\_animation\_list})
  logoanimation = logo.background as AnimationDrawable;
  val myAnimation = AnimationUtils.loadAnimation(this, R.anim.twin_animation)
  logo.startAnimation(myAnimation)
  // Add an animation listener to your animation
  myAnimation.setAnimationListener(object : Animation.AnimationListener {
    override fun onAnimationStart(animation: Animation) {
       // Animation started
     }
    override fun onAnimationEnd(animation: Animation) {
       // Animation ended, start a new activity here
       val intent = Intent(this@SplashActivity, MainActivity::class.java)
       startActivity(intent)
     }
    override fun onAnimationRepeat(animation: Animation) {
       // Animation repeated
     }
  })
override fun onWindowFocusChanged(hasFocus: Boolean) {
  super.onWindowFocusChanged(hasFocus)
  if (hasFocus) {
    logoanimation.start()
  } else {
    logoanimation.stop()
```

Output:-



