

Index.html

```
<html lang="en"><head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-
width, initial-scale=1.0">

  <title>Velvet Monarch</title>

  <script src="https://cdn.tailwindcss.com"></script>

  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

  <style>

    @import
url('https://fonts.googleapis.com/css2?family=Fira+Sans:
wght@400;500;700&display=swap');

    body {

      font-family: 'Fira Sans', sans-serif;

    }

    .product-card:hover {

      transform: translateY(-5px);

      box-shadow: 0 10px 25px rgba(0,0,0,0.1);
```

```

    }

</style>

<style>*, ::before, ::after{--tw-border-spacing-x:0;--tw-
border-spacing-y:0;--tw-translate-x:0;--tw-translate-y:0;-
-tw-rotate:0;--tw-skew-</script>

<body class="bg-gray-50">

    <!-- Navigation will go here -->

    <nav class="bg-white shadow-md sticky top-0 z-50">

        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

            <div class="flex items-center space-x-8">

                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

                <div class="hidden md:flex space-x-6">

                    <a href="men.html" class="hover:text-gray-
600">Men</a>

                    <a href="women.html" class="hover:text-
gray-600">Women</a>

                    <a href="kids.html" class="hover:text-gray-
600">Kids</a>

```

```
        <a
href="about.html" class="hover:text-gray-
600">About</a>
```

```
    </div>
```

```
</div>
```

```
<div class="flex items-center space-x-4">
```

```
    <div class="relative">
```

```
        <input type="text" placeholder="Search"
class="border rounded-full py-1 px-4 text-sm
focus:outline-none">
```

```
    </div>
```

```
    <a href="#"><i class="far fa-heart"></i></a>
```

```
    <a href="#"><i class="fas fa-shopping-
bag"></i></a>
```

```
</div>
```

```
</div>
```

```
</nav>
```

```
<!-- Hero Section -->
```

```
<section class="relative bg-gray-900 text-white h-96
flex items-center">
```

```
<div class="container mx-auto px-4 z-10">
```

```
  <h1 class="text-4xl md:text-5xl font-bold text-black">New Arrivals</h1>
```

```
  <p class="text-xl font-bold text-black">Discover the latest collection</p>
```

```
  <button class="bg-white text-black px-6 py-2 rounded-full font-medium hover:bg-gray-200 transition">Shop Now</button>
```

```
</div>
```

```
<div class="absolute inset-0 bg-black opacity-40"></div>
```

```
<div class="absolute inset-0 bg-[url('images/pfp.jpg')] bg-cover bg-center"></div>
```

```
</section>
```

```
<!-- Main Content -->
```

```
<main class="container mx-auto px-4 py-12">
```

```
  <h2 class="text-3xl font-bold mb-8">Featured Products</h2>
```

```
<!-- Product Grid -->
```

```
<div class="grid grid-cols-1 sm:grid-cols-2 md:grid-  
cols-3 lg:grid-cols-4 gap-6">
```

```
<!-- Product Card 1 -->
```

```
<div class="product-card bg-white rounded-lg overflow-  
hidden shadow-md transition duration-300">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-opacity-0  
hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Luxury Sweat coat  
with the best wool</h3>
```

```
<p class="text-gray-600">Men's Clothing</p>
```

```
<p class="font-bold mt-2">₹1500</p>
```

```
</div>
```

```
</div>
```

<!-- Product Card 2 -->

<div class="product-card bg-white rounded-lg overflow-hidden shadow-md transition duration-300">

<div class="relative overflow-hidden h-64">

<div class="absolute inset-0 bg-black bg-opacity-0 hover:bg-opacity-10 transition"></div>

</div>

<div class="p-4">

<h3 class="font-semibold text-lg">Standard of dress
A perfect match to your day</h3>

<p class="text-gray-600">Men's Clothing</p>

<p class="font-bold mt-2">₹5000</p>

</div>

</div>

<!-- Product Card 3 -->

<div class="product-card bg-white rounded-lg overflow-hidden shadow-md transition duration-300">

```
<div class="relative overflow-hidden h-64">

  

  <div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>

</div>

<div class="p-4">

  <h3 class="font-semibold text-lg">Elegant Blazer
with luxury finish</h3>

  <p class="text-gray-600">Men's Clothing</p>

  <p class="font-bold mt-2">₹8000</p>

</div>

</div>
```

```
<!-- Product Card 4 -->

<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">

  <div class="relative overflow-hidden h-64">

    
```

```
<div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Leriya Fashion
Women's Cotton Blend Co Ord Set</h3>
```

```
<p class="text-gray-600">Women's Clothing</p>
```

```
<p class="font-bold mt-2">₹5000</p>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<!-- Add more product cards as needed -->
```

```
</div>
```

```
</main>
```

```
<!-- Footer -->
```

```
<footer class="bg-gray-100 py-12">
```

```
<div class="container mx-auto px-4">
```



```
<div class="grid grid-cols-1 md:grid-cols-4 gap-8">

  <div>

    <h3 class="font-bold mb-4">Products</h3>

    <ul class="space-y-2">

      <li><a href="#" class="hover:underline">All
Products</a></li>

      <li><a href="#"
class="hover:underline">Featured</a></li>

      <li><a href="#"
class="hover:underline">New Arrivals</a></li>

    </ul>

  </div>

  <div>

    <h3 class="font-bold mb-4">Support</h3>

    <ul class="space-y-2">

      <li><a href="#"
class="hover:underline">Contact Us</a></li>

      <li><a href="#"
class="hover:underline">FAQs</a></li>

      <li><a href="#"
class="hover:underline">Shipping</a></li>
```


</div>

<div>

<h3 class="font-bold mb-4">Company</h3>

<ul class="space-y-2">

<a href="#"
class="hover:underline">About

<a href="#"
class="hover:underline">Careers

<a href="#"
class="hover:underline">News

</div>

<div>

<h3 class="font-bold mb-4">Follow Us</h3>

<div class="flex space-x-4">

<i class="fab fa-facebook-
f"></i>

<i class="fab fa-
twitter"></i>

```
        <a href="#"><i class="fab fa-  
instagram"></i></a>
```

```
    </div>
```

```
</div>
```

```
</div>
```

```
    <div class="border-t border-gray-200 mt-8 pt-8  
text-center text-gray-500">
```

```
        <p>© 2023 Nike Clone. All rights reserved.</p>
```

```
    </div>
```

```
</div>
```

```
</footer>
```

```
<script>
```

```
    // Simple JavaScript for interactive elements
```

```
    document.addEventListener('DOMContentLoaded',  
function() {
```

```
        // Mobile menu toggle would go here
```

```
        console.log('Nike clone loaded');
```

```
    });
```

```
</script>
```

```
<iframe src="https://codesandbox.io/p/devtool/inline-  
preview/6ynlgs-8000" style="visibility: hidden; position:  
fixed; left: -1e+09px;"></iframe>
```

```
</body></html>
```

Men.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-  
width, initial-scale=1.0">
```

```
  <title>Men's Collection - Velvet Monarch</title>
```

```
    <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.4.0/css/all.min.css">
```

```
  <style>
```

```
    @import  
url('https://fonts.googleapis.com/css2?family=Fira+Sans:  
wght@400;500;700&display=swap');
```

```
    body {  
      font-family: 'Fira Sans', sans-serif;  
    }
```

```
    .product-card:hover {  
      transform: translateY(-5px);
```

```

        box-shadow: 0 10px 25px rgba(0,0,0,0.1);
    }
</style>

<style>*, ::before, ::after{--tw-border-spacing-x:0;--tw-
border-spacing-y:0;--tw-translate-x:0;--tw-translate-y:0;-
-tw-rotate:0;--tw-skew-x:0;

<body class="bg-gray-50">

    <!-- Navigation will go here -->

    <nav class="bg-white shadow-md sticky top-0 z-50">

        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

            <div class="flex items-center space-x-8">

                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

                <div class="hidden md:flex space-x-6">

                    <a href="index.html" class="hover:text-gray-
600">Home</a>

                    <a href="#" class="hover:text-gray-
600">Women</a>

                    <a href="#" class="hover:text-gray-
600">Kids</a>

```

```
        <a href="#" class="hover:text-gray-600">Sale</a>
```

```
    </div>
```

```
</div>
```

```
<div class="flex items-center space-x-4">
```

```
    <div class="relative">
```

```
        <input type="text" placeholder="Search"
class="border rounded-full py-1 px-4 text-sm
focus:outline-none">
```

```
    </div>
```

```
        <a href="#"><i class="far fa-heart"></i></a>
```

```
        <a href="#"><i class="fas fa-shopping-
bag"></i></a>
```

```
    </div>
```

```
</div>
```

```
</nav>
```

```
<body>
```

```
<div class="slideshow-container">
```

```
    <div class="slider-wrapper">
```

```
<link rel="stylesheet" href="style.css">
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
</div>
```

```
<!-- Navigation Dots -->
```

```
<div class="dots">
```

```
<span class="dot"  
onclick="currentSlide(1)"></span>
```



```
        <span class="dot"
onclick="currentSlide(2)"></span>
```

```
        <span class="dot"
onclick="currentSlide(4)"></span>
```

```
        <span class="dot"
onclick="currentSlide(5)"></span>
```

```
        <span class="dot"
onclick="currentSlide(6)"></span>
```

```
        <span class="dot"
onclick="currentSlide(7)"></span>
```

```
        <span class="dot"
onclick="currentSlide(8)"></span>
```

```
</div>
```

```
</div>
```

```
    <script src="script.js"></script>
```

```
</body>
```

```
<!-- Main Content -->
```

```
<main class="container mx-auto px-4 py-12">
```

<h2 class="text-3xl font-bold mb-8">Featured
Products</h2>

<!-- Product Grid -->

<div class="grid grid-cols-1 sm:grid-cols-2 md:grid-
cols-3 lg:grid-cols-4 gap-6">

<!-- Product Card 1 -->

<!-- Example for Product Card 1 - modify all cards
similarly -->

<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">

 <!-- Link to detail
page with product ID -->

<div class="relative overflow-hidden h-64">

<div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>

</div>

<div class="p-4">

<h3 class="font-semibold text-lg">Luxury Sweat
coat with the best wool</h3>

```

        <p class="text-gray-600">Men's Fashion</p>
        <p class="font-bold mt-2">₹1500</p>
    </div>
</a>
</div>

<!-- Product Card 2 -->
<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">
    <a href="product2-detail.html?id=1">
        <div class="relative overflow-hidden h-64">
            
            <div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>
        </div>
        <div class="p-4">
            <h3 class="font-semibold text-lg">Standard of dress
A perfect match to your day</h3>
            <p class="text-gray-600">Men's Fashion</p>

```

```
        <p class="font-bold mt-2">₹5000</p>
    </div>
    </a>
</div>
```

```
<!-- Product Card 3 -->
```

```
<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">
    <a href="product3-detail.html?id=1">
        <div class="relative overflow-hidden h-64">
            
            <div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>
        </div>
        <div class="p-4">
            <h3 class="font-semibold text-lg">Elegant Blazer
with luxury finish</h3>
            <p class="text-gray-600">Men's Blazers</p>
            <p class="font-bold mt-2">₹8000</p>
```

</div>

</div>

<!-- Product Card 4 -->

<div class="product-card bg-white rounded-lg overflow-hidden shadow-md transition duration-300">

<div class="relative overflow-hidden h-64">

<div class="absolute inset-0 bg-black bg-opacity-0 hover:bg-opacity-10 transition"></div>

</div>

<div class="p-4">

<h3 class="font-semibold text-lg">Leriya Fashion Men's Cotton Blend Co Ord Set</h3>

<p class="text-gray-600">Men's Fashion</p>

<p class="font-bold mt-2">₹5000</p>

</div>

</div>

<!-- Product Card 5 -->

<div class="product-card bg-white rounded-lg overflow-hidden shadow-md transition duration-300">

<div class="relative overflow-hidden h-64">

<div class="absolute inset-0 bg-black bg-opacity-0 hover:bg-opacity-10 transition"></div>

</div>

<div class="p-4">

<h3 class="font-semibold text-lg">John Richmond</h3>

<p class="text-gray-600">Premium Brand</p>

<p class="font-bold mt-2">₹6500</p>

</div>

</div>

<!-- Product Card 6 -->

```
<div class="product-card bg-white rounded-lg overflow-  
hidden shadow-md transition duration-300">
```

```
  <div class="relative overflow-hidden h-64">
```

```
    
```

```
    <div class="absolute inset-0 bg-black bg-opacity-0  
hover:bg-opacity-10 transition"></div>
```

```
  </div>
```

```
  <div class="p-4">
```

```
    <h3 class="font-semibold text-lg">Soft rayon  
blend</h3>
```

```
    <p class="text-gray-600">Comfort Wear</p>
```

```
    <p class="font-bold mt-2">₹1500</p>
```

```
  </div>
```

```
</div>
```

```
<!-- Product Card 7 -->
```

```
<div class="product-card bg-white rounded-lg overflow-  
hidden shadow-md transition duration-300">
```

```
  <div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-opacity-0  
hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Black Smocked  
Square Neck Long Sleeve Wide Leg Jumpsuit</h3>
```

```
<p class="text-gray-600">Men's Wear</p>
```

```
<p class="font-bold mt-2">₹4500</p>
```

```
</div>
```

```
</div>
```

```
<!-- Product Card 8 -->
```

```
<div class="product-card bg-white rounded-lg overflow-  
hidden shadow-md transition duration-300">
```

```
<div class="relative overflow-hidden h-64">
```

```

```



```
<div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Allegra K Velvet
Ruched</h3>
```

```
<p class="text-gray-600">Men's Fashion</p>
```

```
<p class="font-bold mt-2">₹5500</p>
```

```
</div>
```

```
</div>
```

```
<!-- Product Card 9 -->
```

```
<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-opacity-0
hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
  <h3 class="font-semibold text-lg">luo03 Korean Soft
  Cotton Mini Dress</h3>
  <p class="text-gray-600">Men's Dress</p>
  <p class="font-bold mt-2">₹8990</p>
</div>
</div>
```

```
<!-- Product Card 10 -->
```

```
<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">
  <div class="relative overflow-hidden h-64">
    
    <div class="absolute inset-0 bg-black bg-opacity-0
    hover:bg-opacity-10 transition"></div>
  </div>
  <div class="p-4">
    <h3 class="font-semibold text-lg">Love Moschino
    Black Cotton Dress</h3>
```

```

        <p class="text-gray-600">Luxury Wear</p>
        <p class="font-bold mt-2">₹8999</p>
    </div>
</div>

<!-- Product Card 11 -->
<div class="product-card bg-white rounded-lg overflow-
hidden shadow-md transition duration-300">
    <div class="relative overflow-hidden h-64">
        
        <div class="absolute inset-0 bg-black bg-opacity-0
        hover:bg-opacity-10 transition"></div>
    </div>
    <div class="p-4">
        <h3 class="font-semibold text-lg">Oh Rare Black
        Round Neck Long Sleeves Short Dress</h3>
        <p class="text-gray-600">Elegant Wear</p>
        <p class="font-bold mt-2">₹9999</p>
    </div>

```

</div>

</div>

</div>

<footer>

<p>© 2025 Velvet Monarch. All rights reserved.</p>

</footer>

</body>

</html>

About.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-  
width, initial-scale=1.0">
```

```
  <title>About Us - Velvet Monarch</title>
```

```
  <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.4.0/css/all.min.css">
```

```
  <style>
```

```
    @import  
url('https://fonts.googleapis.com/css2?family=Fira+Sans:  
wght@400;500;700&display=swap');
```

```
    body {  
      font-family: 'Fira Sans', sans-serif;  
      background-color: #f8f9fa;  
      position: relative;  
    }
```

```
/* Background overlay for vision/mission */  
  
.vision-mission-bg {  
    position: fixed;  
    top: 0;  
    left: 0;  
    width: 100%;  
    height: 100%;  
    background: rgba(0,0,0,0.8);  
    z-index: 100;  
    display: none;  
    justify-content: center;  
    align-items: center;  
    opacity: 0;  
    transition: opacity 0.5s ease;  
}  
  
.vision-mission-content {  
    background: white;
```

```
padding: 40px;  
border-radius: 10px;  
max-width: 800px;  
width: 90%;  
position: relative;  
transform: translateY(50px);  
transition: transform 0.5s ease;  
box-shadow: 0 10px 30px rgba(0,0,0,0.3);  
}
```

```
.guide-section, .hod-section {  
  display: flex;  
  flex-direction: column;  
  align-items: center;  
  margin: 30px 0;  
  padding: 20px;  
  background: #f8f9fa;  
  border-radius: 8px;
```

```
}
```

```
.selected {  
    border: 2px solid #006bb6;  
}
```

```
.vision-mission-btn {  
    display: block;  
    margin: 30px auto;  
    padding: 12px 25px;  
    background-color: #006bb6;  
    color: white;  
    border: none;  
    border-radius: 5px;  
    font-size: 16px;  
    cursor: pointer;  
    transition: all 0.3s ease;  
}
```



```
.vision-mission-btn:hover {  
    background-color: #005a9c;  
    transform: translateY(-2px);  
    box-shadow: 0 5px 15px rgba(0,0,0,0.1);  
}
```

```
/* Vision/Mission content styles */  
.vision-mission-container {  
    display: flex;  
    flex-wrap: wrap;  
    gap: 30px;  
    justify-content: center;  
}
```

```
.vision-box, .mission-box {  
    flex: 1;  
    min-width: 300px;  
    padding: 20px;  
    background: #f8f9fa;
```

```
border-radius: 8px;  
border-left: 5px solid #006bb6;  
}
```

```
.vision-mission-title {  
    color: #006bb6;  
    margin-bottom: 15px;  
    font-size: 24px;  
}
```

```
/* College info section */  
.college-info {  
    text-align: center;  
    margin-bottom: 40px;  
}
```

```
.college-name {  
    font-size: 28px;  
    color: #006bb6;
```

```
        margin-bottom: 10px;
    }

    .college-motto {
        font-style: italic;
        color: #666;
        margin-bottom: 20px;
    }
</style>
</head>
<body>
<nav>

    <div class="hidden md:flex space-x-6">
        <a href="index.html" class="hover:text-gray-
600">Home</a>
    </div>

    <!-- About Section -->

    <section class="about-section">
```

```
<!-- College Logo and Info -->

<div class="college-info">

    <div style="text-align: center; margin: 30px 0;">

        <h3 class="section-title">SVPM's</h3>

        <div style="display: flex; justify-content:
center;">

            

        </div>

    </div>

    <h1 class="college-name">Vishweshwarayya
Abhiyantriki Padvika Mahavidyalaya</h1>

    <p class="college-motto">"To provide quality
technical education in rural area."</p>

</div>

<!-- Vision/Mission Button -->

<button class="vision-mission-btn"
id="showVisionMission">View Vision &
Mission</button>
```

```
<div class="about-header">
```

```
    <h2>About Our Team</h2>
```

```
    <p>Meet the dedicated professionals behind our  
products</p>
```

```
</div>
```

```
<!-- Team Members -->
```

```
<h3 class="section-title">Our Team</h3>
```

```
<div class="team-grid">
```

```
    <div class="team-card">
```

```
        
```

```
        <h4>Mr. Samarth Kumbhar</h4>
```

```
        <p>Managing Director</p>
```

```
    </div>
```

```
    <div class="team-card">
```

```
        
```

```
        <h4>Mr. Krushna Chalwad</h4>
```

<p>CEO</p>

</div>

<div class="team-card">

<h4>Varun Nalballe</h4>

<p>Technical Lead</p>

</div>

</div>

<!-- Guide & HOD Sections - Side by Side -->

<div class="guide-hod-container" style="display: flex; flex-wrap: wrap; justify-content: center; gap: 30px; margin: 40px 0;">

<!-- Guide -->

<div class="guide-section" style="flex: 1; min-width: 300px; max-width: 500px;">

<h3 class="section-title">Our Guide</h3>

<div style="display: flex; flex-direction: column; align-items: center; padding: 20px; background: #f8f9fa; border-radius: 8px; height: 100%;">

```

```

```
<h4>Mr. Sasane S.B</h4>
```

```
<p>Project Guide</p>
```

```
<p class="text-center" style="max-width: 600px;
margin-top: 15px;">
```

Our guide provides valuable mentorship and direction for our team's initiatives.

```
</p>
```

```
</div>
```

```
</div>
```

```
<!-- HOD -->
```

```
<div class="hod-section" style="flex: 1; min-width:
300px; max-width: 500px;">
```

```
<h3 class="section-title">Head of Department</h3>
```

```
<div style="display: flex; flex-direction: column;
align-items: center; padding: 20px; background: #f8f9fa;
border-radius: 8px; height: 100%;">
```

```

```

<h4>Mr. Kazi A.S</h4>

<p>Head of Department</p>

<p class="text-center" style="max-width: 600px; margin-top: 15px;">

Providing leadership and strategic direction for our entire department.

</p>

</div>

</div>

</div>

<!-- Vision/Mission Overlay -->

<div class="vision-mission-bg" id="visionMissionBg">

<div class="vision-mission-content">

×

<h2 class="section-title">Our Vision & Mission</h2>

<div class="vision-mission-container">

<div class="vision-box">

<h3 class="vision-mission-title">Vision</h3>

<p>To provide quality technical education in rural area</p>

<p>To provide competent knowledge in the field of computer technology</p>

</div>

<div class="mission-box">

<h3 class="vision-mission-title">Mission</h3>

To impart eco-friendly, advanced engineering knowledge

To inculcate ethical and moral values among budding engineers

Establishment of mentoring system for all-round personal and professional enhancement

To make students aware social and national responsibilities

To encourage students to pursue higher education and take competitive and career enhancement courses


```
</div>
```

```
</div>
```

```
<div style="text-align: center; margin-top: 30px;">
```

```
  
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script>
```

```
  // Vision/Mission Toggle
```

```
  const visionMissionBtn =  
  document.getElementById('showVisionMission');
```

```
  const visionMissionBg =  
  document.getElementById('visionMissionBg');
```

```
  const closeBtn =  
  document.getElementById('closeVisionMission');
```

```
  visionMissionBtn.addEventListener('click', function()  
{
```

```
    visionMissionBg.style.display = 'flex';
```

```
setTimeout(() => {  
    visionMissionBg.style.opacity = '1';  
    document.querySelector('.vision-mission-  
content').style.transform = 'translateY(0)';  
    }, 10);  
});
```

```
closeBtn.addEventListener('click', function() {  
    visionMissionBg.style.opacity = '0';  
    document.querySelector('.vision-mission-  
content').style.transform = 'translateY(50px)';  
    setTimeout(() => {  
        visionMissionBg.style.display = 'none';  
    }, 500);  
});
```

```
// Close when clicking outside content  
visionMissionBg.addEventListener('click', function(e)  
{  
    if(e.target === visionMissionBg) {
```

```
visionMissionBg.style.opacity = '0';

document.querySelector('.vision-mission-
content').style.transform = 'translateY(50px)';

setTimeout(() => {

    visionMissionBg.style.display = 'none';

}, 500);

}

});

// Escape key to close

document.addEventListener('keydown', function(e)
{

    if(e.key === 'Escape' &&
visionMissionBg.style.display === 'flex') {

        visionMissionBg.style.opacity = '0';

        document.querySelector('.vision-mission-
content').style.transform = 'translateY(50px)';

        setTimeout(() => {

            visionMissionBg.style.display = 'none';

        }, 500);
```

```
}
```

```
});
```

```
</script>
```

```
</body>
```

```
</html>
```

Product2.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-  
width, initial-scale=1.0">
```

```
  <title>Product Detail - Velvet Monarch</title>
```

```
  <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.4.0/css/all.min.css">
```

```
  <!-- Include the same styles as in men.html -->
```

```
  <style>
```

```
    <style>
```

```
      @import  
url('https://fonts.googleapis.com/css2?family=Fira+Sans:  
wght@400;500;700&display=swap');
```

```
      body {
```

```
        font-family: 'Fira Sans', sans-serif;
```

```
      }
```

```
      .product-card:hover {
```

```

        transform: translateY(-5px);

        box-shadow: 0 10px 25px rgba(0,0,0,0.1);

    }

</style>

    <style>*, ::before, ::after{--tw-border-spacing-x:0;--
tw-border-spacing-y:0;--tw-translate-x:0;--tw-translate-
y:0;--tw-rotate:0;--tw-skew-x:0;--tw-skew-y:0;--tw-scale-
x:1;--tw-scale-y:1;--tw-pan-x: ;

</style>

<!-- Include the same Tailwind CSS as in men.html -->

</head>

<body class="bg-gray-50">

    <!-- Navigation (same as men.html) -->

    <nav class="bg-white shadow-md sticky top-0 z-50">

        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

            <div class="flex items-center space-x-8">

                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

                <div class="hidden md:flex space-x-6">

```

[Home](index.html)

[Back](men.html)

[Women](#)

[Kids](#)

[Sale](#)

[*far fa-heart*](#)

[*fas fa-shopping-bag*](#)

</div>

</nav>

<!-- Product Detail Section -->

<main class="container mx-auto px-4 py-12">

<div class="grid grid-cols-1 md:grid-cols-2 gap-8">

<!-- Product Images -->

<div>

<div class="bg-white p-4 rounded-lg shadow-md">

<link rel="stylesheet"

href="style.css">

<div class="product-gallery">

</div>

</div>

</div>

<!-- Product Info -->

<div>

<h1 class="text-3xl font-bold mb-2">Luxury T-shirt with pure smooth cotton.</h1>

<div class="flex items-center mb-4">

<div class="flex text-yellow-400">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

(42 reviews)

</div>

<p class="text-2xl font-bold mb-4">₹1500
₹2500 40% OFF</p>

```
<div class="mb-6">
  <h3 class="font-semibold mb-
2">COLOR</h3>
  <div class="flex space-x-2">
    <div class="w-8 h-8 rounded-full bg-gray-
800 border-2 border-black"></div>
    <div class="w-8 h-8 rounded-full bg-blue-
900 border-2 border-transparent hover:border-
black"></div>
    <div class="w-8 h-8 rounded-full bg-gray-
400 border-2 border-transparent hover:border-
black"></div>
  </div>
</div>
```

```
<div class="mb-6">
  <h3 class="font-semibold mb-2">SIZE</h3>
  <div>
    <span class="size-option">S</span>
```

</div>

</div>

<div class="mb-6">

<h3 class="font-semibold mb-2">DESCRIPTION</h3>

<p class="text-gray-600">A premium cotton T-shirt for your daily style. Your style Your way</p>

<ul class="list-disc pl-5 mt-2 text-gray-600">

70% Wool, 30% Polyester

Machine wash cold

Imported

Model is 6'2" and wearing size M

</div>

<div class="flex space-x-4">

<button class="bg-black text-white px-6 py-3 rounded-lg font-semibold hover:bg-gray-800 transition">ADD TO CART</button>

<button class="border border-black px-6 py-3 rounded-lg font-semibold hover:bg-gray-100 transition">WISHLIST</button>

</div>

<div class="mt-6 pt-6 border-t">

<div class="flex items-center text-gray-600 mb-2">

<i class="fas fa-truck mr-2"></i>

Free delivery on orders over ₹2000

</div>

<div class="flex items-center text-gray-600 mb-2">

```
        <i class="fas fa-exchange-alt mr-2"></i>
        <span>Easy 30-day returns</span>
    </div>

    <div class="flex items-center text-gray-600">
        <i class="fas fa-shield-alt mr-2"></i>
        <span>2-year warranty</span>
    </div>
</div>
</div>
</div>
</div>
```

```
<!-- Recommended Products Section -->
<div class="mt-16">
    <h2 class="text-2xl font-bold mb-8">You May Also
    Like</h2>

    <div class="grid grid-cols-1 sm:grid-cols-2
    md:grid-cols-3 lg:grid-cols-4 gap-6">

        <!-- Product Card 2 HTML -->

        <div class="product-card" data-product-id="2">

            <link rel="stylesheet" href="style.css">
```

```
<div class="product-image">
```

```
  
```

```
  <div class="quick-view">QUICK VIEW</div>
```

```
  <div class="wishlist-icon"><i class="far fa-  
heart"></i></div>
```

```
  <div class="discount-badge">-40%</div>
```

```
</div>
```

```
<div class="product-details">
```

```
  <h3 class="product-title">Standard of dress A  
perfect match to your day</h3>
```

```
  <p class="product-category">Men's Fashion</p>
```

```
  <div class="price-container">
```

```
    <span class="current-price">₹5000</span>
```

```
    <span class="original-price">₹8500</span>
```

```
</div>
```

```
<div class="rating">
```

```
  <div class="stars">
```

```
    <i class="fas fa-star"></i>
```

```
    <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

<div class="product-card" data-product-id="2">

<link rel="stylesheet" href="style.css">


```
<div class="product-image">
```

```
  
```

```
  <div class="quick-view">QUICK VIEW</div>
```

```
  <div class="wishlist-icon"><i class="far fa-  
heart"></i></div>
```

```
  <div class="discount-badge">-40%</div>
```

```
</div>
```

```
<div class="product-details">
```

```
  <h3 class="product-title">Standard of dress A  
perfect match to your day</h3>
```

```
  <p class="product-category">Men's Fashion</p>
```

```
  <div class="price-container">
```

```
    <span class="current-price">₹5000</span>
```

```
    <span class="original-price">₹8500</span>
```

```
  </div>
```

```
  <div class="rating">
```

```
    <div class="stars">
```

```
      <i class="fas fa-star"></i>
```

```
      <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

<!-- Include 4 similar products here -->

<!-- Product cards from men.html -->

```
    </div>
  </div>
</main>
```

```
<script>
  // Change main image when thumbnail is clicked
  function changeImage(element) {
    const mainImage =
document.getElementById('main-image');
    mainImage.src = element.src;

    // Remove selected class from all thumbnails

document.querySelectorAll('.thumbnail').forEach(thumb
=> {
    thumb.classList.remove('selected');
  });

  // Add selected class to clicked thumbnail
  element.classList.add('selected');
```

```
}
```

```
// Select size option
```

```
document.querySelectorAll('.size-  
option').forEach(option => {  
    option.addEventListener('click', function() {  
        document.querySelectorAll('.size-  
option').forEach(opt => {  
            opt.classList.remove('selected');  
        });  
        this.classList.add('selected');  
    });  
});
```

```
// Get product ID from URL (you would use this to  
fetch actual product data)
```

```
const urlParams = new  
URLSearchParams(window.location.search);  
  
const productId = urlParams.get('id');  
console.log('Product ID:', productId);
```

```
    // Here you would typically fetch product data  
    based on ID
```

```
</script>
```

```
</body>
```

```
</html>
```

Product3.html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-
width, initial-scale=1.0">

    <title>Product Detail - Velvet Monarch</title>

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

    <!-- Include the same styles as in men.html -->

    <style>

        <style>

            @import
url('https://fonts.googleapis.com/css2?family=Fira+Sans:
wght@400;500;700&display=swap');

            body {

                font-family: 'Fira Sans', sans-serif;

            }
```

```

        .product-card:hover {
            transform: translateY(-5px);
            box-shadow: 0 10px 25px rgba(0,0,0,0.1);
        }
    </style>

    <style>*, ::before, ::after{--tw-border-spacing-x:0;--
tw-border-spacing-y:0;--tw-translate-x:0;--tw-translate-
y:0;--tw-rotate:0;

</style>

    <!-- Include the same Tailwind CSS as in men.html -->
</head>

<body class="bg-gray-50">

    <!-- Navigation (same as men.html) -->

    <nav class="bg-white shadow-md sticky top-0 z-50">

        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

            <div class="flex items-center space-x-8">

                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

                <div class="hidden md:flex space-x-6">

```

```
        <a href="index.html" class="hover:text-gray-600">Home</a>
```

```
        <a href="men.html" class="hover:text-gray-600">Back</a>
```

```
        <a href="#" class="hover:text-gray-600">Women</a>
```

```
        <a href="#" class="hover:text-gray-600">Kids</a>
```

```
        <a href="#" class="hover:text-gray-600">Sale</a>
```

```
    </div>
```

```
</div>
```

```
<div class="flex items-center space-x-4">
```

```
    <div class="relative">
```

```
        <input type="text" placeholder="Search" class="border rounded-full py-1 px-4 text-sm focus:outline-none">
```

```
    </div>
```

```
    <a href="#"><i class="far fa-heart"></i></a>
```

```
    <a href="#"><i class="fas fa-shopping-bag"></i></a>
```

```
</div>
```


</div>

</nav>

<!-- Product Detail Section -->

<main class="container mx-auto px-4 py-12">

<div class="grid grid-cols-1 md:grid-cols-2 gap-8">

<!-- Product Images -->

<div>

<div class="bg-white p-4 rounded-lg shadow-md">

<link rel="stylesheet"

href="style.css">

<div class="product-gallery">

</div>

</div>

</div>

<!-- Product Info -->

<div>

<h1 class="text-3xl font-bold mb-2">Elegant
Blazer with luxury finish</h1>

<div class="flex items-center mb-4">

<div class="flex text-yellow-400">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

(42
reviews)

</div>

<p class="text-2xl font-bold mb-4">₹1500
<span class="text-sm text-gray-500 line-
through">₹2500 <span class="text-green-600
text-sm">40% OFF</p>

```
<div class="mb-6">
  <h3 class="font-semibold mb-
2">COLOR</h3>
  <div class="flex space-x-2">
    <div class="w-8 h-8 rounded-full bg-gray-
800 border-2 border-black"></div>
    <div class="w-8 h-8 rounded-full bg-blue-
900 border-2 border-transparent hover:border-
black"></div>
    <div class="w-8 h-8 rounded-full bg-gray-
400 border-2 border-transparent hover:border-
black"></div>
  </div>
</div>
```

```
<div class="mb-6">
  <h3 class="font-semibold mb-2">SIZE</h3>
  <div>
    <span class="size-option">S</span>
```

</div>

</div>

<div class="mb-6">

###

<ul class="list-disc pl-5 mt-2 text-gray-600">

70% synthetic cotton, 30% leather

Machine wash cold

Imported

Model is 6'2" and wearing size M

</div>

<div class="flex space-x-4">

<button class="bg-black text-white px-6 py-3 rounded-lg font-semibold hover:bg-gray-800 transition">ADD TO CART</button>

<button class="border border-black px-6 py-3 rounded-lg font-semibold hover:bg-gray-100 transition">WISHLIST</button>

</div>

<div class="mt-6 pt-6 border-t">

<div class="flex items-center text-gray-600 mb-2">

<i class="fas fa-truck mr-2"></i>

Free delivery on orders over ₹2000

</div>

<div class="flex items-center text-gray-600 mb-2">

```
        <i class="fas fa-exchange-alt mr-2"></i>
        <span>Easy 30-day returns</span>
    </div>

    <div class="flex items-center text-gray-600">
        <i class="fas fa-shield-alt mr-2"></i>
        <span>2-year warranty</span>
    </div>
</div>
</div>
</div>
</div>
```

```
<!-- Recommended Products Section -->
<div class="mt-16">
    <h2 class="text-2xl font-bold mb-8">You May Also
    Like</h2>

    <div class="grid grid-cols-1 sm:grid-cols-2
    md:grid-cols-3 lg:grid-cols-4 gap-6">

        <!-- Product Card 2 HTML -->

        <div class="product-card" data-product-id="2">

            <link rel="stylesheet" href="style.css">
```

```
<div class="product-image">
```

```
  
```

```
  <div class="quick-view">QUICK VIEW</div>
```

```
  <div class="wishlist-icon"><i class="far fa-  
heart"></i></div>
```

```
  <div class="discount-badge">-40%</div>
```

```
</div>
```

```
<div class="product-details">
```

```
  <h3 class="product-title">eriyaa Fashion Men's  
Cotton Blend Co Ord Set</h3>
```

```
  <p class="product-category">Men's Fashion</p>
```

```
  <div class="price-container">
```

```
    <span class="current-price">₹5000</span>
```

```
    <span class="original-price">₹8500</span>
```

```
</div>
```

```
<div class="rating">
```

```
  <div class="stars">
```

```
    <i class="fas fa-star"></i>
```

```
    <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

<div class="product-card" data-product-id="2">

<link rel="stylesheet" href="style.css">


```
<div class="product-image">
```

```
  
```

```
  <div class="quick-view">QUICK VIEW</div>
```

```
  <div class="wishlist-icon"><i class="far fa-  
heart"></i></div>
```

```
  <div class="discount-badge">-40%</div>
```

```
</div>
```

```
<div class="product-details">
```

```
  <h3 class="product-title">Standard of dress A  
perfect match to your day</h3>
```

```
  <p class="product-category">Men's Fashion</p>
```

```
  <div class="price-container">
```

```
    <span class="current-price">₹5000</span>
```

```
    <span class="original-price">₹8500</span>
```

```
</div>
```

```
<div class="rating">
```

```
  <div class="stars">
```

```
    <i class="fas fa-star"></i>
```

```
    <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

<!-- Include 4 similar products here -->

<!-- Product cards from men.html -->

```
    </div>
  </div>
</main>
```

```
<script>
  // Change main image when thumbnail is clicked
  function changeImage(element) {
    const mainImage =
document.getElementById('main-image');
    mainImage.src = element.src;

    // Remove selected class from all thumbnails

document.querySelectorAll('.thumbnail').forEach(thumb
=> {
    thumb.classList.remove('selected');
  });

  // Add selected class to clicked thumbnail
  element.classList.add('selected');
```

```
}
```

```
// Select size option
```

```
document.querySelectorAll('.size-  
option').forEach(option => {  
    option.addEventListener('click', function() {  
        document.querySelectorAll('.size-  
option').forEach(opt => {  
            opt.classList.remove('selected');  
        });  
        this.classList.add('selected');  
    });  
});
```

```
// Get product ID from URL (you would use this to  
fetch actual product data)
```

```
const urlParams = new  
URLSearchParams(window.location.search);  
  
const productId = urlParams.get('id');  
console.log('Product ID:', productId);
```

```
    // Here you would typically fetch product data  
    based on ID
```

```
  </script>
```

```
</body>
```

```
</html>
```

Product1.html

```
<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-
width, initial-scale=1.0">

    <title>Product Detail - Velvet Monarch</title>

    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

    <!-- Include the same styles as in men.html -->

    <style>

        <style>

            @import
url('https://fonts.googleapis.com/css2?family=Fira+Sans:
wght@400;500;700&display=swap');

            body {

                font-family: 'Fira Sans', sans-serif;

            }
```

```

        .product-card:hover {
            transform: translateY(-5px);
            box-shadow: 0 10px 25px rgba(0,0,0,0.1);
        }
    </style>

    <style>*, ::before, ::after{--tw-border-spacing-x:0;--
tw-border-spacing-y:0;--tw-translate-x:0;--tw-translate-
y:0;--tw-rotate:0;--tw-skew-x:0;--tw-skew-y:0;--tw-scale-
x:1;

</style>

<!-- Include the same Tailwind CSS as in men.html -->
</head>

<body class="bg-gray-50">

    <!-- Navigation (same as men.html) -->

    <nav class="bg-white shadow-md sticky top-0 z-50">

        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

            <div class="flex items-center space-x-8">

                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

```

```
<div class="hidden md:flex space-x-6">
  <a href="index.html" class="hover:text-gray-600">Home</a>
  <a href="men.html" class="hover:text-gray-600">Back</a>
  <a href="#" class="hover:text-gray-600">Women</a>
  <a href="#" class="hover:text-gray-600">Kids</a>
  <a href="#" class="hover:text-gray-600">Sale</a>
</div>
</div>
<div class="flex items-center space-x-4">
  <div class="relative">
    <input type="text" placeholder="Search"
    class="border rounded-full py-1 px-4 text-sm
    focus:outline-none">
  </div>
  <a href="#"><i class="far fa-heart"></i></a>
  <a href="#"><i class="fas fa-shopping-bag"></i></a>
```


</div>

</div>

</nav>

<!-- Product Detail Section -->

<main class="container mx-auto px-4 py-12">

<div class="grid grid-cols-1 md:grid-cols-2 gap-8">

<!-- Product Images -->

<div>

<div class="bg-white p-4 rounded-lg shadow-md">

<link rel="stylesheet"

href="style.css">

<div class="product-gallery">

</div>

</div>

</div>

<!-- Product Info -->

<div>

<h1 class="text-3xl font-bold mb-2">Luxury
Sweat coat with the best wool</h1>

<div class="flex items-center mb-4">

<div class="flex text-yellow-400">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

(42
reviews)

</div>

<p class="text-2xl font-bold mb-4">₹1500
<span class="text-sm text-gray-500 line-

through">₹2500 40% OFF</p>

<div class="mb-6">

<h3 class="font-semibold mb-2">COLOR</h3>

<div class="flex space-x-2">

<div class="w-8 h-8 rounded-full bg-gray-800 border-2 border-black"></div>

<div class="w-8 h-8 rounded-full bg-blue-900 border-2 border-transparent hover:border-black"></div>

<div class="w-8 h-8 rounded-full bg-gray-400 border-2 border-transparent hover:border-black"></div>

</div>

</div>

<div class="mb-6">

<h3 class="font-semibold mb-2">SIZE</h3>

<div>

```
<span class="size-option">S</span>
<span class="size-option
selected">M</span>
<span class="size-option">L</span>
<span class="size-option">XL</span>
<span class="size-option">XXL</span>
</div>
<a href="#" class="text-sm text-gray-600
hover:underline mt-2 inline-block">Size Guide</a>
</div>
```

```
<div class="mb-6">
  <h3 class="font-semibold mb-
2">DESCRIPTION</h3>
  <p class="text-gray-600">Premium quality
sweat coat made with the finest wool blend. Perfect for
winter seasons with its thermal insulation properties.
Features a modern fit with ribbed cuffs and hem for a
stylish look.</p>
  <ul class="list-disc pl-5 mt-2 text-gray-600">
    <li>70% Wool, 30% Polyester</li>
```

```
<li>Machine wash cold</li>
<li>Imported</li>
<li>Model is 6'2" and wearing size M</li>
</ul>
</div>
```

```
<div class="flex space-x-4">
  <button class="bg-black text-white px-6 py-3
rounded-lg font-semibold hover:bg-gray-800
transition">ADD TO CART</button>
  <button class="border border-black px-6 py-3
rounded-lg font-semibold hover:bg-gray-100
transition">WISHLIST</button>
</div>
```

```
<div class="mt-6 pt-6 border-t">
  <div class="flex items-center text-gray-600
mb-2">
    <i class="fas fa-truck mr-2"></i>
    <span>Free delivery on orders over
₹2000</span>
```

</div>

<div class="flex items-center text-gray-600
mb-2">

<i class="fas fa-exchange-alt mr-2"></i>

Easy 30-day returns

</div>

<div class="flex items-center text-gray-600">

<i class="fas fa-shield-alt mr-2"></i>

2-year warranty

</div>

</div>

</div>

</div>

<!-- Recommended Products Section -->

<div class="mt-16">

<h2 class="text-2xl font-bold mb-8">You May Also
Like</h2>

<div class="grid grid-cols-1 sm:grid-cols-2
md:grid-cols-3 lg:grid-cols-4 gap-6">

<!-- Product Card 2 HTML -->

<div class="product-card" data-product-id="2">

<div class="product-image">

<div class="quick-view">QUICK VIEW</div>

<div class="wishlist-icon"><i class="far fa-heart"></i></div>

<div class="discount-badge">-40%</div>

</div>

<div class="product-details">

<h3 class="product-title">Standard of dress A perfect match to your day</h3>

<p class="product-category">Men's Fashion</p>

<div class="price-container">

₹5000

₹8500

</div>

<div class="rating">

<div class="stars">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>


```
<div class="product-card" data-product-id="2">
  <div class="product-image">
    
    <div class="quick-view">QUICK VIEW</div>
    <div class="wishlist-icon"><i class="far fa-
heart"></i></div>
    <div class="discount-badge">-40%</div>
  </div>
  <div class="product-details">
    <h3 class="product-title">Standard of dress A
perfect match to your day</h3>
    <p class="product-category">Men's Fashion</p>
    <div class="price-container">
      <span class="current-price">₹5000</span>
      <span class="original-price">₹8500</span>
    </div>
    <div class="rating">
      <div class="stars">
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

```
<div class="product-card" data-product-id="2">
  <div class="product-image">
    
    <div class="quick-view">QUICK VIEW</div>
    <div class="wishlist-icon"><i class="far fa-
heart"></i></div>
    <div class="discount-badge">-40%</div>
  </div>
  <div class="product-details">
    <h3 class="product-title">Standard of dress A
perfect match to your day</h3>
    <p class="product-category">Men's Fashion</p>
    <div class="price-container">
      <span class="current-price">₹5000</span>
      <span class="original-price">₹8500</span>
    </div>
    <div class="rating">
      <div class="stars">
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

```
        <!-- Include 4 similar products here -->

        <!-- Product cards from men.html -->

    </div>

</div>

</main>
```

```
<script>

    // Change main image when thumbnail is clicked

    function changeImage(element) {

        const mainImage =
document.getElementById('main-image');

        mainImage.src = element.src;

        // Remove selected class from all thumbnails

document.querySelectorAll('.thumbnail').forEach(thumb
=> {

        thumb.classList.remove('selected');

    });
```

```
// Add selected class to clicked thumbnail  
element.classList.add('selected');  
}
```

```
// Select size option  
document.querySelectorAll('.size-  
option').forEach(option => {  
    option.addEventListener('click', function() {  
        document.querySelectorAll('.size-  
option').forEach(opt => {  
            opt.classList.remove('selected');  
        });  
        this.classList.add('selected');  
    });  
});
```

```
// Get product ID from URL (you would use this to  
fetch actual product data)  
  
const urlParams = new  
URLSearchParams(window.location.search);
```

```
    const productId = urlParams.get('id');  
    console.log('Product ID:', productId);  
    // Here you would typically fetch product data  
    based on ID  
  </script>  
</body>  
</html>
```

Product2.html

```
<!DOCTYPE html>

<html lang="en">

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-
width, initial-scale=1.0">

  <title>Product Detail - Velvet Monarch</title>

  <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/6.4.0/css/all.min.css">

  <!-- Include the same styles as in men.html -->

  <style>

    <style>

      @import
url('https://fonts.googleapis.com/css2?family=Fira+Sans:
wght@400;500;700&display=swap');

      body {

        font-family: 'Fira Sans', sans-serif;

      }
```



```

        .product-card:hover {
            transform: translateY(-5px);
            box-shadow: 0 10px 25px rgba(0,0,0,0.1);
        }
    </style>

    <style>*, ::before, ::after{--tw-border-spacing-x:0;--
tw-border-spacing-y:0;--tw-translate-x:0;--tw-translate-
y:0;--tw-rotate:0;--tw-skew-x:0;--tw-skew-y:0;

</style>

    <!-- Include the same Tailwind CSS as in men.html -->
</head>

<body class="bg-gray-50">

    <!-- Navigation (same as men.html) -->

    <nav class="bg-white shadow-md sticky top-0 z-50">

        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

            <div class="flex items-center space-x-8">

                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

                <div class="hidden md:flex space-x-6">

```

```
        <a href="index.html" class="hover:text-gray-600">Home</a>
```

```
        <a href="men.html" class="hover:text-gray-600">Back</a>
```

```
        <a href="#" class="hover:text-gray-600">Women</a>
```

```
        <a href="#" class="hover:text-gray-600">Kids</a>
```

```
        <a href="#" class="hover:text-gray-600">Sale</a>
```

```
    </div>
```

```
</div>
```

```
<div class="flex items-center space-x-4">
```

```
    <div class="relative">
```

```
        <input type="text" placeholder="Search" class="border rounded-full py-1 px-4 text-sm focus:outline-none">
```

```
    </div>
```

```
    <a href="#"><i class="far fa-heart"></i></a>
```

```
    <a href="#"><i class="fas fa-shopping-bag"></i></a>
```

```
</div>
```

</div>

</nav>

<!-- Product Detail Section -->

<main class="container mx-auto px-4 py-12">

<div class="grid grid-cols-1 md:grid-cols-2 gap-8">

<!-- Product Images -->

<div>

<div class="bg-white p-4 rounded-lg shadow-md">

<link rel="stylesheet"

href="style.css">

<div class="product-gallery">

</div>

</div>

</div>

<!-- Product Info -->

<div>

<h1 class="text-3xl font-bold mb-2">Luxury T-shirt with pure smooth cotton.</h1>

<div class="flex items-center mb-4">

<div class="flex text-yellow-400">

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="fas fa-star-half-alt"></i>

</div>

(42 reviews)

</div>

<p class="text-2xl font-bold mb-4">₹1500
₹2500 40% OFF</p>

```
<div class="mb-6">
  <h3 class="font-semibold mb-
2">COLOR</h3>
  <div class="flex space-x-2">
    <div class="w-8 h-8 rounded-full bg-gray-
800 border-2 border-black"></div>
    <div class="w-8 h-8 rounded-full bg-blue-
900 border-2 border-transparent hover:border-
black"></div>
    <div class="w-8 h-8 rounded-full bg-gray-
400 border-2 border-transparent hover:border-
black"></div>
  </div>
</div>
```

```
<div class="mb-6">
  <h3 class="font-semibold mb-2">SIZE</h3>
  <div>
    <span class="size-option">S</span>
```

</div>

</div>

<div class="mb-6">

###

<ul class="list-disc pl-5 mt-2 text-gray-600">

70% Wool, 30% Polyester

Machine wash cold

Imported

Model is 6'2" and wearing size M

</div>

<div class="flex space-x-4">

<button class="bg-black text-white px-6 py-3 rounded-lg font-semibold hover:bg-gray-800 transition">ADD TO CART</button>

<button class="border border-black px-6 py-3 rounded-lg font-semibold hover:bg-gray-100 transition">WISHLIST</button>

</div>

<div class="mt-6 pt-6 border-t">

<div class="flex items-center text-gray-600 mb-2">

<i class="fas fa-truck mr-2"></i>

Free delivery on orders over ₹2000

</div>

<div class="flex items-center text-gray-600 mb-2">

```
        <i class="fas fa-exchange-alt mr-2"></i>
        <span>Easy 30-day returns</span>
    </div>

    <div class="flex items-center text-gray-600">
        <i class="fas fa-shield-alt mr-2"></i>
        <span>2-year warranty</span>
    </div>
</div>
</div>
</div>
</div>
```

```
<!-- Recommended Products Section -->
<div class="mt-16">
    <h2 class="text-2xl font-bold mb-8">You May Also
    Like</h2>

    <div class="grid grid-cols-1 sm:grid-cols-2
    md:grid-cols-3 lg:grid-cols-4 gap-6">

        <!-- Product Card 2 HTML -->

        <div class="product-card" data-product-id="2">

            <link rel="stylesheet" href="style.css">
```



```
<div class="product-image">
```

```
  
```

```
  <div class="quick-view">QUICK VIEW</div>
```

```
  <div class="wishlist-icon"><i class="far fa-  
heart"></i></div>
```

```
  <div class="discount-badge">-40%</div>
```

```
</div>
```

```
<div class="product-details">
```

```
  <h3 class="product-title">Standard of dress A  
perfect match to your day</h3>
```

```
  <p class="product-category">Men's Fashion</p>
```

```
  <div class="price-container">
```

```
    <span class="current-price">₹5000</span>
```

```
    <span class="original-price">₹8500</span>
```

```
  </div>
```

```
  <div class="rating">
```

```
    <div class="stars">
```

```
      <i class="fas fa-star"></i>
```

```
      <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

<div class="product-card" data-product-id="2">

<link rel="stylesheet" href="style.css">

```
<div class="product-image">
```

```
  
```

```
  <div class="quick-view">QUICK VIEW</div>
```

```
  <div class="wishlist-icon"><i class="far fa-  
heart"></i></div>
```

```
  <div class="discount-badge">-40%</div>
```

```
</div>
```

```
<div class="product-details">
```

```
  <h3 class="product-title">Standard of dress A  
perfect match to your day</h3>
```

```
  <p class="product-category">Men's Fashion</p>
```

```
  <div class="price-container">
```

```
    <span class="current-price">₹5000</span>
```

```
    <span class="original-price">₹8500</span>
```

```
  </div>
```

```
  <div class="rating">
```

```
    <div class="stars">
```

```
      <i class="fas fa-star"></i>
```

```
      <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

(28)

</div>

<button class="add-to-cart">ADD TO
CART</button>

<div class="size-options hidden">

S

M

L

XL

XXL

</div>

</div>

</div>

<!-- Include 4 similar products here -->

<!-- Product cards from men.html -->

```
    </div>
  </div>
</main>
```

```
<script>
  // Change main image when thumbnail is clicked
  function changeImage(element) {
    const mainImage =
document.getElementById('main-image');
    mainImage.src = element.src;

    // Remove selected class from all thumbnails

document.querySelectorAll('.thumbnail').forEach(thumb
=> {
    thumb.classList.remove('selected');
  });

  // Add selected class to clicked thumbnail
  element.classList.add('selected');
```

```
}
```

```
// Select size option
```

```
document.querySelectorAll('.size-  
option').forEach(option => {  
    option.addEventListener('click', function() {  
        document.querySelectorAll('.size-  
option').forEach(opt => {  
            opt.classList.remove('selected');  
        });  
        this.classList.add('selected');  
    });  
});
```

```
// Get product ID from URL (you would use this to  
fetch actual product data)
```

```
const urlParams = new  
URLSearchParams(window.location.search);  
  
const productId = urlParams.get('id');  
console.log('Product ID:', productId);
```

```
    // Here you would typically fetch product data  
    based on ID
```

```
  </script>
```

```
</body>
```

```
</html>
```

Women.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-  
width, initial-scale=1.0">
```

```
  <title>Women's Collection - Velvet Monarch</title>
```

```
  <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.4.0/css/all.min.css">
```

```
  <style>
```

```
    @import  
url('https://fonts.googleapis.com/css2?family=Fira+Sans:  
wght@400;500;700&display=swap');
```

```
    body {  
      font-family: 'Fira Sans', sans-serif;  
    }
```

```
    .product-card:hover {  
      transform: translateY(-5px);
```



```

        box-shadow: 0 10px 25px rgba(0,0,0,0.1);
    }
</style>
<style>*, ::before, ::after{--tw-border-spacing-x:0;--tw-
border-spacing-y:0;--tw-translate-x:0;--tw-translate-y:0;-
-tw-rotate:0;
<body class="bg-gray-50">
    <!-- Navigation -->
    <nav class="bg-white shadow-md sticky top-0 z-50">
        <div class="container mx-auto px-4 py-3 flex justify-
between items-center">
            <div class="flex items-center space-x-8">
                <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>
                <div class="hidden md:flex space-x-6">
                    <a href="index.html" class="hover:text-gray-
600">Home</a>
                    <a href="#" class="font-bold text-gray-
900">Women</a>
                    <a href="#" class="hover:text-gray-
600">Kids</a>

```

```
        <a href="#" class="hover:text-gray-600">Sale</a>
```

```
    </div>
```

```
</div>
```

```
<div class="flex items-center space-x-4">
```

```
    <div class="relative">
```

```
        <input type="text" placeholder="Search"
class="border rounded-full py-1 px-4 text-sm
focus:outline-none">
```

```
    </div>
```

```
        <a href="#"><i class="far fa-heart"></i></a>
```

```
        <a href="#"><i class="fas fa-shopping-
bag"></i></a>
```

```
    </div>
```

```
</div>
```

```
</nav>
```

```
<body>
```

```
<div class="slideshow-container">
```

```
    <div class="slider-wrapper">
```

```
<link rel="stylesheet" href="style.css">
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
<div class="slide"></div>
```

```
</div>
```

```
<!-- Navigation Dots -->
```

```
<div class="dots">
```

```
<span class="dot"  
onclick="currentSlide(1)"></span>
```

```
<span class="dot"  
onclick="currentSlide(2)"></span>
```

```
<span class="dot"  
onclick="currentSlide(3)"></span>
```

```
        <span class="dot"
onclick="currentSlide(4)"></span>
```

```
        <span class="dot"
onclick="currentSlide(5)"></span>
```

```
    </div>
```

```
</div>
```

```
    <script src="script.js"></script>
```

```
</body>
```

```
<!-- Main Content -->
```

```
<main class="container mx-auto px-4 py-12">
```

```
    <h2 class="text-3xl font-bold mb-8">Women's
Collection</h2>
```

```
<!-- Product Grid -->
```

```
    <div class="grid grid-cols-1 sm:grid-cols-2 md:grid-
cols-3 lg:grid-cols-4 gap-6">
```

```
        <!-- Product Card 1 -->
```

```
            <div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="wproduct1-detail.html?id=1">

  <div class="relative overflow-hidden h-64">

    

    <div class="absolute inset-0 bg-black bg-
    opacity-0 hover:bg-opacity-10 transition"></div>

  </div>

  <div class="p-4">

    <h3 class="font-semibold text-lg">Elegant
    Evening Gown</h3>

    <p class="text-gray-600">Formal Wear</p>

    <p class="font-bold mt-2">₹12,999</p>

  </div>

</a>

</div>
```

```
<!-- Product Card 2 -->

<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">

  <a href="wproduct2-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```
    
```

```
    <div class="absolute inset-0 bg-black bg-
    opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
    <h3 class="font-semibold text-lg">Summer
    Floral Dress</h3>
```

```
    <p class="text-gray-600">Casual Wear</p>
```

```
    <p class="font-bold mt-2">₹4,500</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 3 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="wproduct3-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Designer
Blazer Set</h3>
```

```
<p class="text-gray-600">Office Wear</p>
```

```
<p class="font-bold mt-2">₹9,500</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 4 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="wproduct4-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Casual
Denim Jacket</h3>
```

```
<p class="text-gray-600">Outerwear</p>
```

```
<p class="font-bold mt-2">₹6,200</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 5 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="wproduct5-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```



```
        
```

```
        <div class="absolute inset-0 bg-black bg-  
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
    </div>
```

```
    <div class="p-4">
```

```
        <h3 class="font-semibold text-lg">Silk  
Saree with Blouse</h3>
```

```
        <p class="text-gray-600">Traditional  
Wear</p>
```

```
        <p class="font-bold mt-2">₹15,999</p>
```

```
    </div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 6 -->
```

```
    <div class="product-card bg-white rounded-lg  
overflow-hidden shadow-md transition duration-300">
```

```
        <a href="wproduct6-detail.html?id=1">
```

```
            <div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Party
Jumpsuit</h3>
```

```
<p class="text-gray-600">Evening
Wear</p>
```

```
<p class="font-bold mt-2">₹8,750</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 7 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="wproduct7-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```
        
```

```
        <div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
    </div>
```

```
    <div class="p-4">
```

```
        <h3 class="font-semibold text-lg">Casual T-
shirt and Jeans</h3>
```

```
        <p class="text-gray-600">Daily Wear</p>
```

```
        <p class="font-bold mt-2">₹3,999</p>
```

```
    </div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 8 -->
```

```
    <div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
        <a href="wproduct8-detail.html?id=1">
```

```
            <div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Designer
Kurti Set</h3>
```

```
<p class="text-gray-600">Ethnic Wear</p>
```

```
<p class="font-bold mt-2">₹5,500</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 9 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="wproduct9-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```
        
```

```
        <div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
    </div>
```

```
    <div class="p-4">
```

```
        <h3 class="font-semibold text-lg">Winter
Coat</h3>
```

```
        <p class="text-gray-600">Seasonal
Wear</p>
```

```
        <p class="font-bold mt-2">₹11,200</p>
```

```
    </div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 10 -->
```

```
    <div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
        <a href="wproduct10-detail.html?id=1">
```

```
            <div class="relative overflow-hidden h-64">
```

```
        
```

```
        <div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
    </div>
```

```
    <div class="p-4">
```

```
        <h3 class="font-semibold text-lg">Bridal
Lehenga</h3>
```

```
        <p class="text-gray-600">Wedding
Wear</p>
```

```
        <p class="font-bold mt-2">₹35,999</p>
```

```
    </div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 11 -->
```

```
    <div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
        <a href="wproduct11-detail.html?id=1">
```

```
            <div class="relative overflow-hidden h-64">
```

```
        
```

```
        <div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
    </div>
```

```
    <div class="p-4">
```

```
        <h3 class="font-semibold text-lg">Casual
Summer Top</h3>
```

```
        <p class="text-gray-600">Casual Wear</p>
```

```
        <p class="font-bold mt-2">₹2,499</p>
```

```
    </div>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</main>
```

```
<footer class="bg-gray-900 text-white py-8">
```

```
    <div class="container mx-auto px-4">
```

```
        <div class="grid grid-cols-1 md:grid-cols-4 gap-8">
```

<div>

<h3 class="text-xl font-bold mb-4">VELVET
MONARCH</h3>

<p class="text-gray-400">Premium fashion
for the modern individual.</p>

</div>

<div>

<h4 class="font-semibold mb-4">Shop</h4>

<ul class="space-y-2">

<a href="#" class="text-gray-400
hover:text-white">Women

<a href="#" class="text-gray-400
hover:text-white">Men

<a href="#" class="text-gray-400
hover:text-white">Kids

<a href="#" class="text-gray-400
hover:text-white">New Arrivals

</div>

<div>

<h4 class="font-semibold mb-4">Help</h4>


```
<ul class="space-y-2">
```

```
  <li><a href="#" class="text-gray-400
  hover:text-white">Customer Service</a></li>
```

```
  <li><a href="#" class="text-gray-400
  hover:text-white">Track Order</a></li>
```

```
  <li><a href="#" class="text-gray-400
  hover:text-white">Returns & Exchanges</a></li>
```

```
  <li><a href="#" class="text-gray-400
  hover:text-white">FAQs</a></li>
```

```
</ul>
```

```
</div>
```

```
<div>
```

```
  <h4 class="font-semibold mb-
  4">Contact</h4>
```

```
  <p class="text-gray-400">Email:
  info@velvetmonarch.com</p>
```

```
  <p class="text-gray-400">Phone: +91
  9876543210</p>
```

```
<div class="flex space-x-4 mt-4">
```

```
  <a href="#"><i class="fab fa-facebook-
  f"></i></a>
```

[*<i class="fab fa-instagram"></i>*](#)

[*<i class="fab fa-twitter"></i>*](#)

</div>

</div>

</div>

<div class="border-t border-gray-800 mt-8 pt-8 text-center text-gray-400">

<p>© 2025 Velvet Monarch. All rights reserved.</p>

</div>

</div>

</footer>

</body>

</html>

Kids.html

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
  <meta charset="UTF-8">
```

```
  <meta name="viewport" content="width=device-  
width, initial-scale=1.0">
```

```
  <title>Kids' Collection - Velvet Monarch</title>
```

```
  <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/font-  
awesome/6.4.0/css/all.min.css">
```

```
  <style>
```

```
    @import  
url('https://fonts.googleapis.com/css2?family=Fira+Sans:  
wght@400;500;700&display=swap');
```

```
    body {  
      font-family: 'Fira Sans', sans-serif;  
    }
```

```
    .product-card:hover {  
      transform: translateY(-5px);
```

```
    box-shadow: 0 10px 25px rgba(0,0,0,0.1);  
}
```

```
/* Slideshow styles */  
.slideshow-container {  
    position: relative;  
    max-width: 100%;  
    overflow: hidden;  
    height: 500px;  
}
```

```
.slider-wrapper {  
    display: flex;  
    width: 100%;  
    height: 100%;  
    transition: transform 0.5s ease;  
}
```

```
.slide {
```

```
    min-width: 100%;  
    height: 100%;  
}
```

```
.slide img {  
    width: 100%;  
    height: 100%;  
    object-fit: cover;  
}
```

```
.dots {  
    position: absolute;  
    bottom: 20px;  
    left: 50%;  
    transform: translateX(-50%);  
    display: flex;  
}
```

```
.dot {
```

```
width: 12px;
height: 12px;
border-radius: 50%;
background-color: rgba(255,255,255,0.5);
margin: 0 5px;
cursor: pointer;
transition: background-color 0.3s;
}
```

```
.dot.active {
    background-color: white;
}
```

```
</style>
```

```
<style>*, ::before, ::after{--tw-border-spacing-x:0;--tw-
border-spacing-y:0;--tw-translate-x:0;--tw-translate-y:0;-
-tw-rotate:0;--tw-skew-x:0;--tw-skew-y:0;--tw-scale-x:1;--
tw-scale-y:1;--tw-pan-x: ;--tw-pan-y: ;--tw-pinch-zoom: ;-
script>
```

```
<body class="bg-gray-50">
```

```
<!-- Navigation -->

<nav class="bg-white shadow-md sticky top-0 z-50">

  <div class="container mx-auto px-4 py-3 flex justify-
between items-center">

    <div class="flex items-center space-x-8">

      <a href="#" class="text-2xl font-bold">VELVET
MONARCH</a>

      <div class="hidden md:flex space-x-6">

        <a href="index.html" class="hover:text-gray-
600">Home</a>

        <a href="women.html" class="hover:text-
gray-600">Women</a>

        <a href="#" class="font-bold text-gray-900"
k

      </div>

    </div>

    <div class="flex items-center space-x-4">

      <div class="relative">

        <input type="text" placeholder="Search"
class="border rounded-full py-1 px-4 text-sm
focus:outline-none">

      </div>

    </div>

  </div>

</nav>
```

```
<a href="#"><i class="far fa-heart"></i></a>

<a href="#"><i class="fas fa-shopping-
bag"></i></a>

</div>

</div>

</nav>


<div class="slideshow-container">

  <div class="slider-wrapper">

    <div class="slide"></div>

    <div class="slide"></div>

    <div class="slide"></div>

    <div class="slide"></div>

    <div class="slide"></div>

  </div>
```



```
<!-- Navigation Dots -->

<div class="dots">

    <span class="dot"
onclick="currentSlide(1)"></span>

    <span class="dot"
onclick="currentSlide(2)"></span>

    <span class="dot"
onclick="currentSlide(3)"></span>

    <span class="dot"
onclick="currentSlide(4)"></span>

    <span class="dot"
onclick="currentSlide(5)"></span>

</div>

</div>


<!-- Main Content -->

<main class="container mx-auto px-4 py-12">

    <h2 class="text-3xl font-bold mb-8">Kids'
Collection</h2>


    <!-- Age Group Filter -->
```

```
<div class="mb-8 flex space-x-4 overflow-x-auto pb-2">
```

```
<button class="px-4 py-2 bg-black text-white rounded-full whitespace-nowrap">All</button>
```

```
<button class="px-4 py-2 bg-gray-200 hover:bg-gray-300 rounded-full whitespace-nowrap">0-2 Years</button>
```

```
<button class="px-4 py-2 bg-gray-200 hover:bg-gray-300 rounded-full whitespace-nowrap">3-6 Years</button>
```

```
<button class="px-4 py-2 bg-gray-200 hover:bg-gray-300 rounded-full whitespace-nowrap">7-10 Years</button>
```

```
<button class="px-4 py-2 bg-gray-200 hover:bg-gray-300 rounded-full whitespace-nowrap">10+ Years</button>
```

```
</div>
```

```
<!-- Product Grid -->
```

```
<div class="grid grid-cols-1 sm:grid-cols-2 md:grid-cols-3 lg:grid-cols-4 gap-6">
```

```
<!-- Product Card 1 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product1-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Cute
Animal Onesie</h3>
```

```
<p class="text-gray-600">Baby Wear (0-2
Years)</p>
```

```
<p class="font-bold mt-2">₹1,299</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 2 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">

  <a href="kids-product2-detail.html?id=1">

    <div class="relative overflow-hidden h-64">

      

      <div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>

    </div>

    <div class="p-4">

      <h3 class="font-semibold text-lg">Denim
Jacket Set</h3>

      <p class="text-gray-600">Boys (3-6
Years)</p>

      <p class="font-bold mt-2">₹2,499</p>

    </div>

  </a>

</div>

<!-- Product Card 3 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product3-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Princess
Dress</h3>
```

```
<p class="text-gray-600">Girls (4-8
Years)</p>
```

```
<p class="font-bold mt-2">₹3,200</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 4 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product4-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">School
Uniform Set</h3>
```

```
<p class="text-gray-600">Kids (7-12
Years)</p>
```

```
<p class="font-bold mt-2">₹1,899</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 5 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product5-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Cartoon
T-shirt & Shorts</h3>
```

```
<p class="text-gray-600">Toddler (2-4
Years)</p>
```

```
<p class="font-bold mt-2">₹999</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 6 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product6-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Winter
Jacket</h3>
```

```
<p class="text-gray-600">Kids (5-10
Years)</p>
```

```
<p class="font-bold mt-2">₹2,750</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 7 -->
```



```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product7-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-
lg">Traditional Kurta Set</h3>
```

```
<p class="text-gray-600">Boys (6-12
Years)</p>
```

```
<p class="font-bold mt-2">₹2,199</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 8 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product8-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Lehenga
Choli Set</h3>
```

```
<p class="text-gray-600">Girls (5-10
Years)</p>
```

```
<p class="font-bold mt-2">₹4,500</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 9 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">

  <a href="kids-product9-detail.html?id=1">

    <div class="relative overflow-hidden h-64">

      

      <div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>

    </div>

    <div class="p-4">

      <h3 class="font-semibold text-lg">Sports
Tracksuit</h3>

      <p class="text-gray-600">Kids (8-12
Years)</p>

      <p class="font-bold mt-2">₹2,899</p>

    </div>

  </a>

</div>

<!-- Product Card 10 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product10-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Casual T-
shirt & Jeans</h3>
```

```
<p class="text-gray-600">Boys (5-9
Years)</p>
```

```
<p class="font-bold mt-2">₹1,799</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 11 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product11-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Party
Frock</h3>
```

```
<p class="text-gray-600">Girls (3-7
Years)</p>
```

```
<p class="font-bold mt-2">₹3,500</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
<!-- Product Card 12 -->
```

```
<div class="product-card bg-white rounded-lg
overflow-hidden shadow-md transition duration-300">
```

```
<a href="kids-product12-detail.html?id=1">
```

```
<div class="relative overflow-hidden h-64">
```

```

```

```
<div class="absolute inset-0 bg-black bg-
opacity-0 hover:bg-opacity-10 transition"></div>
```

```
</div>
```

```
<div class="p-4">
```

```
<h3 class="font-semibold text-lg">Raincoat
Set</h3>
```

```
<p class="text-gray-600">Kids (4-8
Years)</p>
```

```
<p class="font-bold mt-2">₹1,499</p>
```

```
</div>
```

```
</a>
```

```
</div>
```

```
</div>
```

```
</main>
```

<!-- Newsletter Section -->

<section class="bg-gray-100 py-12">

<div class="container mx-auto px-4 text-center">

<h2 class="text-2xl font-bold mb-4">Subscribe to
Our Newsletter</h2>

<p class="text-gray-600 mb-6">Get updates on
new arrivals, special offers and more</p>

<div class="max-w-md mx-auto flex">

<input type="email" placeholder="Your email
address" class="flex-grow px-4 py-2 rounded-l-lg
focus:outline-none">

<button class="bg-black text-white px-6 py-2
rounded-r-lg">Subscribe</button>

</div>

</div>

</section>

<!-- Footer -->

<footer class="bg-gray-900 text-white py-12">

<div class="container mx-auto px-4">

<div class="grid grid-cols-1 md:grid-cols-4 gap-8">

<div>

<h3 class="text-xl font-bold mb-4">VELVET
MONARCH</h3>

<p class="text-gray-400">Premium fashion
for the modern family. Quality clothing for women and
kids.</p>

</div>

<div>

<h4 class="font-semibold mb-4">Shop</h4>

<ul class="space-y-2">

<a href="#" class="text-gray-400
hover:text-white">Women

<a href="#" class="text-gray-400
hover:text-white">Kids

<a href="#" class="text-gray-400
hover:text-white">New Arrivals

<a href="#" class="text-gray-400
hover:text-white">Sale

</div>

<div>

<h4 class="font-semibold mb-4">Help</h4>

<ul class="space-y-2">

<a href="#" class="text-gray-400
hover:text-white">Customer Service

<a href="#" class="text-gray-400
hover:text-white">Track Order

<a href="#" class="text-gray-400
hover:text-white">Returns & Exchanges

<a href="#" class="text-gray-400
hover:text-white">Shipping Info

</div>

<div>

<h4 class="font-semibold mb-4">Contact</h4>

<ul class="space-y-2">

<li class="text-gray-400">123 Fashion
Street, Mumbai

<li class="text-gray-400">India -
400001

<li class="text-gray-400">+91 98765
43210

```
      <li class="text-gray-400">info@velvetmonarch.com</li>
```

```
    </ul>
```

```
  </div>
```

```
</div>
```

```
  <div class="border-t border-gray-800 mt-8 pt-8 flex flex-col md:flex-row justify-between items-center">
```

```
    <p class="text-gray-400">© 2023 Velvet Monarch. All rights reserved.</p>
```

```
    <div class="flex space-x-6 mt-4 md:mt-0">
```

```
      <a href="#" class="text-gray-400 hover:text-white"><i class="fab fa-facebook-f"></i></a>
```

```
      <a href="#" class="text-gray-400 hover:text-white"><i class="fab fa-instagram"></i></a>
```

```
      <a href="#" class="text-gray-400 hover:text-white"><i class="fab fa-twitter"></i></a>
```

```
      <a href="#" class="text-gray-400 hover:text-white"><i class="fab fa-pinterest"></i></a>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
</footer>
```

```
<script>
```

```
    // Slideshow functionality
```

```
    let slideIndex = 0;
```

```
    showSlides();
```

```
    function showSlides() {
```

```
        let i;
```

```
        let slides =
```

```
document.getElementsByClassName("slide");
```

```
        let dots =
```

```
document.getElementsByClassName("dot");
```

```
        // Hide all slides
```

```
        for (i = 0; i < slides.length; i++) {
```

```
            slides[i].style.display = "none";
```

```
        }
```

```
        // Increment slide index
```

```
slideIndex++;
```

```
// Reset to first slide if at end
```

```
if (slideIndex > slides.length) {
```

```
    slideIndex = 1;
```

```
}
```

```
// Remove active class from all dots
```

```
for (i = 0; i < dots.length; i++) {
```

```
    dots[i].className = dots[i].className.replace("active", "");
```

```
}
```

```
// Show current slide and set dot as active
```

```
slides[slideIndex-1].style.display = "block";
```

```
dots[slideIndex-1].className += " active";
```

```
// Change slide every 5 seconds
```

```
setTimeout(showSlides, 5000);
```

```
}
```

```
// Manual slide navigation
```

```
function currentSlide(n) {
```

```
    slideIndex = n - 1;
```

```
    showSlides();
```

```
}
```

```
</script>
```

```
</body>
```

```
</html>
```

