

# HTML TAG

Here's a list of HTML elements (tags) organized alphabetically:

## A

- `<a>`: Anchor (hyperlink)
- `<abbr>`: Abbreviation
- `<address>`: Contact information
- `<area>`: Defines an area inside an image map
- `<article>`: Defines an article
- `<aside>`: Defines content aside from the page content
- `<audio>`: Embeds sound content

## B

- `<b>`: Bold text
- `<base>`: Specifies the base URL for all relative URLs in a document
- `<bdi>`: Bi-directional isolation
- `<bdo>`: Bi-directional override
- `<blockquote>`: Defines a section that is quoted from another source
- `<body>`: Defines the document's body
- `<br>`: Inserts a single line break
- `<button>`: Defines a clickable button

## C

- `<canvas>`: Used to draw graphics via scripting (e.g., JavaScript)
- `<caption>`: Defines a table caption
- `<cite>`: Title of a work
- `<code>`: Defines a piece of computer code
- `<col>`: Specifies column properties for each column within a `<colgroup>`
- `<colgroup>`: Specifies a group of one or more columns in a table

## D

- `<data>`: Links the content with a machine-readable translation
- `<datalist>`: Specifies a list of pre-defined options for an `<input>` element

- <dd>: Describes a term in a description list
- <del>: Defines text that has been deleted from a document
- <details>: Defines additional details that the user can view or hide
- <dfn>: Represents the defining instance of a term
- <dialog>: Defines a dialog box or window
- <div>: Defines a division or section in a document
- <dl>: Defines a description list
- <dt>: Defines a term/name in a description list

## E

- <em>: Emphasizes text
- <embed>: Embeds external content

## F

- <fieldset>: Groups related elements in a form
- <figcaption>: Defines a caption for a <figure> element
- <figure>: Specifies self-contained content
- <footer>: Defines a footer for a document or section
- <form>: Defines an HTML form for user input

## H

- <h1> to <h6>: Defines HTML headings
- <head>: Contains metadata/information for the document
- <header>: Defines a header for a document or section
- <hr>: Defines a thematic change in the content
- <html>: Defines the root of an HTML document

## I

- <i>: Defines a part of text in an alternate voice or mood
- <iframe>: Defines an inline frame
- <img>: Embeds an image
- <input>: Defines an input control
- <ins>: Defines text that has been inserted into a document

## K

- <kbd>: Defines keyboard input

## L

- <label>: Defines a label for an <input> element
- <legend>: Defines a caption for a <fieldset>, <figure>, or <details> element
- <li>: Defines a list item
- <link>: Defines the relationship between a document and an external resource (most used to link to stylesheets)

## M

- <main>: Specifies the main content of a document
- <map>: Defines an image map
- <mark>: Defines marked/highlighted text
- <meta>: Defines metadata about an HTML document
- <meter>: Defines a scalar measurement within a known range (a gauge)

## N

- <nav>: Defines navigation links
- <noscript>: Defines an alternate content for users that do not support client-side scripts

## O

- <object>: Defines an embedded object
- <ol>: Defines an ordered list
- <optgroup>: Defines a group of related options in a drop-down list
- <option>: Defines an option in a drop-down list
- <output>: Represents the result of a calculation

## P

- <p>: Defines a paragraph
- <param>: Defines parameters for plugins
- <picture>: Contains zero or more <source> elements and one <img> element for different images based on media queries
- <pre>: Defines preformatted text
- <progress>: Represents the progress of a task

## Q

- <q>: Defines a short inline quotation

## R

- <rp>: Defines what to show in browsers that do not support ruby annotations

- `<rt>`: Defines an explanation/pronunciation of characters (for East Asian typography)
- `<ruby>`: Defines a ruby annotation (for East Asian typography)

## S

- `<s>`: Defines text that is no longer correct
- `<samp>`: Defines sample output from a computer program
- `<script>`: Defines a client-side script
- `<section>`: Defines a section in a document
- `<select>`: Defines a drop-down list
- `<small>`: Defines smaller text
- `<source>`: Specifies multiple media resources for `<audio>` and `<video>`
- `<span>`: Defines a section in a document
- `<strong>`: Defines important text
- `<style>`: Defines style information for a document
- `<sub>`: Defines subscripted text
- `<summary>`: Defines a visible heading for a `<details>` element
- `<sup>`: Defines superscripted text

## T

- `<table>`: Defines a table
- `<tbody>`: Groups the body content in a table
- `<td>`: Defines a cell in a table
- `<template>`: Defines a container for content that should be hidden when the page loads
- `<textarea>`: Defines a multiline input control (text area)
- `<tfoot>`: Groups the footer content in a table
- `<th>`: Defines a header cell in a table
- `<thead>`: Groups the header content in a table
- `<time>`: Defines a specific time (or a date)
- `<title>`: Defines a title for the document
- `<tr>`: Defines a row in a table
- `<track>`: Defines text tracks for `<video>` and `<audio>`

## U

- `<u>`: Defines text that should be stylistically different from normal text

- `<ul>`: Defines an unordered list

## **V**

- `<var>`: Defines a variable
- `<video>`: Embeds a video file

## **W**

- `<wbr>`: Defines a possible line-break