Taxi demand prediction in New York City

In [1]:

```
#Importing Libraries
# pip3 install graphviz
#pip3 install dask
#pip3 install toolz
#pip3 install cloudpickle
# https://www.youtube.com/watch?v=ieW3G7ZzRZ0
# https://github.com/dask/dask-tutorial
# please do go through this python notebook: https://github.com/dask/da
sk-tutorial/blob/master/07_dataframe.ipynb
import dask.dataframe as dd#similar to pandas

import pandas as pd#pandas to create small dataframes

# pip3 install foliun
# if this doesnt work refere install_folium.JPG in drive
import folium #open street map

# unix time: https://www.unixtimestamp.com/
import datetime #Convert to unix time

import time #Convert to unix time

# if numpy is not installed already : pip3 install numpy
import numpy as np#Do aritmetic operations on arrays

# matplotlib: used to plot graphs
import matplotlib
# matplotlib.use('nbagg') : matplotlib uses this protocall which makes
 plots more user intractive like zoom in and zoom out
matplotlib.use('nbagg')
import matplotlib.pylab as plt
import seaborn as sns#Plots
```

```
from matplotlib import rcParams#Size of plots

# this lib is used while we calculate the stight line distance between
 two (lat,lon) pairs in miles
import gpxpy.geo #Get the haversine distance

from sklearn.cluster import MiniBatchKMeans, KMeans#Clustering
import math
import pickle
import os

# download migwin: https://mingw-w64.org/doku.php/download/mingw-builds
# install it in your system and keep the path, migw_path ='installed pa
th'
os.environ["PATH"] += os.pathsep + r'C:\Users\krush\Anaconda3\Lib\site-
packages\graphviz\bin'
mingw_path = 'C:\Program Files (x86)\mingw-w64\i686-8.1.0-posix-dwarf-r
t_v6-rev0\mingw32\bin'
os.environ['PATH'] = mingw_path + ';' + os.environ['PATH']

# to install xgboost: pip3 install xgboost
# if it didnt happen check install_xgboost.JPG
import xgboost as xgb

# to install sklearn: pip install -U scikit-learn
from sklearn.ensemble import RandomForestRegressor
from sklearn.metrics import mean_squared_error
from sklearn.metrics import mean_absolute_error
import warnings
warnings.filterwarnings("ignore")
```

Data Information

Ge the data from : http://www.nyc.gov/html/tlc/html/about/trip_record_data.shtml (2016 data) The data used in the attached datasets were collected and provided to the NYC Taxi and Limousine Commission (TLC)

Information on taxis:

Yellow Taxi: Yellow Medallion Taxicabs

These are the famous NYC yellow taxis that provide transportation exclusively through street-hails. The number of taxicabs is limited by a finite number of medallions issued by the TLC. You access this mode of transportation by standing in the street and hailing an available taxi with your hand. The pickups are not pre-arranged.

For Hire Vehicles (FHVs)

FHV transportation is accessed by a pre-arrangement with a dispatcher or limo company. These FHVs are not permitted to pick up passengers via street hails, as those rides are not considered pre-arranged.

Green Taxi: Street Hail Livery (SHL)

The SHL program will allow livery vehicle owners to license and outfit their vehicles with green borough taxi branding, meters, credit card machines, and ultimately the right to accept street hails in addition to pre-arranged rides.

Credits: Quora

Footnote:
In the given notebook we are considering only the yellow taxis for the time period between Jan - Mar 2015 & Jan - Mar 2016

Data Collection

We Have collected all yellow taxi trips data from jan-2015 to dec-2016(Will be using only 2015 data)

file name	file name size	number of records	number of features
yellow_tripdata_2016-01	1. 59G	10906858	19
yellow_tripdata_2016-02	1. 66G	11382049	19
yellow_tripdata_2016-03	1. 78G	12210952	19
yellow_tripdata_2016-04	1. 74G	11934338	19
yellow_tripdata_2016-05	1. 73G	11836853	19
yellow_tripdata_2016-06	1. 62G	11135470	19
yellow_tripdata_2016-07	884Mb	10294080	17
yellow_tripdata_2016-08	854Mb	9942263	17
yellow_tripdata_2016-09	870Mb	10116018	17
yellow_tripdata_2016-10	933Mb	10854626	17
yellow_tripdata_2016-11	868Mb	10102128	17
yellow_tripdata_2016-12	897Mb	10449408	17
yellow_tripdata_2015-01	1.84Gb	12748986	19
yellow_tripdata_2015-02	1.81Gb	12450521	19
yellow_tripdata_2015-03	1.94Gb	13351609	19
yellow_tripdata_2015-04	1.90Gb	13071789	19
yellow_tripdata_2015-05	1.91Gb	13158262	19
yellow_tripdata_2015-06	1.79Gb	12324935	19
yellow_tripdata_2015-07	1.68Gb	11562783	19
yellow_tripdata_2015-08	1.62Gb	11130304	19
yellow_tripdata_2015-09	1.63Gb	11225063	19
yellow_tripdata_2015-10	1.79Gb	12315488	19

yellow_tripdata_2015-11	1.65Gb	11312676	19
yellow_tripdata_2015-12	1.67Gb	11460573	19

In [2]:

```
#Looking at the features
# dask dataframe  : # https://github.com/dask/dask-tutorial/blob/maste
r/07_dataframe.ipynb
month = dd.read_csv('yellow_tripdata_2015-01.csv')
print(month.columns)
```

```
Index(['VendorID', 'tpep_pickup_datetime', 'tpep_dropoff_datetime',
       'passenger_count', 'trip_distance', 'pickup_longitude',
       'pickup_latitude', 'RateCodeID', 'store_and_fwd_flag',
       'dropoff_longitude', 'dropoff_latitude', 'payment_type', 'fare_a
mount',
       'extra', 'mta_tax', 'tip_amount', 'tolls_amount',
       'improvement_surcharge', 'total_amount'],
      dtype='object')
```

In [187]:

```
os.environ["PATH"] += os.pathsep + r'C:\Users\krush\Anaconda3\Library\b
in\graphviz'
#os.path.abspath('C:\Users\krush\Anaconda3\Lib\site-packages\graphviz')
# However unlike Pandas, operations on dask.dataframes don't trigger im
mediate computation,
# instead they add key-value pairs to an underlying Dask graph. Recall
 that in the diagram below,
# circles are operations and rectangles are results.

# to see the visulaization you need to install graphviz
# pip3 install graphviz if this doesnt work please check the install_gr
aphviz.jpg in the drive
month.visualize()
```

Out[187]:



In [168]:
```
month.fare_amount.sum().visualize()
```

Out[168]:



Features in the dataset:

Field Name	Description
VendorID	A code indicating the TPEP provider that provided the record. 1. Creative Mobile Technologies 2. VeriFone Inc.
tpep_pickup_datetime	The date and time when the meter was engaged.
tpep_dropoff_datetime	The date and time when the meter was disengaged.
Passenger_count	The number of passengers in the vehicle. This is a driver-entered value.
Trip_distance	The elapsed trip distance in miles reported by the taximeter.
Pickup_longitude	Longitude where the meter was engaged.
Pickup_latitude	Latitude where the meter was engaged.
RateCodeID	The final rate code in effect at the end of the trip. 1. Standard rate 2. JFK 3. Newark 4. Nassau or Westchester 5. Negotiated fare 6. Group ride

Store_and_fwd_flag	This flag indicates whether the trip record was held in vehicle memory before sending to the vendor, aka “store and forward,” because the vehicle did not have a connection to the server. Y= store and forward trip N= not a store and forward trip
Dropoff_longitude	Longitude where the meter was disengaged.
Dropoff_ latitude	Latitude where the meter was disengaged.
Payment_type	A numeric code signifying how the passenger paid for the trip. 1. Credit card 2. Cash 3. No charge 4. Dispute 5. Unknown 6. Voided trip
Fare_amount	The time-and-distance fare calculated by the meter.
Extra	Miscellaneous extras and surcharges. Currently, this only includes. the $0.50and1$ rush hour and overnight charges.
MTA_tax	0.50 MTA tax that is automatically triggered based on the metered rate in use.
Improvement_surcharge	0.30 improvement surcharge assessed trips at the flag drop. the improvement surcharge began being levied in 2015.
Tip_amount	Tip amount – This field is automatically populated for credit card tips.Cash tips are not included.
Tolls_amount	Total amount of all tolls paid in trip.
Total_amount	The total amount charged to passengers. Does not include cash tips.

ML Problem Formulation

Time-series forecasting and Regression

- *To find number of pickups, given location cordinates(latitude and longitude) and time, in the query reigion and surrounding regions.*

To solve the above we would be using data collected in Jan - Mar 2015 to predict the pickups in Jan - Mar 2016.

Performance metrics

1. Mean Absolute percentage error.
2. Mean Squared error.

Data Cleaning

In this section we will be doing univariate analysis and removing outlier/illegitimate values which may be caused due to some error

In [3]:
```
#table below shows few datapoints along with all our features
month.head(5)
```

Out[3]:

	VendorID	tpep_pickup_datetime	tpep_dropoff_datetime	passenger_count	trip_distan
0	2	2015-01-15 19:05:39	2015-01-15 19:23:42	1	1.59
1	1	2015-01-10 20:33:38	2015-01-10 20:53:28	1	3.30
2	1	2015-01-10 20:33:38	2015-01-10 20:43:41	1	1.80
3	1	2015-01-10 20:33:39	2015-01-10 20:35:31	1	0.50
4	1	2015-01-10 20:33:39	2015-01-10 20:52:58	1	3.00

1. Pickup Latitude and Pickup Longitude

It is inferred from the source https://www.flickr.com/places/info/2459115 that New York is bounded by the location cordinates(lat,long) - (40.5774, -74.15) & (40.9176,-73.7004) so hence any cordinates not within these cordinates are not considered by us as we are only concerned with pickups which originate within New York.

In [5]:

```
# Plotting pickup cordinates which are outside the bounding box of New-
York
# we will collect all the points outside the bounding box of newyork ci
ty to outlier_locations
outlier_locations = month[((month.pickup_longitude <= -74.15) | (month.
pickup_latitude <= 40.5774)| \
                   (month.pickup_longitude >= -73.7004) | (month.pickup
_latitude >= 40.9176))]

# creating a map with the a base location
# read more about the folium here: http://folium.readthedocs.io/en/late
st/quickstart.html

# note: you dont need to remember any of these, you dont need indeepth
 knowledge on these maps and plots

map_osm = folium.Map(location=[40.734695, -73.990372], tiles='Stamen To
ner')

# we will spot only first 100 outliers on the map, plotting all the out
liers will take more time
sample_locations = outlier_locations.head(10000)
for i,j in sample_locations.iterrows():
    if int(j['pickup_latitude']) != 0:
        folium.Marker(list((j['pickup_latitude'],j['pickup_longitude'
]))).add_to(map_osm)
map_osm
```

Out[5]:



Observation:- As you can see above that there are some points just outside the boundary but there are a few that are in either South america, Mexico or Canada

2. Dropoff Latitude & Dropoff Longitude

It is inferred from the source https://www.flickr.com/places/info/2459115 that New York is bounded by the location cordinates(lat,long) - (40.5774, -74.15) & (40.9176,-73.7004) so hence any cordinates not within these cordinates are not considered by us as we are only concerned with dropoffs which are within New York.

In [25]:
```
# Plotting dropoff cordinates which are outside the bounding box of New
-York
# we will collect all the points outside the bounding box of newyork ci
ty to outlier_locations
outlier_locations = month[((month.dropoff_longitude <= -74.15) | (month
.dropoff_latitude <= 40.5774)| \
                    (month.dropoff_longitude >= -73.7004) | (month.dropo
```

```
ff_latitude >= 40.9176))]

# creating a map with the a base location
# read more about the folium here: http://folium.readthedocs.io/en/late
st/quickstart.html

# note: you dont need to remember any of these, you dont need indeepth
 knowledge on these maps and plots

map_osm = folium.Map(location=[40.734695, -73.990372], tiles='Stamen To
ner')

# we will spot only first 100 outliers on the map, plotting all the out
liers will take more time
sample_locations = outlier_locations.head(10000)
for i,j in sample_locations.iterrows():
    if int(j['pickup_latitude']) != 0:
        folium.Marker(list((j['dropoff_latitude'],j['dropoff_longitude'
]))).add_to(map_osm)
map_osm
```

Out[25]:



Observation:- The observations here are similar to those obtained while analysing pickup latitude and longitude

3. Trip Durations:

According to NYC Taxi & Limousine Commision Regulations **the maximum allowed trip duration in a 24 hour interval is 12 hours.**

In [48]:
```
#The timestamps are converted to unix so as to get duration(trip-time)
 & speed also pickup-times in unix are used while binning

# in out data we have time in the formate "YYYY-MM-DD HH:MM:SS" we conv
ert thiss sting to python time formate and then into unix time stamp
# https://stackoverflow.com/a/27914405
def convert_to_unix(s):
    return time.mktime(datetime.datetime.strptime(s, "%Y-%m-%d %H:%M:%
S").timetuple())



# we return a data frame which contains the columns
# 1.'passenger_count' : self explanatory
# 2.'trip_distance' : self explanatory
# 3.'pickup_longitude' : self explanatory
# 4.'pickup_latitude' : self explanatory
# 5.'dropoff_longitude' : self explanatory
# 6.'dropoff_latitude' : self explanatory
# 7.'total_amount' : total fair that was paid
# 8.'trip_times' : duration of each trip
# 9.'pickup_times : pickup time converted into unix time
# 10.'Speed' : velocity of each trip
def return_with_trip_times(month):
    duration = month[['tpep_pickup_datetime','tpep_dropoff_datetime']].
```

```
compute()
    #pickups and dropoffs to unix time
    duration_pickup = [convert_to_unix(x) for x in duration['tpep_picku
p_datetime'].values]
    duration_drop = [convert_to_unix(x) for x in duration['tpep_dropoff
_datetime'].values]
    #calculate duration of trips
    durations = (np.array(duration_drop) - np.array(duration_pickup))/f
loat(60)

    #append durations of trips and speed in miles/hr to a new dataframe
    new_frame = month[['passenger_count','trip_distance','pickup_longit
ude','pickup_latitude','dropoff_longitude','dropoff_latitude','total_am
ount']].compute()

    new_frame['trip_times'] = durations
    new_frame['pickup_times'] = duration_pickup
    new_frame['Speed'] = 60*(new_frame['trip_distance']/new_frame['trip
_times'])

    return new_frame

# print(frame_with_durations.head())
#  passenger_count      trip_distance   pickup_longitude        pickup_
latitude        dropoff_longitude       dropoff_latitude        total_a
mount   trip_times      pickup_times    Speed
#   1                  1.59            -73.993896                40.7501
11      -73.974785              40.750618               17.05
         18.050000      1.421329e+09    5.285319
#   1                   3.30            -74.001648               40.7242
43      -73.994415              40.759109               17.80
        19.833333       1.420902e+09    9.983193
#   1                   1.80            -73.963341               40.8027
88      -73.951820              40.824413               10.80
        10.050000       1.420902e+09    10.746269
#   1                   0.50            -74.009087               40.7138
18      -74.004326              40.719986               4.80
        1.866667        1.420902e+09    16.071429
#   1                   3.00            -73.971176               40.7624
```

```
28      -74.004181              40.742653               16.30
        19.316667       1.420902e+09    9.318378
frame_with_durations = return_with_trip_times(month)
```

In [49]:

```
# the skewed box plot shows us the presence of outliers
sns.boxplot(y="trip_times", data =frame_with_durations)
plt.show()
```


1.0
0.8
0.6
0.4
0.2
0.0
0.0
0.2
0.4
0.6
0.8
1.0



In [50]:

```
#calculating 0-100th percentile to find a the correct percentile value
 for removal of outliers
for i in range(0,100,10):
```

```
    var =frame_with_durations["trip_times"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
i)/100))]))
print ("100 percentile value is ",var[-1])
```

```
0 percentile value is -1211.0166666666667
10 percentile value is 3.8333333333333335
20 percentile value is 5.383333333333334
30 percentile value is 6.816666666666666
40 percentile value is 8.3
50 percentile value is 9.95
60 percentile value is 11.866666666666667
70 percentile value is 14.283333333333333
80 percentile value is 17.633333333333333
90 percentile value is 23.45
100 percentile value is  548555.6333333333
```

In [51]:

```
#looking further from the 99th percecntile
for i in range(90,100):
    var =frame_with_durations["trip_times"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
i)/100))]))
print ("100 percentile value is ",var[-1])
```

```
90 percentile value is 23.45
91 percentile value is 24.35
92 percentile value is 25.383333333333333
93 percentile value is 26.55
94 percentile value is 27.933333333333334
95 percentile value is 29.583333333333332
96 percentile value is 31.683333333333334
97 percentile value is 34.46666666666667
98 percentile value is 38.71666666666667
99 percentile value is 46.75
100 percentile value is  548555.6333333333
```

In [52]:

```
#removing data based on our analysis and TLC regulations
```

```
frame_with_durations_modified=frame_with_durations[(frame_with_duration
s.trip_times>1) & (frame_with_durations.trip_times<720)]
```

In [53]:
```
#box-plot after removal of outliers
sns.boxplot(y="trip_times", data =frame_with_durations_modified)
plt.show()
```



In [54]:
```
#pdf of trip-times after removing the outliers
sns.FacetGrid(frame_with_durations_modified,size=6) \
      .map(sns.kdeplot,"trip_times") \
```

```
        .add_legend();
plt.show();
```



In [55]:

```
#converting the values to log-values to chec for log-normal
import math
frame_with_durations_modified['log_times']=[math.log(i) for i in frame_
with_durations_modified['trip_times'].values]
```

In [56]:
```
#pdf of log-values
sns.FacetGrid(frame_with_durations_modified,size=6) \
      .map(sns.kdeplot,"log_times") \
      .add_legend();
plt.show();
```



In [57]:
```
import scipy
#Q-Q plot for checking if trip-times is log-normal
```

```
scipy.stats.probplot(frame_with_durations_modified['log_times'].values,
 plot=plt)
plt.show()
```



4. Speed

In [58]:
```
# check for any outliers in the data after trip duration outliers remov
ed
# box-plot for speeds with outliers
frame_with_durations_modified['Speed'] = 60*(frame_with_durations_modif
```

```
ied['trip_distance']/frame_with_durations_modified['trip_times'])
sns.boxplot(y="Speed", data =frame_with_durations_modified)
plt.show()
```



In [59]:

```
#calculating speed values at each percntile 0,10,20,30,40,50,60,70,80,9
0,100
for i in range(0,100,10):
    var =frame_with_durations_modified["Speed"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
```

```
i)/100))]))
print("100 percentile value is ",var[-1])
```

```
0 percentile value is 0.0
10 percentile value is 6.409495548961425
20 percentile value is 7.80952380952381
30 percentile value is 8.929133858267717
40 percentile value is 9.98019801980198
50 percentile value is 11.06865671641791
60 percentile value is 12.286689419795222
70 percentile value is 13.796407185628745
80 percentile value is 15.963224893917962
90 percentile value is 20.186915887850468
100 percentile value is  192857142.85714284
```

In [60]:
```
#calculating speed values at each percntile 90,91,92,93,94,95,96,97,98,
99,100
for i in range(90,100):
    var =frame_with_durations_modified["Speed"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
i)/100))]))
print("100 percentile value is ",var[-1])
```

```
90 percentile value is 20.186915887850468
91 percentile value is 20.91645569620253
92 percentile value is 21.752988047808763
93 percentile value is 22.721893491124263
94 percentile value is 23.844155844155843
95 percentile value is 25.182552504038775
96 percentile value is 26.80851063829787
97 percentile value is 28.84304932735426
98 percentile value is 31.591128254580514
99 percentile value is 35.7513566847558
100 percentile value is  192857142.85714284
```

In [61]:
```
#calculating speed values at each percntile 99.0,99.1,99.2,99.3,99.4,9
9.5,99.6,99.7,99.8,99.9,100
for i in np.arange(0.0, 1.0, 0.1):
```

```
    var =frame_with_durations_modified["Speed"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(99+i,var[int(len(var)*(flo
at(99+i)/100))]))
print("100 percentile value is ",var[-1])
```

```
99.0 percentile value is 35.7513566847558
99.1 percentile value is 36.31084727468969
99.2 percentile value is 36.91470054446461
99.3 percentile value is 37.588235294117645
99.4 percentile value is 38.33035714285714
99.5 percentile value is 39.17580340264651
99.6 percentile value is 40.15384615384615
99.7 percentile value is 41.338301043219076
99.8 percentile value is 42.86631016042781
99.9 percentile value is 45.3107822410148
100 percentile value is  192857142.85714284
```

In [62]:
```
#removing further outliers based on the 99.9th percentile value
frame_with_durations_modified=frame_with_durations[(frame_with_duration
s.Speed>0) & (frame_with_durations.Speed<45.31)]
```

In [63]:
```
#avg.speed of cabs in New-York
sum(frame_with_durations_modified["Speed"]) / float(len(frame_with_dura
tions_modified["Speed"]))
```

Out[63]:
```
12.450173996027528
```

The avg speed in Newyork speed is 12.45miles/hr, so a cab driver can travel 2 miles per 10min on avg.

4. Trip Distance

In [64]:
```
# up to now we have removed the outliers based on trip durations and ca
b speeds
# lets try if there are any outliers in trip distances
```

```
# box-plot showing outliers in trip-distance values
sns.boxplot(y="trip_distance", data =frame_with_durations_modified)
plt.show()
```



In [65]:

```
#calculating trip distance values at each percntile 0,10,20,30,40,50,6
0,70,80,90,100
for i in range(0,100,10):
    var =frame_with_durations_modified["trip_distance"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
```

```
i)/100))]))
print("100 percentile value is ",var[-1])
```

```
0 percentile value is 0.01
10 percentile value is 0.66
20 percentile value is 0.9
30 percentile value is 1.1
40 percentile value is 1.39
50 percentile value is 1.69
60 percentile value is 2.07
70 percentile value is 2.6
80 percentile value is 3.6
90 percentile value is 5.97
100 percentile value is  258.9
```

In [66]:

```
#calculating trip distance values at each percntile 90,91,92,93,94,95,9
6,97,98,99,100
for i in range(90,100):
    var =frame_with_durations_modified["trip_distance"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
i)/100))]))
print("100 percentile value is ",var[-1])
```

```
90 percentile value is 5.97
91 percentile value is 6.45
92 percentile value is 7.07
93 percentile value is 7.85
94 percentile value is 8.72
95 percentile value is 9.6
96 percentile value is 10.6
97 percentile value is 12.1
98 percentile value is 16.03
99 percentile value is 18.17
100 percentile value is  258.9
```

In [67]:

```
#calculating trip distance values at each percntile 99.0,99.1,99.2,99.
3,99.4,99.5,99.6,99.7,99.8,99.9,100
for i in np.arange(0.0, 1.0, 0.1):
```

```
    var =frame_with_durations_modified["trip_distance"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(99+i,var[int(len(var)*(flo
at(99+i)/100))]))
print("100 percentile value is ",var[-1])
```

```
99.0 percentile value is 18.17
99.1 percentile value is 18.37
99.2 percentile value is 18.6
99.3 percentile value is 18.83
99.4 percentile value is 19.13
99.5 percentile value is 19.5
99.6 percentile value is 19.96
99.7 percentile value is 20.5
99.8 percentile value is 21.22
99.9 percentile value is 22.57
100 percentile value is  258.9
```

In [68]:
```
#removing further outliers based on the 99.9th percentile value
frame_with_durations_modified=frame_with_durations[(frame_with_duration
s.trip_distance>0) & (frame_with_durations.trip_distance<23)]
```

In [69]:
```
#box-plot after removal of outliers
sns.boxplot(y="trip_distance", data = frame_with_durations_modified)
plt.show()
```



5. Total Fare

In [70]:
```
# up to now we have removed the outliers based on trip durations, cab s
peeds, and trip distances
# lets try if there are any outliers in based on the total_amount
# box-plot showing outliers in fare
sns.boxplot(y="total_amount", data =frame_with_durations_modified)
plt.show()
```



In [71]:
```
#calculating total fare amount values at each percntile 0,10,20,30,40,5
0,60,70,80,90,100
for i in range(0,100,10):
    var = frame_with_durations_modified["total_amount"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(
i)/100))]))
print("100 percentile value is ",var[-1])
```

```
0 percentile value is -242.55
10 percentile value is 6.3
20 percentile value is 7.8
```

```
30 percentile value is 8.8
40 percentile value is 9.8
50 percentile value is 11.16
60 percentile value is 12.8
70 percentile value is 14.8
80 percentile value is 18.3
90 percentile value is 25.8
100 percentile value is  3950611.6
```

In [72]:

```
#calculating total fare amount values at each percntile 90,91,92,93,94,95,96,97,98,99,100
for i in range(90,100):
    var = frame_with_durations_modified["total_amount"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(i,var[int(len(var)*(float(i)/100))]))
print("100 percentile value is ",var[-1])
```

```
90 percentile value is 25.8
91 percentile value is 27.3
92 percentile value is 29.3
93 percentile value is 31.8
94 percentile value is 34.8
95 percentile value is 38.53
96 percentile value is 42.6
97 percentile value is 48.13
98 percentile value is 58.13
99 percentile value is 66.13
100 percentile value is  3950611.6
```

In [73]:

```
#calculating total fare amount values at each percntile 99.0,99.1,99.2,99.3,99.4,99.5,99.6,99.7,99.8,99.9,100
for i in np.arange(0.0, 1.0, 0.1):
    var = frame_with_durations_modified["total_amount"].values
    var = np.sort(var,axis = None)
    print("{} percentile value is {}".format(99+i,var[int(len(var)*(float(99+i)/100))]))
print("100 percentile value is ",var[-1])
```

```
99.0 percentile value is 66.13
99.1 percentile value is 68.13
99.2 percentile value is 69.6
99.3 percentile value is 69.6
99.4 percentile value is 69.73
99.5 percentile value is 69.75
99.6 percentile value is 69.76
99.7 percentile value is 72.58
99.8 percentile value is 75.35
99.9 percentile value is 88.28
100 percentile value is  3950611.6
```

Observation:- As even the 99.9th percentile value doesnt look like an outlier,as there is not much difference between the 99.8th percentile and 99.9th percentile, we move on to do graphical analyis

In [74]:

```
#below plot shows us the fare values(sorted) to find a sharp increase t
o remove those values as outliers
# plot the fare amount excluding last two values in sorted data
plt.plot(var[:-2])
plt.show()
```



In [75]:
```
# a very sharp increase in fare values can be seen
# plotting last three total fare values, and we can observe there is sh
are increase in the values
plt.plot(var[-3:])
plt.show()
```



In [76]:
```
#now looking at values not including the last two points we again find
 a drastic increase at around 1000 fare value
# we plot last 50 values excluding last two values
plt.plot(var[-50:-2])
plt.show()
```



Remove all outliers/erronous points.

In [77]:
```
#removing all outliers based on our univariate analysis above
def remove_outliers(new_frame):


    a = new_frame.shape[0]
    print ("Number of pickup records = ",a)
    temp_frame = new_frame[((new_frame.dropoff_longitude >= -74.15) & (
new_frame.dropoff_longitude <= -73.7004) &\
```

```
                        (new_frame.dropoff_latitude >= 40.5774) & (new_f
rame.dropoff_latitude <= 40.9176)) & \
                        ((new_frame.pickup_longitude >= -74.15) & (new_f
rame.pickup_latitude >= 40.5774)& \
                        (new_frame.pickup_longitude <= -73.7004) & (new_
frame.pickup_latitude <= 40.9176))]
    b = temp_frame.shape[0]
    print ("Number of outlier coordinates lying outside NY boundaries:"
,(a-b))


    temp_frame = new_frame[(new_frame.trip_times > 0) & (new_frame.trip
_times < 720)]
    c = temp_frame.shape[0]
    print ("Number of outliers from trip times analysis:",(a-c))


    temp_frame = new_frame[(new_frame.trip_distance > 0) & (new_frame.t
rip_distance < 23)]
    d = temp_frame.shape[0]
    print ("Number of outliers from trip distance analysis:",(a-d))

    temp_frame = new_frame[(new_frame.Speed <= 65) & (new_frame.Speed >
= 0)]
    e = temp_frame.shape[0]
    print ("Number of outliers from speed analysis:",(a-e))

    temp_frame = new_frame[(new_frame.total_amount <1000) & (new_frame.
total_amount >0)]
    f = temp_frame.shape[0]
    print ("Number of outliers from fare analysis:",(a-f))


    new_frame = new_frame[((new_frame.dropoff_longitude >= -74.15) & (n
ew_frame.dropoff_longitude <= -73.7004) &\
                        (new_frame.dropoff_latitude >= 40.5774) & (new_f
rame.dropoff_latitude <= 40.9176)) & \
                        ((new_frame.pickup_longitude >= -74.15) & (new_f
rame.pickup_latitude >= 40.5774)& \
```

```
                       (new_frame.pickup_longitude <= -73.7004) & (new_
frame.pickup_latitude <= 40.9176))]

    new_frame = new_frame[(new_frame.trip_times > 0) & (new_frame.trip_
times < 720)]
    new_frame = new_frame[(new_frame.trip_distance > 0) & (new_frame.tr
ip_distance < 23)]
    new_frame = new_frame[(new_frame.Speed < 45.31) & (new_frame.Speed
> 0)]
    new_frame = new_frame[(new_frame.total_amount <1000) & (new_frame.t
otal_amount >0)]

    print ("Total outliers removed",a - new_frame.shape[0])
    print ("---")
    return new_frame
```

In [26]:
```
print ("Removing outliers in the month of Jan-2015")
print ("----")
frame_with_durations_outliers_removed = remove_outliers(frame_with_dura
tions)
print("fraction of data points that remain after removing outliers", fl
oat(len(frame_with_durations_outliers_removed))/len(frame_with_duration
s))
```

```
Removing outliers in the month of Jan-2015
----
Number of pickup records =  12748986
Number of outlier coordinates lying outside NY boundaries: 293919
Number of outliers from trip times analysis: 23889
Number of outliers from trip distance analysis: 92597
Number of outliers from speed analysis: 24473
Number of outliers from fare analysis: 5275
Total outliers removed 377910
---
fraction of data points that remain after removing outliers 0.970357642
5607495
```

Exploratory Data Analysis

In [27]:
```
frame_with_durations_outliers_removed.head()
```

Out[27]:

	passenger_count	trip_distance	pickup_longitude	pickup_latitude	dropoff_longitude
0	1	1.59	-73.993896	40.750111	-73.974785
1	1	3.30	-74.001648	40.724243	-73.994415
2	1	1.80	-73.963341	40.802788	-73.951820
3	1	0.50	-74.009087	40.713818	-74.004326
4	1	3.00	-73.971176	40.762428	-74.004181

In [32]:
```
df_trip_indexed = frame_with_durations_outliers_removed.reset_index()
print(pd.DataFrame(df_trip_indexed.groupby(['passenger_count']).count()
['index']))
pd.DataFrame(df_trip_indexed.groupby(['passenger_count']).count()['inde
x']).plot(kind='bar',color='cyan')
plt.ylabel('Number')
plt.show()
```

```
                   index
passenger_count
0                   5836
1                8703909
2                1764123
3                 515199
4                 246597
5                 687392
6                 448008
7                      6
8                      2
9                      4
```



Data-preperation

Clustering/Segmentation

In [36]:
```
#trying different cluster sizes to choose the right K in K-means
coords = frame_with_durations_outliers_removed[['pickup_latitude', 'pic
kup_longitude']].values
neighbours=[]
```

```
def find_min_distance(cluster_centers, cluster_len):
    nice_points = 0
    wrong_points = 0
    less2 = []
    more2 = []
    min_dist=1000
    for i in range(0, cluster_len):
        nice_points = 0
        wrong_points = 0
        for j in range(0, cluster_len):
            if j!=i:
                distance = gpxpy.geo.haversine_distance(cluster_centers
[i][0], cluster_centers[i][1],cluster_centers[j][0], cluster_centers[j]
[1])
                min_dist = min(min_dist,distance/(1.60934*1000))
                if (distance/(1.60934*1000)) <= 2:
                    nice_points +=1
                else:
                    wrong_points += 1
        less2.append(nice_points)
        more2.append(wrong_points)
    neighbours.append(less2)
    print ("On choosing a cluster size of ",cluster_len,"\nAvg. Number
 of Clusters within the vicinity (i.e. intercluster-distance < 2):", np
.ceil(sum(less2)/len(less2)), "\nAvg. Number of Clusters outside the vi
cinity (i.e. intercluster-distance > 2):", np.ceil(sum(more2)/len(more2
)),"\nMin inter-cluster distance = ",min_dist,"\n---")

def find_clusters(increment):
    kmeans = MiniBatchKMeans(n_clusters=increment, batch_size=10000,ran
dom_state=42).fit(coords)
    frame_with_durations_outliers_removed['pickup_cluster'] = kmeans.pr
edict(frame_with_durations_outliers_removed[['pickup_latitude', 'pickup
_longitude']])
    cluster_centers = kmeans.cluster_centers_
    cluster_len = len(cluster_centers)
    return cluster_centers, cluster_len

# we need to choose number of clusters so that, there are more number o
```

```python
f cluster regions
#that are close to any cluster center
# and make sure that the minimum inter cluster should not be very less
for increment in range(10, 100, 10):
    cluster_centers, cluster_len = find_clusters(increment)
    find_min_distance(cluster_centers, cluster_len)
```

```
On choosing a cluster size of  10
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 2.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 8.0
Min inter-cluster distance =  1.0945442325142543
---
On choosing a cluster size of  20
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 4.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 16.0
Min inter-cluster distance =  0.7131298007387813
---
On choosing a cluster size of  30
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 8.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 22.0
Min inter-cluster distance =  0.5185088176172206
---
On choosing a cluster size of  40
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 8.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 32.0
Min inter-cluster distance =  0.5069768450363973
---
On choosing a cluster size of  50
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 12.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 38.0
```

```
Min inter-cluster distance =  0.365363025983595
---
On choosing a cluster size of  60
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 14.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 46.0
Min inter-cluster distance =  0.34704283494187155
---
On choosing a cluster size of  70
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 16.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 54.0
Min inter-cluster distance =  0.30502203163244707
---
On choosing a cluster size of  80
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 18.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 62.0
Min inter-cluster distance =  0.29220324531738534
---
On choosing a cluster size of  90
Avg. Number of Clusters within the vicinity (i.e. intercluster-distance
< 2): 21.0
Avg. Number of Clusters outside the vicinity (i.e. intercluster-distanc
e > 2): 69.0
Min inter-cluster distance =  0.18257992857034985
---
```

Inference:

- The main objective was to find a optimal min. distance(Which roughly estimates to the radius of a cluster) between the clusters which we got was 40

In [38]:
```
# if check for the 50 clusters you can observe that there are two clust
```

```
ers with only 0.3 miles apart from each other
# so we choose 30 clusters for solve the further problem

# Getting 30 clusters using the kmeans
kmeans = MiniBatchKMeans(n_clusters=30, batch_size=10000,random_state=0
).fit(coords)
frame_with_durations_outliers_removed['pickup_cluster'] = kmeans.predic
t(frame_with_durations_outliers_removed[['pickup_latitude', 'pickup_lon
gitude']])
```

Plotting the cluster centers:

In [39]:
```
# Plotting the cluster centers on OSM
cluster_centers = kmeans.cluster_centers_
cluster_len = len(cluster_centers)
map_osm = folium.Map(location=[40.734695, -73.990372], tiles='Stamen To
ner')
for i in range(cluster_len):
    folium.Marker(list((cluster_centers[i][0],cluster_centers[i][1])),
popup=(str(cluster_centers[i][0])+str(cluster_centers[i][1]))).add_to(m
ap_osm)
map_osm
```

Out[39]:



Plotting the clusters:

In [41]:
```
#Visualising the clusters on a map
def plot_clusters(frame):
    city_long_border = (-74.03, -73.75)
    city_lat_border = (40.63, 40.85)
    fig, ax = plt.subplots(ncols=1, nrows=1)
    ax.scatter(frame.pickup_longitude.values[:100000], frame.pickup_lat
itude.values[:100000], s=10, lw=0,
               c=frame.pickup_cluster.values[:100000], cmap='tab20', al
pha=0.2)
    ax.set_xlim(city_long_border)
    ax.set_ylim(city_lat_border)
    ax.set_xlabel('Longitude')
    ax.set_ylabel('Latitude')
    plt.show()

plot_clusters(frame_with_durations_outliers_removed)
```

Time-binning

In [42]:
```
#Refer:https://www.unixtimestamp.com/
# 1420070400 : 2015-01-01 00:00:00
# 1422748800 : 2015-02-01 00:00:00
# 1425168000 : 2015-03-01 00:00:00
# 1427846400 : 2015-04-01 00:00:00
# 1430438400 : 2015-05-01 00:00:00
# 1433116800 : 2015-06-01 00:00:00
```

```
# 1451606400 : 2016-01-01 00:00:00
# 1454284800 : 2016-02-01 00:00:00
# 1456790400 : 2016-03-01 00:00:00
# 1459468800 : 2016-04-01 00:00:00
# 1462060800 : 2016-05-01 00:00:00
# 1464739200 : 2016-06-01 00:00:00

def add_pickup_bins(frame,month,year):
    unix_pickup_times=[i for i in frame['pickup_times'].values]
    unix_times = [[1420070400,1422748800,1425168000,1427846400,14304384
00,1433116800],\
                    [1451606400,1454284800,1456790400,1459468800,146206
0800,1464739200]]

    start_pickup_unix=unix_times[year-2015][month-1]
    # https://www.timeanddate.com/time/zones/est
    # (int((i-start_pickup_unix)/600)+33) : our unix time is in gmt to
 we are converting it to est
    tenminutewise_binned_unix_pickup_times=[(int((i-start_pickup_unix)/
600)+33) for i in unix_pickup_times]
    frame['pickup_bins'] = np.array(tenminutewise_binned_unix_pickup_ti
mes)
    return frame
```

In [43]:

```
# clustering, making pickup bins and grouping by pickup cluster and pic
kup bins
frame_with_durations_outliers_removed['pickup_cluster'] = kmeans.predic
t(frame_with_durations_outliers_removed[['pickup_latitude', 'pickup_lon
gitude']])
jan_2015_frame = add_pickup_bins(frame_with_durations_outliers_removed,
1,2015)
jan_2015_groupby = jan_2015_frame[['pickup_cluster','pickup_bins','trip
_distance']].groupby(['pickup_cluster','pickup_bins']).count()
```

In [44]:

```
# we add two more columns 'pickup_cluster'(to which cluster it belogns
 to)
# and 'pickup_bins' (to which 10min intravel the trip belongs to)
jan_2015_frame.head()
```

Out[44]:

	passenger_count	trip_distance	pickup_longitude	pickup_latitude	dropoff_longitude
0	1	1.59	-73.993896	40.750111	-73.974785
1	1	3.30	-74.001648	40.724243	-73.994415
2	1	1.80	-73.963341	40.802788	-73.951820
3	1	0.50	-74.009087	40.713818	-74.004326
4	1	3.00	-73.971176	40.762428	-74.004181

In [45]:

```
# hear the trip_distance represents the number of pickups that are happ
end in that particular 10min intravel
# this data frame has two indices
# primary index: pickup_cluster (cluster number)
# secondary index : pickup_bins (we devid whole months time into 10min
 intravels 24*31*60/10 =4464bins)
jan_2015_groupby.head()
```

Out[45]:

		trip_distance
pickup_cluster	pickup_bins	
0	1	138
	2	262
	3	311
	4	326
	5	381

In [46]:

```
# upto now we cleaned data and prepared data for the month 2015,

# now do the same operations for months Jan, Feb, March of 2016
# 1. get the dataframe which inlcudes only required colums
```

```
# 2. adding trip times, speed, unix time stamp of pickup_time
# 4. remove the outliers based on trip_times, speed, trip_duration, tot
al_amount
# 5. add pickup_cluster to each data point
# 6. add pickup_bin (index of 10min intravel to which that trip belongs
 to)
# 7. group by data, based on 'pickup_cluster' and 'pickuo_bin'

# Data Preparation for the months of Jan,Feb and March 2016
def datapreparation(month,kmeans,month_no,year_no):

    print ("Return with trip times..")

    frame_with_durations = return_with_trip_times(month)

    print ("Remove outliers..")
    frame_with_durations_outliers_removed = remove_outliers(frame_with_
durations)

    print ("Estimating clusters..")
    frame_with_durations_outliers_removed['pickup_cluster'] = kmeans.pr
edict(frame_with_durations_outliers_removed[['pickup_latitude', 'pickup
_longitude']])
    #frame_with_durations_outliers_removed_2016['pickup_cluster'] = kme
ans.predict(frame_with_durations_outliers_removed_2016[['pickup_latitud
e', 'pickup_longitude']])

    print ("Final groupbying..")
    final_updated_frame = add_pickup_bins(frame_with_durations_outliers
_removed,month_no,year_no)
    final_groupby_frame = final_updated_frame[['pickup_cluster','pickup
_bins','trip_distance']].groupby(['pickup_cluster','pickup_bins']).coun
t()

    return final_updated_frame,final_groupby_frame

month_jan_2016 = dd.read_csv('yellow_tripdata_2016-01.csv')
month_feb_2016 = dd.read_csv('yellow_tripdata_2016-02.csv')
month_mar_2016 = dd.read_csv('yellow_tripdata_2016-03.csv')
```

```
jan_2016_frame,jan_2016_groupby = datapreparation(month_jan_2016,kmeans
,1,2016)
feb_2016_frame,feb_2016_groupby = datapreparation(month_feb_2016,kmeans
,2,2016)
mar_2016_frame,mar_2016_groupby = datapreparation(month_mar_2016,kmeans
,3,2016)
```

```
Return with trip times..
Remove outliers..
Number of pickup records =  10906858
Number of outlier coordinates lying outside NY boundaries: 214677
Number of outliers from trip times analysis: 27190
Number of outliers from trip distance analysis: 79742
Number of outliers from speed analysis: 21047
Number of outliers from fare analysis: 4991
Total outliers removed 297784
---
Estimating clusters..
Final groupbying..
Return with trip times..
Remove outliers..
Number of pickup records =  11382049
Number of outlier coordinates lying outside NY boundaries: 223161
Number of outliers from trip times analysis: 27670
Number of outliers from trip distance analysis: 81902
Number of outliers from speed analysis: 22437
Number of outliers from fare analysis: 5476
Total outliers removed 308177
---
Estimating clusters..
Final groupbying..
Return with trip times..
Remove outliers..
Number of pickup records =  12210952
Number of outlier coordinates lying outside NY boundaries: 232444
Number of outliers from trip times analysis: 30868
Number of outliers from trip distance analysis: 87318
Number of outliers from speed analysis: 23889
Number of outliers from fare analysis: 5859
```

```
Total outliers removed 324635
---
Estimating clusters..
Final groupbying..
```

Smoothing

In [49]:

```python
# Gets the unique bins where pickup values are present for each each re
igion

# for each cluster region we will collect all the indices of 10min intr
avels in which the pickups are happened
# we got an observation that there are some pickpbins that doesnt have
 any pickups
def return_unq_pickup_bins(frame):
    values = []
    for i in range(0,30):
        new = frame[frame['pickup_cluster'] == i]
        list_unq = list(set(new['pickup_bins']))
        list_unq.sort()
        values.append(list_unq)
    return values
```

In [50]:

```python
# for every month we get all indices of 10min intravels in which atleas
t one pickup got happened

#jan
jan_2015_unique = return_unq_pickup_bins(jan_2015_frame)
jan_2016_unique = return_unq_pickup_bins(jan_2016_frame)

#feb
feb_2016_unique = return_unq_pickup_bins(feb_2016_frame)

#march
mar_2016_unique = return_unq_pickup_bins(mar_2016_frame)
```

In [51]:

```python
# for each cluster number of 10min intravels with 0 pickups
for i in range(30):
    print("for the ",i,"th cluster number of 10min intavels with zero pickups: ",4464 - len(set(jan_2015_unique[i])))
    print('-'*60)
```

```
for the  0 th cluster number of 10min intavels with zero pickups:  26
------------------------------------------------------------
for the  1 th cluster number of 10min intavels with zero pickups:  30
------------------------------------------------------------
for the  2 th cluster number of 10min intavels with zero pickups:  150
------------------------------------------------------------
for the  3 th cluster number of 10min intavels with zero pickups:  35
------------------------------------------------------------
for the  4 th cluster number of 10min intavels with zero pickups:  170
------------------------------------------------------------
for the  5 th cluster number of 10min intavels with zero pickups:  40
------------------------------------------------------------
for the  6 th cluster number of 10min intavels with zero pickups:  320
------------------------------------------------------------
for the  7 th cluster number of 10min intavels with zero pickups:  35
------------------------------------------------------------
for the  8 th cluster number of 10min intavels with zero pickups:  39
------------------------------------------------------------
for the  9 th cluster number of 10min intavels with zero pickups:  46
------------------------------------------------------------
for the  10 th cluster number of 10min intavels with zero pickups:  98
------------------------------------------------------------
for the  11 th cluster number of 10min intavels with zero pickups:  32
------------------------------------------------------------
for the  12 th cluster number of 10min intavels with zero pickups:  37
------------------------------------------------------------
for the  13 th cluster number of 10min intavels with zero pickups:  326
------------------------------------------------------------
for the  14 th cluster number of 10min intavels with zero pickups:  35
------------------------------------------------------------
for the  15 th cluster number of 10min intavels with zero pickups:  29
------------------------------------------------------------
for the  16 th cluster number of 10min intavels with zero pickups:  25
------------------------------------------------------------
```

```
for the  17 th cluster number of 10min intavels with zero pickups:  40
-----------------------------------------------------------
for the  18 th cluster number of 10min intavels with zero pickups:  30
-----------------------------------------------------------
for the  19 th cluster number of 10min intavels with zero pickups:  35
-----------------------------------------------------------
for the  20 th cluster number of 10min intavels with zero pickups:  40
-----------------------------------------------------------
for the  21 th cluster number of 10min intavels with zero pickups:  38
-----------------------------------------------------------
for the  22 th cluster number of 10min intavels with zero pickups:  34
-----------------------------------------------------------
for the  23 th cluster number of 10min intavels with zero pickups:  49
-----------------------------------------------------------
for the  24 th cluster number of 10min intavels with zero pickups:  49
-----------------------------------------------------------
for the  25 th cluster number of 10min intavels with zero pickups:  27
-----------------------------------------------------------
for the  26 th cluster number of 10min intavels with zero pickups:  26
-----------------------------------------------------------
for the  27 th cluster number of 10min intavels with zero pickups:  720
-----------------------------------------------------------
for the  28 th cluster number of 10min intavels with zero pickups:  34
-----------------------------------------------------------
for the  29 th cluster number of 10min intavels with zero pickups:  29
-----------------------------------------------------------
```

there are two ways to fill up these values

- Fill the missing value with 0's
- Fill the missing values with the avg values
  - Case 1:(values missing at the start)
    Ex1: _ _ _ x =>ceil(x/4), ceil(x/4), ceil(x/4), ceil(x/4)
    Ex2: _ _ x => ceil(x/3), ceil(x/3), ceil(x/3)
  - Case 2:(values missing in middle)
    Ex1: x _ _ y => ceil((x+y)/4), ceil((x+y)/4), ceil((x+y)/4), ceil((x+y)/4)
    Ex2: x _ _ _ y => ceil((x+y)/5), ceil((x+y)/5), ceil((x+y)/5), ceil((x+y)/5), ceil((x+y)/5)

- Case 3:(values missing at the end)
  Ex1: x _ _ _ => ceil(x/4), ceil(x/4), ceil(x/4), ceil(x/4)
  Ex2: x _ => ceil(x/2), ceil(x/2)

In [116]:

```
# Fills a value of zero for every bin where no pickup data is present
# the count_values: number pickps that are happened in each region for
 each 10min intravel
# there wont be any value if there are no picksups.
# values: number of unique bins

# for every 10min intravel(pickup_bin) we will check it is there in our
 unique bin,
# if it is there we will add the count_values[index] to smoothed data
# if not we add 0 to the smoothed data
# we finally return smoothed data
def fill_missing(count_values,values):
    smoothed_regions=[]
    ind=0
    for r in range(0,30):
        smoothed_bins=[]
        for i in range(4464):
            if i in values[r]:
                smoothed_bins.append(count_values[ind])
                ind+=1
            else:
                smoothed_bins.append(0)
        smoothed_regions.extend(smoothed_bins)
    return smoothed_regions
```

In [117]:

```
# Fills a value of zero for every bin where no pickup data is present
# the count_values: number pickps that are happened in each region for
 each 10min intravel
# there wont be any value if there are no picksups.
# values: number of unique bins

# for every 10min intravel(pickup_bin) we will check it is there in our
 unique bin,
# if it is there we will add the count_values[index] to smoothed data
```

```
# if not we add smoothed data (which is calculated based on the methods
 that are discussed in the above markdown cell)
# we finally return smoothed data
def smoothing(count_values,values):
    smoothed_regions=[] # stores list of final smoothed values of each
 reigion
    ind=0
    repeat=0
    smoothed_value=0
    for r in range(0,30):
        smoothed_bins=[] #stores the final smoothed values
        repeat=0
        for i in range(4464):
            if repeat!=0: # prevents iteration for a value which is alr
eady visited/resolved
                repeat-=1
                continue
            if i in values[r]: #checks if the pickup-bin exists
                smoothed_bins.append(count_values[ind]) # appends the v
alue of the pickup bin if it exists
            else:
                if i!=0:
                    right_hand_limit=0
                    for j in range(i,4464):
                        if  j not in values[r]: #searches for the left-
limit or the pickup-bin value which has a pickup value
                            continue
                        else:
                            right_hand_limit=j
                            break
                    if right_hand_limit==0:
                    #Case 1: When we have the last/last few values are
 found to be missing,hence we have no right-limit here
                        smoothed_value=count_values[ind-1]*1.0/((4463-i
)+2)*1.0
                        for j in range(i,4464):

                            smoothed_bins.append(math.ceil(smoothed_val
ue))
```

```
                        smoothed_bins[i-1] = math.ceil(smoothed_value)
                        repeat=(4463-i)
                        ind-=1
                    else:
                    #Case 2: When we have the missing values between tw
o known values
                        smoothed_value=(count_values[ind-1]+count_value
s[ind])*1.0/((right_hand_limit-i)+2)*1.0
                        for j in range(i,right_hand_limit+1):
                            smoothed_bins.append(math.ceil(smoothed_val
ue))
                        smoothed_bins[i-1] = math.ceil(smoothed_value)
                        repeat=(right_hand_limit-i)
                else:
                    #Case 3: When we have the first/first few values ar
e found to be missing,hence we have no left-limit here
                    right_hand_limit=0
                    for j in range(i,4464):
                        if  j not in values[r]:
                            continue
                        else:
                            right_hand_limit=j
                            break
                    smoothed_value=count_values[ind]*1.0/((right_hand_l
imit-i)+1)*1.0
                    for j in range(i,right_hand_limit+1):
                            smoothed_bins.append(math.ceil(smoothed_val
ue))
                    repeat=(right_hand_limit-i)
            ind+=1
        smoothed_regions.extend(smoothed_bins)
    return smoothed_regions
```

In [118]:

```
#Filling Missing values of Jan-2015 with 0
# here in jan_2015_groupby dataframe the trip_distance represents the n
umber of pickups that are happened
jan_2015_fill = fill_missing(jan_2015_groupby['trip_distance'].values,j
an_2015_unique)
```

```
#Smoothing Missing values of Jan-2015
jan_2015_smooth = smoothing(jan_2015_groupby['trip_distance'].values,jan_2015_unique)
```

In [119]:
```
# number of 10min indices for jan 2015= 24*31*60/10 = 4464
# number of 10min indices for jan 2016 = 24*31*60/10 = 4464
# number of 10min indices for feb 2016 = 24*29*60/10 = 4176
# number of 10min indices for march 2016 = 24*30*60/10 = 4320
# for each cluster we will have 4464 values, therefore 30*4464 = 133920
 (length of the jan_2015_fill)
print("number of 10min intravels among all the clusters ",len(jan_2015_fill))
```

```
number of 10min intravels among all the clusters  133920
```

In [120]:
```
# Smoothing vs Filling
# sample plot that shows two variations of filling missing values
# we have taken the number of pickups for cluster region 2
plt.figure(figsize=(10,5))
plt.plot(jan_2015_fill[4464:8920], label="zero filled values")
plt.plot(jan_2015_smooth[4464:8920], label="filled with avg values")
plt.legend()
plt.show()
```



In [121]:
```
# why we choose, these methods and which method is used for which data?

# Ans: consider we have data of some month in 2015 jan 1st, 10 _ _ _ 2
0, i.e there are 10 pickups that are happened in 1st
# 10st 10min intravel, 0 pickups happened in 2nd 10mins intravel, 0 pic
kups happened in 3rd 10min intravel
# and 20 pickups happened in 4th 10min intravel.
# in fill_missing method we replace these values like 10, 0, 0, 20
# where as in smoothing method we replace these values as 6,6,6,6,6, if
 you can check the number of pickups
# that are happened in the first 40min are same in both cases, but if y
ou can observe that we looking at the future values
# wheen you are using smoothing we are looking at the future number of
 pickups which might cause a data leakage.

# so we use smoothing for jan 2015th data since it acts as our training
 data
# and we use simple fill_misssing method for 2016th data.
```

In [122]:
```
# Jan-2015 data is smoothed, Jan,Feb & March 2016 data missing values a
```

```
re filled with zero
jan_2015_smooth = smoothing(jan_2015_groupby['trip_distance'].values,ja
n_2015_unique)
jan_2016_smooth = fill_missing(jan_2016_groupby['trip_distance'].values
,jan_2016_unique)
feb_2016_smooth = fill_missing(feb_2016_groupby['trip_distance'].values
,feb_2016_unique)
mar_2016_smooth = fill_missing(mar_2016_groupby['trip_distance'].values
,mar_2016_unique)

# Making list of all the values of pickup data in every bin for a perio
d of 3 months and storing them region-wise
regions_cum = []

# a =[1,2,3]
# b = [2,3,4]
# a+b = [1, 2, 3, 2, 3, 4]

# number of 10min indices for jan 2015= 24*31*60/10 = 4464
# number of 10min indices for jan 2016 = 24*31*60/10 = 4464
# number of 10min indices for feb 2016 = 24*29*60/10 = 4176
# number of 10min indices for march 2016 = 24*31*60/10 = 4464
# regions_cum: it will contain 30 lists, each list will contain 4464+41
76+4464 values which represents the number of pickups
# that are happened for three months in 2016 data

for i in range(0,30):
    regions_cum.append(jan_2016_smooth[4464*i:4464*(i+1)]+feb_2016_smoo
th[4176*i:4176*(i+1)]+mar_2016_smooth[4464*i:4464*(i+1)])

# print(len(regions_cum))
# 40
# print(len(regions_cum[0]))
# 13104
```

Time series and Fourier Transforms

In [123]:

```
def uniqueish_color():
    """There're better ways to generate unique colors, but this isn't a
wful."""
    return plt.cm.gist_ncar(np.random.random())
first_x = list(range(0,4464))
second_x = list(range(4464,8640))
third_x = list(range(8640,13104))
for i in range(30):
    plt.figure(figsize=(10,4))
    plt.plot(first_x,regions_cum[i][:4464], color=uniqueish_color(), la
bel='2016 Jan month data')
    plt.plot(second_x,regions_cum[i][4464:8640], color=uniqueish_color
(), label='2016 feb month data')
    plt.plot(third_x,regions_cum[i][8640:], color=uniqueish_color(), la
bel='2016 march month data')
    plt.legend()
    plt.show()
```




2016 Jan month data
2016 feb month data
2016 march month data
400
300
200
100
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
400
350
300
250
200
150
100
50
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data


2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data


0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
0
50
100
150
200
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
200
250
300
350





2016 Jan month data
2016 feb month data
2016 march month data



2016 Jan month data
2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data
0
50
100
150
200
250
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
0
100
200
300
400
500
600
700
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
600


2016 march month data
0
100
200
300
400
500
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
0
50
100
150
200
250
300
350
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
300
400
500


200
100
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
400
300
200
100
0
0
2000
4000
6000
8000
10000
12000


500
2016 Jan month data
2016 feb month data


2016 march month data
0
100
200
300
400
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
0
100
200
300
400
500
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
0
100
200
300
400


0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
400
300
200
100
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
400
300
200
100
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data


2016 Jan month data
2016 feb month data
2016 march month data
350
300
250
200
150
100
50
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
300
250
200
150
100
50
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
300
250
200
150
100
50
0
0
2000
4000
6000
8000
10000
12000


2016 Jan month data
2016 feb month data
2016 march month data
400
350
300
250
200
150
100
50
0
0
2000
4000
6000
8000
10000
12000



In [124]:
```
# getting peaks: https://blog.ytotech.com/2015/11/01/findpeaks-in-pytho
n/
# read more about fft function : https://docs.scipy.org/doc/numpy/refer
ence/generated/numpy.fft.fft.html
Y    = np.fft.fft(np.array(jan_2016_smooth)[0:4460])
# read more about the fftfreq: https://docs.scipy.org/doc/numpy/referen
ce/generated/numpy.fft.fftfreq.html
freq = np.fft.fftfreq(4460, 1)
n = len(freq)
plt.figure()
plt.plot( freq[:int(n/2)], np.abs(Y)[:int(n/2)] )
plt.xlabel("Frequency")
plt.ylabel("Amplitude")
plt.show()
```



In [125]:
```
freq.shape
```
Out[125]: (4460,)

In [126]:
```
#Preparing the Dataframe only with x(i) values as jan-2015 data and y(i) values as jan-2016
ratios_jan = pd.DataFrame()
ratios_jan['Given']=jan_2015_smooth
ratios_jan['Prediction']=jan_2016_smooth
ratios_jan['Ratios']=ratios_jan['Prediction']*1.0/ratios_jan['Given']*1.0
```

Modelling: Baseline Models

Now we get into modelling in order to forecast the pickup densities for the months of Jan, Feb and March of 2016 for which we are using multiple models with two variations

1. Using Ratios of the 2016 data to the 2015 data i.e $R_t = P_t^{2016} / P_t^{2015}$
2. Using Previous known values of the 2016 data itself to predict the future values

Simple Moving Averages

The First Model used is the Moving Averages Model which uses the previous n values in order to predict the next value

Using Ratio Values - $R_t = (R_{t-1} + R_{t-2} + R_{t-3} \ldots R_{t-n})/n$

In [127]:
```
def MA_R_Predictions(ratios,month):
    predicted_ratio=(ratios['Ratios'].values)[0]
    error=[]
    predicted_values=[]
    window_size=3
    predicted_ratio_values=[]
    for i in range(0,4464*30):
        if i%4464==0:
            predicted_ratio_values.append(0)
            predicted_values.append(0)
            error.append(0)
            continue
        predicted_ratio_values.append(predicted_ratio)
        predicted_values.append(int(((ratios['Given'].values)[i])*predi
cted_ratio))
        error.append(abs((math.pow(int(((ratios['Given'].values)[i])*pr
edicted_ratio)-(ratios['Prediction'].values)[i],1))))
        if i+1>=window_size:
            predicted_ratio=sum((ratios['Ratios'].values)[(i+1)-window_
```

```
size:(i+1)])/window_size
        else:
            predicted_ratio=sum((ratios['Ratios'].values)[0:(i+1)])/(i+
1)


    ratios['MA_R_Predicted'] = predicted_values
    ratios['MA_R_Error'] = error
    mape_err = (sum(error)/len(error))/(sum(ratios['Prediction'].values
)/len(ratios['Prediction'].values))
    mse_err = sum([e**2 for e in error])/len(error)
    return ratios,mape_err,mse_err
```

For the above the Hyperparameter is the window-size (n) which is tuned manually and it is found that the window-size of 3 is optimal for getting the best results using Moving Averages using previous Ratio values therefore we get $R_t = (R_{t-1} + R_{t-2} + R_{t-3})/3$

Next we use the Moving averages of the 2016 values itself to predict the future value using $P_t = (P_{t-1} + P_{t-2} + P_{t-3} \ldots P_{t-n})/n$

In [128]:
```
def MA_P_Predictions(ratios,month):
    predicted_value=(ratios['Prediction'].values)[0]
    error=[]
    predicted_values=[]
    window_size=1
    predicted_ratio_values=[]
    for i in range(0,4464*30):
        predicted_values.append(predicted_value)
        error.append(abs((math.pow(predicted_value-(ratios['Prediction'
].values)[i],1))))
        if i+1>=window_size:
            predicted_value=int(sum((ratios['Prediction'].values)[(i+1)
-window_size:(i+1)])/window_size)
        else:
            predicted_value=int(sum((ratios['Prediction'].values)[0:(i+
1)])/(i+1))
```

```
    ratios['MA_P_Predicted'] = predicted_values
    ratios['MA_P_Error'] = error
    mape_err = (sum(error)/len(error))/(sum(ratios['Prediction'].values
)/len(ratios['Prediction'].values))
    mse_err = sum([e**2 for e in error])/len(error)
    return ratios,mape_err,mse_err
```

For the above the Hyperparameter is the window-size (n) which is tuned manually and it is found that the window-size of 1 is optimal for getting the best results using Moving Averages using previous 2016 values therefore we get $P_t = P_{t-1}$

Weighted Moving Averages

The Moving Avergaes Model used gave equal importance to all the values in the window used, but we know intuitively that the future is more likely to be similar to the latest values and less similar to the older values. Weighted Averages converts this analogy into a mathematical relationship giving the highest weight while computing the averages to the latest previous value and decreasing weights to the subsequent older ones

Weighted Moving Averages using Ratio Values -
$R_t = (N * R_{t-1} + (N-1) * R_{t-2} + (N-2) * R_{t-3} \ldots 1 * R_{t-n})/(N * (N+1)/2)$

In [129]:

```
def WA_R_Predictions(ratios,month):
    predicted_ratio=(ratios['Ratios'].values)[0]
    alpha=0.5
    error=[]
    predicted_values=[]
    window_size=5
    predicted_ratio_values=[]
    for i in range(0,4464*30):
        if i%4464==0:
            predicted_ratio_values.append(0)
            predicted_values.append(0)
            error.append(0)
            continue
```

```
        predicted_ratio_values.append(predicted_ratio)
        predicted_values.append(int(((ratios['Given'].values)[i])*predi
cted_ratio))
        error.append(abs((math.pow(int(((ratios['Given'].values)[i])*pr
edicted_ratio)-(ratios['Prediction'].values)[i],1))))
        if i+1>=window_size:
            sum_values=0
            sum_of_coeff=0
            for j in range(window_size,0,-1):
                sum_values += j*(ratios['Ratios'].values)[i-window_size
+j]
                sum_of_coeff+=j
            predicted_ratio=sum_values/sum_of_coeff
        else:
            sum_values=0
            sum_of_coeff=0
            for j in range(i+1,0,-1):
                sum_values += j*(ratios['Ratios'].values)[j-1]
                sum_of_coeff+=j
            predicted_ratio=sum_values/sum_of_coeff

    ratios['WA_R_Predicted'] = predicted_values
    ratios['WA_R_Error'] = error
    mape_err = (sum(error)/len(error))/(sum(ratios['Prediction'].values
)/len(ratios['Prediction'].values))
    mse_err = sum([e**2 for e in error])/len(error)
    return ratios,mape_err,mse_err
```

For the above the Hyperparameter is the window-size (n) which is tuned manually and it is found that the window-size of 5 is optimal for getting the best results using Weighted Moving Averages using previous Ratio values therefore we get
$R_t = (5 * R_{t-1} + 4 * R_{t-2} + 3 * R_{t-3} + 2 * R_{t-4} + R_{t-5})/15$

Weighted Moving Averages using Previous 2016 Values -
$P_t = (N * P_{t-1} + (N-1) * P_{t-2} + (N-2) * P_{t-3} \ldots 1 * P_{t-n})/(N * (N+1)/2)$

In [130]:
```
def WA_P_Predictions(ratios,month):
```

```
    predicted_value=(ratios['Prediction'].values)[0]
    error=[]
    predicted_values=[]
    window_size=2
    for i in range(0,4464*30):
        predicted_values.append(predicted_value)
        error.append(abs((math.pow(predicted_value-(ratios['Prediction'
].values)[i],1))))
        if i+1>=window_size:
            sum_values=0
            sum_of_coeff=0
            for j in range(window_size,0,-1):
                sum_values += j*(ratios['Prediction'].values)[i-window_
size+j]
                sum_of_coeff+=j
            predicted_value=int(sum_values/sum_of_coeff)

        else:
            sum_values=0
            sum_of_coeff=0
            for j in range(i+1,0,-1):
                sum_values += j*(ratios['Prediction'].values)[j-1]
                sum_of_coeff+=j
            predicted_value=int(sum_values/sum_of_coeff)

    ratios['WA_P_Predicted'] = predicted_values
    ratios['WA_P_Error'] = error
    mape_err = (sum(error)/len(error))/(sum(ratios['Prediction'].values
)/len(ratios['Prediction'].values))
    mse_err = sum([e**2 for e in error])/len(error)
    return ratios,mape_err,mse_err
```

For the above the Hyperparameter is the window-size (n) which is tuned manually and it is found that the window-size of 2 is optimal for getting the best results using Weighted Moving Averages using previous 2016 values therefore we get $P_t = (2 * P_{t-1} + P_{t-2})/3$

Exponential Weighted Moving Averages

https://en.wikipedia.org/wiki/Moving_average#Exponential_moving_average Through weighted averaged we have satisfied the analogy of giving higher weights to the latest value and decreasing weights to the subsequent ones but we still do not know which is the correct weighting scheme as there are infinetly many possibilities in which we can assign weights in a non-increasing order and tune the the hyperparameter window-size. To simplify this process we use Exponential Moving Averages which is a more logical way towards assigning weights and at the same time also using an optimal window-size.

In exponential moving averages we use a single hyperparameter alpha (α) which is a value between 0 & 1 and based on the value of the hyperparameter alpha the weights and the window sizes are configured.
For eg. If $\alpha = 0.9$ then the number of days on which the value of the current iteration is based is~ $1/(1-\alpha) = 10$ i.e. we consider values 10 days prior before we predict the value for the current iteration. Also the weights are assigned using $2/(N+1) = 0.18$,where N = number of prior values being considered, hence from this it is implied that the first or latest value is assigned a weight of 0.18 which keeps exponentially decreasing for the subsequent values.

$$R_t^{'} = \alpha * R_{t-1} + (1-\alpha) * R_{t-1}^{'}$$

In [131]:
```
def EA_R1_Predictions(ratios,month):
    predicted_ratio=(ratios['Ratios'].values)[0]
    alpha=0.6
    error=[]
    predicted_values=[]
    predicted_ratio_values=[]
    for i in range(0,4464*30):
        if i%4464==0:
            predicted_ratio_values.append(0)
            predicted_values.append(0)
            error.append(0)
            continue
        predicted_ratio_values.append(predicted_ratio)
        predicted_values.append(int(((ratios['Given'].values)[i])*predi
cted_ratio))
        error.append(abs((math.pow(int(((ratios['Given'].values)[i])*pr
```

```
edicted_ratio)-(ratios['Prediction'].values)[i],1))))
        predicted_ratio = (alpha*predicted_ratio) + (1-alpha)*((ratios[
'Ratios'].values)[i])

    ratios['EA_R1_Predicted'] = predicted_values
    ratios['EA_R1_Error'] = error
    mape_err = (sum(error)/len(error))/(sum(ratios['Prediction'].values
)/len(ratios['Prediction'].values))
    mse_err = sum([e**2 for e in error])/len(error)
    return ratios,mape_err,mse_err
```

$$P_t^{'} = \alpha * P_{t-1} + (1 - \alpha) * P_{t-1}^{'}$$

In [132]:

```
def EA_P1_Predictions(ratios,month):
    predicted_value= (ratios['Prediction'].values)[0]
    alpha=0.3
    error=[]
    predicted_values=[]
    for i in range(0,4464*30):
        if i%4464==0:
            predicted_values.append(0)
            error.append(0)
            continue
        predicted_values.append(predicted_value)
        error.append(abs((math.pow(predicted_value-(ratios['Prediction'
].values)[i],1))))
        predicted_value =int((alpha*predicted_value) + (1-alpha)*((rati
os['Prediction'].values)[i]))

    ratios['EA_P1_Predicted'] = predicted_values
    ratios['EA_P1_Error'] = error
    mape_err = (sum(error)/len(error))/(sum(ratios['Prediction'].values
)/len(ratios['Prediction'].values))
    mse_err = sum([e**2 for e in error])/len(error)
    return ratios,mape_err,mse_err
```

In [133]:

```
mean_err=[0]*10
```

```
median_err=[0]*10
ratios_jan,mean_err[0],median_err[0]=MA_R_Predictions(ratios_jan,'jan')
ratios_jan,mean_err[1],median_err[1]=MA_P_Predictions(ratios_jan,'jan')
ratios_jan,mean_err[2],median_err[2]=WA_R_Predictions(ratios_jan,'jan')
ratios_jan,mean_err[3],median_err[3]=WA_P_Predictions(ratios_jan,'jan')
ratios_jan,mean_err[4],median_err[4]=EA_R1_Predictions(ratios_jan,'jan'
)
ratios_jan,mean_err[5],median_err[5]=EA_P1_Predictions(ratios_jan,'jan'
)
```

Comparison between baseline models

We have chosen our error metric for comparison between models as **MAPE (Mean Absolute Percentage Error)** so that we can know that on an average how good is our model with predictions and **MSE (Mean Squared Error)** is also used so that we have a clearer understanding as to how well our forecasting model performs with outliers so that we make sure that there is not much of a error margin between our prediction and the actual value

In [134]:

```
print ("Error Metric Matrix (Forecasting Methods) - MAPE & MSE")
print ("-----------------------------------------------------------------
-----------------------------------------")
print ("Moving Averages (Ratios) -                             MAPE: ",
mean_err[0],"      MSE: ",median_err[0])
print ("Moving Averages (2016 Values) -                        MAPE: ",
mean_err[1],"       MSE: ",median_err[1])
print ("-----------------------------------------------------------------
-----------------------------------------")
print ("Weighted Moving Averages (Ratios) -                    MAPE: ",
mean_err[2],"      MSE: ",median_err[2])
print ("Weighted Moving Averages (2016 Values) -               MAPE: ",
mean_err[3],"      MSE: ",median_err[3])
print ("-----------------------------------------------------------------
-----------------------------------------")
print ("Exponential Moving Averages (Ratios) -              MAPE: ",mea
n_err[4],"      MSE: ",median_err[4])
print ("Exponential Moving Averages (2016 Values) -         MAPE: ",mea
n_err[5],"      MSE: ",median_err[5])
```

```
Error Metric Matrix (Forecasting Methods) - MAPE & MSE
--------------------------------------------------------------------------------------------------------
Moving Averages (Ratios) -                          MAPE:  0.1628685972027342       MSE:  561.0487977897252
Moving Averages (2016 Values) -                     MAPE:  0.12651735674574424        MSE:  241.14901433691756
--------------------------------------------------------------------------------------------------------
Weighted Moving Averages (Ratios) -                 MAPE:  0.1599661761243253       MSE:  548.5285170250896
Weighted Moving Averages (2016 Values) -            MAPE:  0.12121086157001072       MSE:  229.33734318996414
--------------------------------------------------------------------------------------------------------
Exponential Moving Averages (Ratios) -           MAPE:  0.1593403910652334       MSE:  546.5861260454002
Exponential Moving Averages (2016 Values) -      MAPE:  0.1209639974233378       MSE:  226.0377688172043
```

In [44]:
```python
x= ['Moving Averages','Weighted Moving Averages','Exponential Moving Averages']
Y= [mean_err[0],mean_err[2],mean_err[4]]
Z=[mean_err[1],mean_err[3],mean_err[5]]
df1 = pd.DataFrame(dict(graph=x, n=Y, m=Z))

ind = np.arange(len(df1))
width = 0.4

fig, ax = plt.subplots()
ax.barh(ind, df1.n, width, label='Train MAPE')
ax.barh(ind + width, df1.m, width, label='Test MAPE')
fig.set_figwidth(8)
plt.gcf().subplots_adjust(left = 0.40)
plt.title("Mean Absolute Percentage Error for Different forecasting models")
ax.set(yticks=ind + width, yticklabels=df1.graph, ylim=[2*width - 1, len(df1)])
```

```
ax.legend()

plt.show()
```



Plese Note:- The above comparisons are made using Jan 2015 and Jan 2016 only

From the above matrix it is inferred that the best forecasting model for our prediction would be:-
$P_t^{'} = \alpha * P_{t-1} + (1-\alpha) * P_{t-1}^{'}$ i.e Exponential Moving Averages using 2016 Values

Regression Models

Train-Test Split

Before we start predictions using the tree based regression models we take 3 months of 2016 pickup data and split it such that for every region we have 70% data in train and 30% in test, ordered date-wise for every region

In [135]:

```
# Preparing data to be split into train and test, The below prepares da
ta in cumulative form which will be later split into test and train
# number of 10min indices for jan 2015= 24*31*60/10 = 4464
# number of 10min indices for jan 2016 = 24*31*60/10 = 4464
# number of 10min indices for feb 2016 = 24*29*60/10 = 4176
# number of 10min indices for march 2016 = 24*31*60/10 = 4464
# regions_cum: it will contain 30 lists, each list will contain 4464+41
76+4464 values which represents the number of pickups
# that are happened for three months in 2016 data

# print(len(regions_cum))
# 30
# print(len(regions_cum[0]))
# 12960

# we take number of pickups that are happened in last 5 10min intravels
number_of_time_stamps = 5

# output varaible
# it is list of lists
# it will contain number of pickups 13099 for each cluster
output = []


# tsne_lat will contain 13104-5=13099 times lattitude of cluster center
 for every cluster
# Ex: [[cent_lat 13099times],[cent_lat 13099times], [cent_lat 13099time
s].... 30 lists]
# it is list of lists
tsne_lat = []


# tsne_lon will contain 13104-5=13099 times logitude of cluster center
 for every cluster
```

```
# Ex: [[cent_long 13099times],[cent_long 13099times], [cent_long 13099t
imes].... 30 lists]
# it is list of lists
tsne_lon = []

# we will code each day
# sunday = 0, monday=1, tue = 2, wed=3, thur=4, fri=5,sat=6
# for every cluster we will be adding 13099 values, each value represen
t to which day of the week that pickup bin belongs to
# it is list of lists
tsne_weekday = []

# its an numbpy array, of shape (523960, 5)
# each row corresponds to an entry in out data
# for the first row we will have [f0,f1,f2,f3,f4] fi=number of pickups
 happened in i+1th 10min intravel(bin)
# the second row will have [f1,f2,f3,f4,f5]
# the third row will have [f2,f3,f4,f5,f6]
# and so on...
tsne_feature = []


tsne_feature = [0]*number_of_time_stamps
for i in range(0,30):
    tsne_lat.append([kmeans.cluster_centers_[i][0]]*13099)
    tsne_lon.append([kmeans.cluster_centers_[i][1]]*13099)
    # jan 1st 2016 is thursday, so we start our day from 4: "(int(k/14
4))%7+4"
    # our prediction start from 5th 10min intravel since we need to hav
e number of pickups that are happened in last 5 pickup bins
    tsne_weekday.append([int(((int(k/144))%7+4)%7) for k in range(5,446
4+4176+4464)])
    # regions_cum is a list of lists [[x1,x2,x3..x13104], [x1,x2,x3..x1
3104], [x1,x2,x3..x13104], [x1,x2,x3..x13104], [x1,x2,x3..x13104], .. 3
0 lsits]
    tsne_feature = np.vstack((tsne_feature, [regions_cum[i][r:r+number_
of_time_stamps] for r in range(0,len(regions_cum[i])-number_of_time_sta
mps)]))
```

```
    output.append(regions_cum[i][5:])
tsne_feature = tsne_feature[1:]
```

In [136]:
```
len(tsne_lat[0])*len(tsne_lat) == tsne_feature.shape[0] == len(tsne_wee
kday)*len(tsne_weekday[0]) == 30*13099 == len(output)*len(output[0])
```

Out[136]: True

In [137]:
```
# Getting the predictions of exponential moving averages to be used as
 a feature in cumulative form

# upto now we computed 8 features for every data point that starts from
 50th min of the day
# 1. cluster center lattitude
# 2. cluster center longitude
# 3. day of the week
# 4. f_t_1: number of pickups that are happened previous t-1th 10min in
travel
# 5. f_t_2: number of pickups that are happened previous t-2th 10min in
travel
# 6. f_t_3: number of pickups that are happened previous t-3th 10min in
travel
# 7. f_t_4: number of pickups that are happened previous t-4th 10min in
travel
# 8. f_t_5: number of pickups that are happened previous t-5th 10min in
travel

# from the baseline models we said the exponential weighted moving avar
age gives us the best error
# we will try to add the same exponential weighted moving avarage at t
 as a feature to our data
# exponential weighted moving avarage => p'(t) = alpha*p'(t-1) + (1-alp
ha)*P(t-1)
alpha=0.3

# it is a temporary array that store exponential weighted moving avarag
e for each 10min intravel,
# for each cluster it will get reset
# for every cluster it contains 13104 values
```

```
predicted_values=[]

# it is similar like tsne_lat
# it is list of lists
# predict_list is a list of lists [[x5,x6,x7..x13104], [x5,x6,x7..x1310
4], [x5,x6,x7..x13104], [x5,x6,x7..x13104], [x5,x6,x7..x13104], .. 40 l
sits]
predict_list = []
tsne_flat_exp_avg = []
for r in range(0,30):
    for i in range(0,13104):
        if i==0:
            predicted_value= regions_cum[r][0]
            predicted_values.append(0)
            continue
        predicted_values.append(predicted_value)
        predicted_value =int((alpha*predicted_value) + (1-alpha)*(regio
ns_cum[r][i]))
    predict_list.append(predicted_values[5:])
    predicted_values=[]
```

In [138]:

```
# train, test split : 70% 30% split
# Before we start predictions using the tree based regression models we
 take 3 months of 2016 pickup data
# and split it such that for every region we have 70% data in train and
 30% in test,
# ordered date-wise for every region
print("size of train data :", int(13099*0.7))
print("size of test data :", int(13099*0.3))
```

```
size of train data : 9169
size of test data : 3929
```

In [139]:

```
# extracting first 9169 timestamp values i.e 70% of 13099 (total timest
amps) for our training data
train_features =  [tsne_feature[i*13099:(13099*i+9169)] for i in range(
0,30)]
# temp = [0]*(12955 - 9068)
```

```
test_features = [tsne_feature[(13099*(i))+9169:13099*(i+1)] for i in ra
nge(0,30)]
```

In [140]:
```
print("Number of data clusters",len(train_features), "Number of data po
ints in trian data", len(train_features[0]), "Each data point contains"
, len(train_features[0][0]),"features")
print("Number of data clusters",len(train_features), "Number of data po
ints in test data", len(test_features[0]), "Each data point contains",
len(test_features[0][0]),"features")
```

```
Number of data clusters 30 Number of data points in trian data 9169 Eac
h data point contains 5 features
Number of data clusters 30 Number of data points in test data 3930 Each
data point contains 5 features
```

In [141]:
```
# extracting first 9169 timestamp values i.e 70% of 13099 (total timest
amps) for our training data
tsne_train_flat_lat = [i[:9169] for i in tsne_lat]
tsne_train_flat_lon = [i[:9169] for i in tsne_lon]
tsne_train_flat_weekday = [i[:9169] for i in tsne_weekday]
tsne_train_flat_output = [i[:9169] for i in output]
tsne_train_flat_exp_avg = [i[:9169] for i in predict_list]
```

In [142]:
```
# extracting the rest of the timestamp values i.e 30% of 12956 (total t
imestamps) for our test data
tsne_test_flat_lat = [i[9169:] for i in tsne_lat]
tsne_test_flat_lon = [i[9169:] for i in tsne_lon]
tsne_test_flat_weekday = [i[9169:] for i in tsne_weekday]
tsne_test_flat_output = [i[9169:] for i in output]
tsne_test_flat_exp_avg = [i[9169:] for i in predict_list]
```

In [143]:
```
# the above contains values in the form of list of lists (i.e. list of
 values of each region), here we make all of them in one list
train_new_features = []
for i in range(0,30):
    train_new_features.extend(train_features[i])
test_new_features = []
```

```
for i in range(0,30):
    test_new_features.extend(test_features[i])
```

In [144]:

```
# converting lists of lists into sinle list i.e flatten
# a  = [[1,2,3,4],[4,6,7,8]]
# print(sum(a,[]))
# [1, 2, 3, 4, 4, 6, 7, 8]

tsne_train_lat = sum(tsne_train_flat_lat, [])
tsne_train_lon = sum(tsne_train_flat_lon, [])
tsne_train_weekday = sum(tsne_train_flat_weekday, [])
tsne_train_output = sum(tsne_train_flat_output, [])
tsne_train_exp_avg = sum(tsne_train_flat_exp_avg,[])
```

In [145]:

```
# converting lists of lists into sinle list i.e flatten
# a  = [[1,2,3,4],[4,6,7,8]]
# print(sum(a,[]))
# [1, 2, 3, 4, 4, 6, 7, 8]

tsne_test_lat = sum(tsne_test_flat_lat, [])
tsne_test_lon = sum(tsne_test_flat_lon, [])
tsne_test_weekday = sum(tsne_test_flat_weekday, [])
tsne_test_output = sum(tsne_test_flat_output, [])
tsne_test_exp_avg = sum(tsne_test_flat_exp_avg,[])
```

In [146]:

```
# Preparing the data frame for our train data
columns = ['ft_5','ft_4','ft_3','ft_2','ft_1']
df_train = pd.DataFrame(data=train_new_features, columns=columns)
df_train['lat'] = tsne_train_lat
df_train['lon'] = tsne_train_lon
df_train['weekday'] = tsne_train_weekday
df_train['exp_avg'] = tsne_train_exp_avg

print(df_train.shape)
```

```
(275070, 9)
```

In [147]:

```
# Preparing the data frame for our train data
```

```
df_test = pd.DataFrame(data=test_new_features, columns=columns)
df_test['lat'] = tsne_test_lat
df_test['lon'] = tsne_test_lon
df_test['weekday'] = tsne_test_weekday
df_test['exp_avg'] = tsne_test_exp_avg
print(df_test.shape)
```

(117900, 9)

In [148]:
```
df_test.head()
```

Out[148]:

	ft_5	ft_4	ft_3	ft_2	ft_1	lat	lon	weekday	exp_avg
0	240	213	243	222	234	40.777809	-73.954054	4	231
1	213	243	222	234	291	40.777809	-73.954054	4	273
2	243	222	234	291	256	40.777809	-73.954054	4	261
3	222	234	291	256	266	40.777809	-73.954054	4	264
4	234	291	256	266	268	40.777809	-73.954054	4	266

Using Linear Regression

In [149]:
```
# find more about LinearRegression function here http://scikit-learn.or
g/stable/modules/generated/sklearn.linear_model.LinearRegression.html
# -------------------------
# default paramters
# sklearn.linear_model.LinearRegression(fit_intercept=True, normalize=F
alse, copy_X=True, n_jobs=1)

# some of methods of LinearRegression()
# fit(X, y[, sample_weight])    Fit linear model.
# get_params([deep])    Get parameters for this estimator.
# predict(X)    Predict using the linear model
# score(X, y[, sample_weight])  Returns the coefficient of determinatio
n R^2 of the prediction.
```

```
# set_params(**params)  Set the parameters of this estimator.
# -----------------------
# video link: https://www.appliedaicourse.com/course/applied-ai-course-
online/lessons/geometric-intuition-1-2-copy-8/
# -----------------------

from sklearn.model_selection import GridSearchCV
from sklearn.linear_model import LinearRegression
lr_model = LinearRegression(n_jobs=-1)
parameters = {'fit_intercept':[True,False], 'normalize':[True,False],
'copy_X':[True, False]}
grid = GridSearchCV(lr_model, parameters, cv=None)
grid.fit(df_train, tsne_train_output)
grid.best_estimator_
```

Out[149]:
```
LinearRegression(copy_X=True, fit_intercept=True, n_jobs=-1, normalize=
True)
```

In [150]:
```
model=LinearRegression(copy_X=True, fit_intercept=True, n_jobs=-1, norm
alize=True)
model.fit(df_train, tsne_train_output)
y_pred = model.predict(df_test)
lr_test_predictions = [round(value) for value in y_pred]
y_pred = model.predict(df_train)
lr_train_predictions = [round(value) for value in y_pred]
```

Using Random Forest Regressor

In [151]:
```
# Training a hyper-parameter tuned random forest regressor on our train
 data
# find more about LinearRegression function here http://scikit-learn.or
g/stable/modules/generated/sklearn.ensemble.RandomForestRegressor.html
# -------------------------
# default paramters
# sklearn.ensemble.RandomForestRegressor(n_estimators=10, criterion='ms
e', max_depth=None, min_samples_split=2,
# min_samples_leaf=1, min_weight_fraction_leaf=0.0, max_features='aut
```

```
o', max_leaf_nodes=None, min_impurity_decrease=0.0,
# min_impurity_split=None, bootstrap=True, oob_score=False, n_jobs=1, r
andom_state=None, verbose=0, warm_start=False)

# some of methods of RandomForestRegressor()
# apply(X)      Apply trees in the forest to X, return leaf indices.
# decision_path(X)      Return the decision path in the forest
# fit(X, y[, sample_weight])    Build a forest of trees from the traini
ng set (X, y).
# get_params([deep])    Get parameters for this estimator.
# predict(X)    Predict regression target for X.
# score(X, y[, sample_weight])  Returns the coefficient of determinatio
n R^2 of the prediction.
# -----------------------
# video link1: https://www.appliedaicourse.com/course/applied-ai-course
-online/lessons/regression-using-decision-trees-2/
# video link2: https://www.appliedaicourse.com/course/applied-ai-course
-online/lessons/what-are-ensembles/
# -----------------------
from sklearn.model_selection import RandomizedSearchCV
param_dist = {"n_estimators": list(range(1,201,20)),
              "min_samples_split": [2,3,4],
              "min_samples_leaf": [1,3,4]}
regr1 = RandomForestRegressor(max_features='sqrt', n_jobs=-1)
rand_regr1 = RandomizedSearchCV(regr1, param_dist)
rand_regr1.fit(df_train, tsne_train_output)
rand_regr1.best_estimator_
```

Out[151]:

```
RandomForestRegressor(bootstrap=True, criterion='mse', max_depth=None,
           max_features='sqrt', max_leaf_nodes=None,
           min_impurity_decrease=0.0, min_impurity_split=None,
           min_samples_leaf=4, min_samples_split=4,
           min_weight_fraction_leaf=0.0, n_estimators=181, n_jobs=-1,
           oob_score=False, random_state=None, verbose=0, warm_start=Fa
lse)
```

In [152]:

```
# Predicting on test data using our trained random forest model

# the models regr1 is already hyper parameter tuned
```

```
# the parameters that we got above are found using grid search
rand_regr=RandomForestRegressor(bootstrap=True, criterion='mse', max_de
pth=None,
           max_features='sqrt', max_leaf_nodes=None,
           min_impurity_decrease=0.0, min_impurity_split=None,
           min_samples_leaf=4, min_samples_split=4,
           min_weight_fraction_leaf=0.0, n_estimators=181, n_jobs=-1,
           oob_score=False, random_state=None, verbose=0, warm_start=Fa
lse)
rand_regr.fit(df_train, tsne_train_output)
y_pred=rand_regr.predict(df_test)
rndf_test_predictions = [round(value) for value in y_pred]
y_pred = rand_regr.predict(df_train)
rndf_train_predictions = [round(value) for value in y_pred]
```

In [153]:

```
#feature importances based on analysis using random forest
print (df_train.columns)
print (rand_regr.feature_importances_)
```

```
Index(['ft_5', 'ft_4', 'ft_3', 'ft_2', 'ft_1', 'lat', 'lon', 'weekday',
       'exp_avg'],
      dtype='object')
[0.03117777 0.039793   0.13196118 0.18896854 0.26995205 0.00179997
 0.00311864 0.00125659 0.33197227]
```

Using XgBoost Regressor

In [154]:

```
x_model = xgb.XGBRegressor(n_jobs=-1)
parameters = {'n_estimators': np.random.randint(low=100, high=1000, siz
e=5), 'max_depth':[3,5]}
rand_search = RandomizedSearchCV(estimator=x_model, param_distributions
=parameters, n_jobs=-1)
rand_search.fit(df_train, tsne_train_output)
rand_search.best_estimator_
```

Out[154]:

```
XGBRegressor(base_score=0.5, booster='gbtree', colsample_bylevel=1,
       colsample_bytree=1, gamma=0, learning_rate=0.1, max_delta_step=
0,
```

```
             max_depth=3, min_child_weight=1, missing=None, n_estimators=241,
             n_jobs=-1, nthread=None, objective='reg:linear', random_state=0,
             reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
             silent=True, subsample=1)
```

In [155]:

```
# Training a hyper-parameter tuned Xg-Boost regressor on our train data

# find more about XGBRegressor function here http://xgboost.readthedoc
s.io/en/latest/python/python_api.html?#module-xgboost.sklearn
# -------------------------
# default paramters
# xgboost.XGBRegressor(max_depth=3, learning_rate=0.1, n_estimators=10
0, silent=True, objective='reg:linear',
# booster='gbtree', n_jobs=1, nthread=None, gamma=0, min_child_weight=
1, max_delta_step=0, subsample=1, colsample_bytree=1,
# colsample_bylevel=1, reg_alpha=0, reg_lambda=1, scale_pos_weight=1, b
ase_score=0.5, random_state=0, seed=None,
# missing=None, **kwargs)

# some of methods of RandomForestRegressor()
# fit(X, y, sample_weight=None, eval_set=None, eval_metric=None, early_
stopping_rounds=None, verbose=True, xgb_model=None)
# get_params([deep])    Get parameters for this estimator.
# predict(data, output_margin=False, ntree_limit=0) : Predict with dat
a. NOTE: This function is not thread safe.
# get_score(importance_type='weight') -> get the feature importance
# -----------------------
# video link1: https://www.appliedaicourse.com/course/applied-ai-course
-online/lessons/regression-using-decision-trees-2/
# video link2: https://www.appliedaicourse.com/course/applied-ai-course
-online/lessons/what-are-ensembles/
# -----------------------

x_model = xgb.XGBRegressor(base_score=0.5, booster='gbtree', colsample_
bylevel=1,
       colsample_bytree=1, gamma=0, learning_rate=0.1, max_delta_step=0
,
       max_depth=3, min_child_weight=1, missing=None, n_estimators=241,
       n_jobs=-1, nthread=None, objective='reg:linear', random_state=0,
```

```
        reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
        silent=True, subsample=1)
x_model.fit(df_train, tsne_train_output)
```

Out[155]:
```
XGBRegressor(base_score=0.5, booster='gbtree', colsample_bylevel=1,
       colsample_bytree=1, gamma=0, learning_rate=0.1, max_delta_step=
0,
       max_depth=3, min_child_weight=1, missing=None, n_estimators=241,
       n_jobs=-1, nthread=None, objective='reg:linear', random_state=0,
       reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
       silent=True, subsample=1)
```

In [156]:
```
#predicting with our trained Xg-Boost regressor
# the models x_model is already hyper parameter tuned
# the parameters that we got above are found using grid search

y_pred = x_model.predict(df_test)
xgb_test_predictions = [round(value) for value in y_pred]
y_pred = x_model.predict(df_train)
xgb_train_predictions = [round(value) for value in y_pred]
```

Calculating the error metric values for various models

In [157]:
```
train_mape=[]
test_mape=[]

train_mape.append((mean_absolute_error(tsne_train_output,df_train['ft_
1'].values))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape.append((mean_absolute_error(tsne_train_output,df_train['exp_
avg'].values))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape.append((mean_absolute_error(tsne_train_output,rndf_train_pre
dictions))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape.append((mean_absolute_error(tsne_train_output, xgb_train_pre
dictions))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape.append((mean_absolute_error(tsne_train_output, lr_train_pred
ictions))/(sum(tsne_train_output)/len(tsne_train_output)))
```

```
test_mape.append((mean_absolute_error(tsne_test_output, df_test['ft_1']
.values))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape.append((mean_absolute_error(tsne_test_output, df_test['exp_av
g'].values))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape.append((mean_absolute_error(tsne_test_output, rndf_test_predi
ctions))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape.append((mean_absolute_error(tsne_test_output, xgb_test_predic
tions))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape.append((mean_absolute_error(tsne_test_output, lr_test_predict
ions))/(sum(tsne_test_output)/len(tsne_test_output)))
```

In [158]:

```
print ("Error Metric Matrix (Tree Based Regression Methods) -  MAPE")
print ("-----------------------------------------------------------------
-----------------------------------------")
print ("Baseline Model -                             Train: ",train_map
e[0],"      Test: ",test_mape[0])
print ("Exponential Averages Forecasting -           Train: ",train_map
e[1],"      Test: ",test_mape[1])
print ("Linear Regression -                         Train: ",train_mape
[3],"      Test: ",test_mape[3])
print ("Random Forest Regression -                   Train: ",train_map
e[2],"     Test: ",test_mape[2])
```

```
Error Metric Matrix (Tree Based Regression Methods) -  MAPE
-----------------------------------------------------------------------
---------------------------------
Baseline Model -                             Train:  0.1247788209194076
6       Test:  0.12137217161272074
Exponential Averages Forecasting -           Train:  0.1197690426633334
4       Test:  0.11613179453264473
Linear Regression -                         Train:  0.11733025622953883
       Test:  0.11434005252514443
Random Forest Regression -                   Train:  0.0813532025252520
6      Test:  0.11300092893814342
```

Fourier features

In [159]:
```
for i in range(30):
    Y  = np.abs(np.fft.fft(np.array(jan_2016_smooth)[0:4460]))
    # read more about the fftfreq: https://docs.scipy.org/doc/numpy/reference/generated/numpy.fft.fftfreq.html
    freq = np.abs(np.fft.fftfreq(4460, 1))
    n = len(freq)

    plt.plot( freq[:int(n/2)], np.abs(Y)[:int(n/2)])
    plt.xlabel("Frequency")
    plt.ylabel("Amplitude")
    plt.title("Fourier Transformed Frequency and Amplitudes of Cluster Region "+str(i+1)+", for Jan 2016.")
    plt.show()
```



ourier Transformed Frequency and Amplitudes of Cluster Region 1, for Jan 20
Amplitude
700000
600000
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 2, for Jan 20
Amplitude
700000
600000
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 3, for Jan 20
Amplitude
700000
600000
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 4, for Jan 20
Amplitude
700000
600000
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency



ourier Transformed Frequency and Amplitudes of Cluster Region 5, for Jan 20
700000
600000
500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 6, for Jan 20
700000
600000
500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 7, for Jan 20
700000
600000
500000


400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 8, for Jan 20
700000
600000
500000
400000
300000
200000
100000
Amplitude


0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


ourier Transformed Frequency and Amplitudes of Cluster Region 9, for Jan 20
700000
600000


500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 10, for Jan 2
700000



urier Transformed Frequency and Amplitudes of Cluster Region 11, for Jan 2(


Amplitude
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency

urier Transformed Frequency and Amplitudes of Cluster Region 12, for Jan 2(



urier Transformed Frequency and Amplitudes of Cluster Region 13, for Jan 2(




Amplitude
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 14, for Jan 2
Amplitude
700000
600000
500000
400000
300000
200000


100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 15, for Jan 2
700000
600000
500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 16, for Jan 2



urier Transformed Frequency and Amplitudes of Cluster Region 17, for Jan 2




200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 18, for Jan 2
700000
600000
500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 19, for Jan 2(
Amplitude
700000
600000
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 20, for Jan 2(
700000
600000



urier Transformed Frequency and Amplitudes of Cluster Region 21, for Jan 2(


700000
600000
500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 22, for Jan 2
700000
600000
500000
400000
300000
Amplitude



urier Transformed Frequency and Amplitudes of Cluster Region 23, for Jan 2(




urier Transformed Frequency and Amplitudes of Cluster Region 24, for Jan 2
Amplitude
700000
600000
500000
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 25, for Jan 2
700000
600000
500000



Amplitude
400000
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency



urier Transformed Frequency and Amplitudes of Cluster Region 26, for Jan 2
Amplitude
700000
600000
500000
400000
300000
200000


100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 27, for Jan 2
700000
600000
500000
400000


Amp
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 28, for Jan 2
700000
600000
500000
400000
300000
200000
100000
0
Amplitude
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 29, for Jan 2
700000
600000
500000
400000
plitude


Amp
300000
200000
100000
0
0.0
0.1
0.2
0.3
0.4
0.5
Frequency


urier Transformed Frequency and Amplitudes of Cluster Region 30, for Jan 2
700000
600000
500000
400000
300000
Amplitude



In [160]:

```
amplitude_lists = []
frequency_lists = []
for i in range(30):
    ampli  = np.abs(np.fft.fft(np.array(jan_2016_smooth)[0:4060]))
    freq = np.abs(np.fft.fftfreq(4060, 1))
    ampli_indices = np.argsort(-ampli)[1:]        #it will return an ar
ray of indices for which corresponding amplitude values are sorted in r
everse order.
    amplitude_values = []
    frequency_values = []
    for j in range(0, 9, 2):   #taking top five amplitudes and frequenc
ies
        amplitude_values.append(ampli[ampli_indices[j]])
        frequency_values.append(freq[ampli_indices[j]])
    for k in range(13104):    #those top 5 frequencies and amplitudes a
re same for all the points in one cluster
        amplitude_lists.append(amplitude_values)
        frequency_lists.append(frequency_values)
```

In [161]:

```
print("size of train data :", int(13099*0.7))
print("size of test data :", int(13099*0.3))
```

```
size of train data : 9169
size of test data : 3929
```

In [162]:

```
train_fourier_frequencies = [frequency_lists[i*13099:(13099*i+9169)] fo
r i in range(30)]
```

```
test_fourier_frequencies = [frequency_lists[(i*13099)+9169:(13099*(i+1
))] for i in range(30)]
```

In [163]:
```
train_fourier_amplitudes = [amplitude_lists[i*13099:(13099*i+9169)] for
 i in range(30)]
test_fourier_amplitudes = [amplitude_lists[(i*13099)+9169:(13099*(i+1
))] for i in range(30)]
```

In [164]:
```
# convert from lists of lists of list to lists of list
train_pickups = []
test_pickups = []
train_freq = []
test_freq = []
train_amp = []
test_amp = []
for i in range(30):
    train_pickups.extend(train_features[i])
    test_pickups.extend(test_features[i])
    train_freq.extend(train_fourier_frequencies[i])
    test_freq.extend(test_fourier_frequencies[i])
    train_amp.extend(train_fourier_amplitudes[i])
    test_amp.extend(test_fourier_amplitudes[i])
```

In [165]:
```
train_prevPickups_freq_amp = np.hstack((train_pickups, train_freq, trai
n_amp))
test_prevPickups_freq_amp = np.hstack((test_pickups, test_freq, test_am
p))
```

In [166]:
```
print("Number of data points in train data = {}. Number of columns till
 now = {}".format(len(train_prevPickups_freq_amp), len(train_prevPickup
s_freq_amp[0])))
print("Number of data points in test data = {}. Number of columns till
 now = {}".format(len(test_prevPickups_freq_amp), len(test_prevPickups_
freq_amp[0])))
```

```
Number of data points in train data = 275070. Number of columns till no
w = 15
```

```
Number of data points in test data = 117900. Number of columns till now
= 15
```

In [167]:

```python
columns = ['ft_5','ft_4','ft_3','ft_2','ft_1', 'freq1', 'freq2','freq3'
,'freq4','freq5', 'Amp1', 'Amp2', 'Amp3', 'Amp4', 'Amp5']
df_train1 = pd.DataFrame(data=train_prevPickups_freq_amp, columns=colum
ns)
df_train1['lat'] = tsne_train_lat
df_train1['lon'] = tsne_train_lon
df_train1['weekday'] = tsne_train_weekday
df_train1['exp_avg'] = tsne_train_exp_avg
print(df_train1.shape)
```

```
(275070, 19)
```

In [168]:

```python
df_test1 = pd.DataFrame(data=test_prevPickups_freq_amp, columns=columns
)
df_test1['lat'] = tsne_test_lat
df_test1['lon'] = tsne_test_lon
df_test1['weekday'] = tsne_test_weekday
df_test1['exp_avg'] = tsne_test_exp_avg
print(df_test1.shape)
```

```
(117900, 19)
```

In [169]:

```python
df_train1.head()
```

Out[169]:

	ft_5	ft_4	ft_3	ft_2	ft_1	freq1	freq2	freq3	freq4	freq5	
0	0.0	106.0	243.0	299.0	328.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
1	106.0	243.0	299.0	328.0	340.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
2	243.0	299.0	328.0	340.0	316.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
3	299.0	328.0	340.0	316.0	327.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
4	328.0	340.0	316.0	327.0	323.0	0.006897	0.007143	0.013793	0.007882	0.000985	211

In [170]:
```
df_test1.head()
```

Out[170]:

	ft_5	ft_4	ft_3	ft_2	ft_1	freq1	freq2	freq3	freq4	freq5	
0	240.0	213.0	243.0	222.0	234.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
1	213.0	243.0	222.0	234.0	291.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
2	243.0	222.0	234.0	291.0	256.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
3	222.0	234.0	291.0	256.0	266.0	0.006897	0.007143	0.013793	0.007882	0.000985	211
4	234.0	291.0	256.0	266.0	268.0	0.006897	0.007143	0.013793	0.007882	0.000985	211

Linear Regression

In [171]:
```
from sklearn.model_selection import GridSearchCV
from sklearn.linear_model import LinearRegression
lr_model = LinearRegression(n_jobs=-1)
parameters = {'fit_intercept':[True,False], 'normalize':[True,False],
'copy_X':[True, False]}
grid = GridSearchCV(lr_model, parameters, cv=None)
grid.fit(df_train1, tsne_train_output)
```

Out[171]:
```
GridSearchCV(cv=None, error_score='raise-deprecating',
       estimator=LinearRegression(copy_X=True, fit_intercept=True, n_jo
bs=-1, normalize=False),
       fit_params=None, iid='warn', n_jobs=None,
       param_grid={'fit_intercept': [True, False], 'normalize': [True,
False], 'copy_X': [True, False]},
       pre_dispatch='2*n_jobs', refit=True, return_train_score='warn',
       scoring=None, verbose=0)
```

In [172]:
```
grid.best_estimator_
```

Out[172]:
```
LinearRegression(copy_X=True, fit_intercept=False, n_jobs=-1, normalize
```

```
=True)
```

In [173]:
```
model =LinearRegression(copy_X=True, fit_intercept=False, n_jobs=-1, no
rmalize=True)
model.fit(df_train1, tsne_train_output)
y_pred = model.predict(df_test1)
lr_test_predictions1 = [round(value) for value in y_pred]
y_pred = model.predict(df_train1)
lr_train_predictions1 = [round(value) for value in y_pred]
```

Random forest Regressor

In [174]:
```
from sklearn.model_selection import RandomizedSearchCV
param_dist = {"n_estimators": list(range(1,201,20)),
              "min_samples_split": [2,3,4],
              "min_samples_leaf": [1,3,4]}
regr1 = RandomForestRegressor(max_features='sqrt', n_jobs=-1)
rand_regr1 = RandomizedSearchCV(regr1, param_dist)
rand_regr1.fit(df_train1, tsne_train_output)
rand_regr1.best_estimator_
```

Out[174]:
```
RandomForestRegressor(bootstrap=True, criterion='mse', max_depth=None,
           max_features='sqrt', max_leaf_nodes=None,
           min_impurity_decrease=0.0, min_impurity_split=None,
           min_samples_leaf=4, min_samples_split=4,
           min_weight_fraction_leaf=0.0, n_estimators=161, n_jobs=-1,
           oob_score=False, random_state=None, verbose=0, warm_start=Fa
lse)
```

In [175]:
```
rand_regr=RandomForestRegressor(bootstrap=True, criterion='mse', max_de
pth=None,
           max_features='sqrt', max_leaf_nodes=None,
           min_impurity_decrease=0.0, min_impurity_split=None,
           min_samples_leaf=4, min_samples_split=4,
           min_weight_fraction_leaf=0.0, n_estimators=161, n_jobs=-1,
           oob_score=False, random_state=None, verbose=0, warm_start=Fa
lse)
```

```
rand_regr.fit(df_train1, tsne_train_output)
y_pred=rand_regr.predict(df_test1)
rndf_test_predictions1 = [round(value) for value in y_pred]
y_pred = rand_regr.predict(df_train1)
rndf_train_predictions1 = [round(value) for value in y_pred]
```

XGBOOST Regressor

In [177]:
```
from sklearn.model_selection import RandomizedSearchCV
x_model = xgb.XGBRegressor(n_jobs=-1)
parameters = {'n_estimators': np.random.randint(low=100, high=1000, siz
e=5), 'max_depth':[3,4,5]}
rand_search = RandomizedSearchCV(estimator=x_model, param_distributions
=parameters, n_jobs=-1)
rand_search.fit(df_train1, tsne_train_output)
rand_search.best_estimator_
```

Out[177]:
```
XGBRegressor(base_score=0.5, booster='gbtree', colsample_bylevel=1,
       colsample_bytree=1, gamma=0, learning_rate=0.1, max_delta_step=
0,
       max_depth=3, min_child_weight=1, missing=None, n_estimators=451,
       n_jobs=-1, nthread=None, objective='reg:linear', random_state=0,
       reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
       silent=True, subsample=1)
```

In [178]:
```
x_model = xgb.XGBRegressor(base_score=0.5, booster='gbtree', colsample_
bylevel=1,
       colsample_bytree=1, gamma=0, learning_rate=0.1, max_delta_step=0
,
       max_depth=3, min_child_weight=1, missing=None, n_estimators=451,
       n_jobs=-1, nthread=None, objective='reg:linear', random_state=0,
       reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
       silent=True, subsample=1)
x_model.fit(df_train1, tsne_train_output)
```

Out[178]:
```
XGBRegressor(base_score=0.5, booster='gbtree', colsample_bylevel=1,
       colsample_bytree=1, gamma=0, learning_rate=0.1, max_delta_step=
```

```
0,
       max_depth=3, min_child_weight=1, missing=None, n_estimators=451,
       n_jobs=-1, nthread=None, objective='reg:linear', random_state=0,
       reg_alpha=0, reg_lambda=1, scale_pos_weight=1, seed=None,
       silent=True, subsample=1)
```

In [179]:
```
y_pred = x_model.predict(df_test1)
xgb_test_predictions1 = [round(value) for value in y_pred]
y_pred = x_model.predict(df_train1)
xgb_train_predictions1 = [round(value) for value in y_pred]
```

In [180]:
```
train_mape1=[]
test_mape1=[]

train_mape1.append((mean_absolute_error(tsne_train_output,df_train1['ft_1'].values))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape1.append((mean_absolute_error(tsne_train_output,df_train1['exp_avg'].values))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape1.append((mean_absolute_error(tsne_train_output,rndf_train_predictions1))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape1.append((mean_absolute_error(tsne_train_output, xgb_train_predictions1))/(sum(tsne_train_output)/len(tsne_train_output)))
train_mape1.append((mean_absolute_error(tsne_train_output, lr_train_predictions1))/(sum(tsne_train_output)/len(tsne_train_output)))

test_mape1.append((mean_absolute_error(tsne_test_output, df_test1['ft_1'].values))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape1.append((mean_absolute_error(tsne_test_output, df_test1['exp_avg'].values))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape1.append((mean_absolute_error(tsne_test_output, rndf_test_predictions1))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape1.append((mean_absolute_error(tsne_test_output, xgb_test_predictions1))/(sum(tsne_test_output)/len(tsne_test_output)))
test_mape1.append((mean_absolute_error(tsne_test_output, lr_test_predictions1))/(sum(tsne_test_output)/len(tsne_test_output)))
```

Without Fourier Transforms features...

```
In [181]: print ("Error Metric Matrix (Tree Based Regression Methods) -  MAPE")
print ("--------------------------------------------------------------------------------------------------------------")
print ("Baseline Model -                             Train: ",train_mape[0],"      Test: ",test_mape[0])
print ("Exponential Averages Forecasting -           Train: ",train_mape[1],"      Test: ",test_mape[1])
print ("Linear Regression -                         Train: ",train_mape[4],"      Test: ",test_mape[4])
print ("Random Forest Regression -                   Train: ",train_mape[2],"     Test: ",test_mape[2])
print ("XgBoost Regression -                         Train: ",train_mape[3],"      Test: ",test_mape[3])
print ("--------------------------------------------------------------------------------------------------------------")
```

```
Error Metric Matrix (Tree Based Regression Methods) -  MAPE
--------------------------------------------------------------------------------------------------
Baseline Model -                             Train:  0.12477882091940766       Test:  0.12137217161272074
Exponential Averages Forecasting -           Train:  0.11976904266333344       Test:  0.11613179453264473
Linear Regression -                         Train:  0.11979633868998932       Test:  0.1157482730542951
Random Forest Regression -                   Train:  0.08135320252525206      Test:  0.11300092893814342
XgBoost Regression -                         Train:  0.11733025622953883       Test:  0.11434005252514443
--------------------------------------------------------------------------------------------------
```

```
In [195]: df = pd.DataFrame(dict(graph=['Baseline Model', 'Exponential Averages Forecasting', 'Random Forest Regression','XgBoost Regression','Linear Regression'],
                           n=train_mape, m=test_mape))

ind = np.arange(len(df))
```

```
width = 0.4

fig, ax = plt.subplots()
ax.barh(ind, df.n, width, label='Train MAPE')
ax.barh(ind + width, df.m, width, label='Test MAPE')
fig.set_figwidth(8)
plt.gcf().subplots_adjust(left = 0.40)
plt.title("Mean Absolute Percentage Error for models")
ax.set(yticks=ind + width, yticklabels=df.graph, ylim=[2*width - 1, len
(df)])
ax.legend()

plt.show()
```



With Fourier Transforms Features

In [182]:

```
print ("Error Metric Matrix (Tree Based Regression Methods) -  MAPE")
print ("--------------------------------------------------------------------------------------------------------------")
print ("Baseline Model -                                        Train: ",train_mape1[0],"      Test: ",test_mape1[0])
print ("Exponential Averages Forecasting -                      Train: ",train_mape1[1],"      Test: ",test_mape1[1])
print ("Linear Regression -                                    Train: ",train_mape1[4],"      Test: ",test_mape1[4])
print ("Random Forest Regression -                              Train: ",train_mape1[2],"     Test: ",test_mape1[2])
print ("XgBoost Regression -                                    Train: ",train_mape1[3],"      Test: ",test_mape1[3])
print ("--------------------------------------------------------------------------------------------------------------")
```

```
Error Metric Matrix (Tree Based Regression Methods) -  MAPE
--------------------------------------------------------------------------------------------------
Baseline Model -                                Train:  0.12477882091940766       Test:  0.12137217161272074
Exponential Averages Forecasting -              Train:  0.11976904266333344       Test:  0.11613179453264473
Linear Regression -                            Train:  0.11976418904684814       Test:  0.11571195654251518
Random Forest Regression -                      Train:  0.08599918218788652      Test:  0.11244337491255367
XgBoost Regression -                            Train:  0.11630311520691033       Test:  0.11393416772111979
--------------------------------------------------------------------------------------------------
```

In [40]:

```
df1 = pd.DataFrame(dict(graph=['Baseline Model', 'Exponential Averages Forecasting', 'Random Forest Regression','XgBoost Regression','Linear Regression'],
                           n=train_mape1, m=test_mape1))

ind = np.arange(len(df1))
```

```
width = 0.4

fig, ax = plt.subplots()
ax.barh(ind, df1.n, width, label='Train MAPE')
ax.barh(ind + width, df1.m, width, label='Test MAPE')
fig.set_figwidth(8)
plt.gcf().subplots_adjust(left = 0.40)
plt.title("Mean Absolute Percentage Error for models of Fourier feature
s")
ax.set(yticks=ind + width, yticklabels=df1.graph, ylim=[2*width - 1, le
n(df1)])
ax.legend()

plt.show()
```



Conclusion

1)import all the packages , which are required and load the january data of 2015 in to month... 2)data cleaning... here we will remove the data which is an outlier like a)wrong latitude and longitude values... b)Wrong trip durations c)Trip distance, d)fare e)speed f)Remove all the outlier and erronous points 3)We will find the best number of cluster... here we select it as 30 as it has best number of clusters within the vicinity as 8/30 and best inter cluster distance as .51 4)With the help of kmeans , we will cluster the locations with the help of longitude and latitude 5)We will do Time binning with the help of unix timing and the 10 minute time bins 6)we add two more columns 'pickup_cluster'(to which cluster it belogns to) and 'pickup_bins' (to which 10min intravel the trip belongs to). 7)Then we will do smoothing and we will get from each cluster with 10 min intervals and zero pickups and we will fill them with necessary.. as below there are two ways to fill up these values Fill the missing value with 0's Fill the missing values with the avg values Case 1:(values missing at the start) Ex1: _ _ _ x =>ceil(x/4), ceil(x/4), ceil(x/4), ceil(x/4) Ex2: _ _ x => ceil(x/3), ceil(x/3), ceil(x/3) Case 2:(values missing in middle) Ex1: x _ _ y => ceil((x+y)/4), ceil((x+y)/4), ceil((x+y)/4), ceil((x+y)/4) Ex2: x _ _ _ y => ceil((x+y)/5), ceil((x+y)/5), ceil((x+y)/5), ceil((x+y)/5), ceil((x+y)/5) Case 3:(values missing at the end) Ex1: x _ _ _ => ceil(x/4), ceil(x/4), ceil(x/4), ceil(x/4) Ex2: x _ => ceil(x/2), ceil(x/2) 8)Then we will do all the 3 a)Moving averages b)weighted moving averages c)Exponential moving avg and find the best one as Exponential moving avg 9)For regression models we will add new features we take number of pickups that are happened in last 5 10min intravels,cluster center latitude , Cluster center longitude, day of the week 10)apply the regression models Linear regression , Xgboost, random forest and find the best one .. 11) Find the Fourier features and add the top 5 frequencies and amplitudes as features... 12)Apply all the regressors for the dataset with new features... In the above we have both the results , with fourier transforms and without forier transform features... We can see that there is only small change in the MAPE for both train and test... for linear regression, adding forier transform features doesnot help,but for random forest we can see train error is increased , but the test MAPE Value is decreasing....Adding forier features is really very important for Xgboost because as we can see that both MAPE of test and train is decreasing...

The best MAPE , we found is of Random forest regression , but as it seems to be overfitting.. we can say that xgboost is the best one with the Test MAPE as .113

Some other features which we can add for time

series data to reduce MAPE.

We can add the mean of all the previous features... We can add the minimum and maximum of the features... I saw something called as tfsearch which creates its own features for timeseries data .. instead of we creating them... but i was unable to use them as my laptop is getting stuck while using them... https://github.com/blue-yonder/tsfresh/tree/master/tsfresh