SIMATS ENGINEERING

LAB EXPERIMENTS

COURSE NAME: DATABASE MANAGEMENT SYSTEMS

COURSE CODE: CSA05

EXP 7 : SELECT with various clause – GROUP BY, HAVING, ORDER BY

```
mysql> create database labexp7;
Query OK, 1 row affected (0.06 sec)

mysql> create table students(StudentID INT,Name VARCHAR(30),Gender VARCHAR(10),Mobile_No
VARCHAR(15),CourseName VARCHAR(30));
ERROR 1046 (3D000): No database selected
mysql> use labexp7;
Database changed
mysql> create table students(StudentID INT,Name VARCHAR(30),Gender VARCHAR(10),Mobile_No
VARCHAR(15),CourseName VARCHAR(30));
Query OK, 0 rows affected (0.08 sec)

mysql> INSERT INTO Students VALUES
    -> (101, 'Arun', 'Male', '9876543210', 'C'),
    -> (102, 'Bala', 'Male', '9876543211', 'Python'),
    -> (103, 'Charan', 'Male', '9876543212', 'Python'),
    -> (104, 'Divya', 'Female', '9876543213', 'Java'),
    -> (105, 'Eswar', 'Male', '9876543214', 'C'),
    -> (106, 'Priya', 'Female', '9876543215', 'Java');
Query OK, 6 rows affected (0.05 sec)
Records: 6  Duplicates: 0  Warnings: 0

mysql> select * from students;
+-----------+--------+--------+------------+------------+
| StudentID | Name   | Gender | Mobile_No  | CourseName |
+-----------+--------+--------+------------+------------+
|       101 | Arun   | Male   | 9876543210 | C          |
|       102 | Bala   | Male   | 9876543211 | Python     |
|       103 | Charan | Male   | 9876543212 | Python     |
|       104 | Divya  | Female | 9876543213 | Java       |
|       105 | Eswar  | Male   | 9876543214 | C          |
|       106 | Priya  | Female | 9876543215 | Java       |
+-----------+--------+--------+------------+------------+
6 rows in set (0.05 sec)
```

```
mysql> select coursename, count(*) as totalstudents from students group by coursename;
+------------+---------------+
| coursename | totalstudents |
+------------+---------------+
| C          |             2 |
| Python     |             2 |
| Java       |             2 |
+------------+---------------+
3 rows in set (0.05 sec)

mysql> select name , count(coursename) as totalcourses from students group by name;
+--------+--------------+
| name   | totalcourses |
+--------+--------------+
| Arun   |            1 |
| Bala   |            1 |
| Charan |            1 |
| Divya  |            1 |
| Eswar  |            1 |
| Priya  |            1 |
+--------+--------------+
6 rows in set (0.00 sec)

mysql> select name , gender , mobile_no from students order by studentid asc;
+--------+--------+------------+
| name   | gender | mobile_no  |
+--------+--------+------------+
| Arun   | Male   | 9876543210 |
| Bala   | Male   | 9876543211 |
| Charan | Male   | 9876543212 |
| Divya  | Female | 9876543213 |
| Eswar  | Male   | 9876543214 |
| Priya  | Female | 9876543215 |
+--------+--------+------------+
6 rows in set (0.00 sec)
```

```
mysql> select * from students order by studentid desc;
+-----------+--------+--------+------------+------------+
| StudentID | Name   | Gender | Mobile_No  | CourseName |
+-----------+--------+--------+------------+------------+
|       106 | Priya  | Female | 9876543215 | Java       |
|       105 | Eswar  | Male   | 9876543214 | C          |
|       104 | Divya  | Female | 9876543213 | Java       |
|       103 | Charan | Male   | 9876543212 | Python     |
|       102 | Bala   | Male   | 9876543211 | Python     |
|       101 | Arun   | Male   | 9876543210 | C          |
+-----------+--------+--------+------------+------------+
6 rows in set (0.00 sec)
```