



Koneru Lakshmaiah Education Foundation

(Deemed to be University estd. u/s. 3 of the UGC Act, 1956)

Off-Campus: Bachupally-Gandimaisamma Road, Bowrampet, Hyderabad, Telangana - 500 043.

Phone No: 7815926816, www.klef.edu.in

NAME : SRIKRUTHI V

ROLL NO : 2520030340

SECTION : SECTION - 08

WEEK - 1

```
C:\Windows\system32\cmd.e: X + v

Microsoft Windows [Version 10.0.26200.8973]
(c) Microsoft Corporation. All rights reserved.

C:\Users\kruthi>mysql -u root -p
'mysql' is not recognized as an internal or external command,
operable program or batch file.

C:\Users\kruthi>cd
C:\Users\kruthi>
C:\Users\kruthi>cd C:\Program Files\MySQL\MySQL Server 8.0\bin
C:\Program Files\MySQL\MySQL Server 8.0\bin>mysql -u root -p
Enter password: *****
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 8
Server version: 8.0.46 MySQL Community Server - GPL

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE IF NOT EXISTS hospital_db;
Query OK, 1 row affected, 1 warning (0.14 sec)

mysql> USE hospital_db;
Database changed
mysql> CREATE TABLE patients(
  -> patient_id INT AUTO_INCREMENT PRIMARY KEY,
  -> patient_name VARCHAR(100) NOT NULL,
  -> phone VARCHAR(10) NOT NULL UNIQUE,
  -> age INT,
  -> CONSTRAINT chk_patient_age CHECK(age >= 0)
  -> );
ERROR 1050 (42S01): Table 'patients' already exists
mysql> DROP TABLE patients;
Query OK, 0 rows affected (0.06 sec)

mysql> DROP TABLE doctors;
Query OK, 0 rows affected (0.04 sec)

mysql> CREATE TABLE patients(
  -> patient_id INT AUTO_INCREMENT PRIMARY KEY,
  -> patient_name VARCHAR(100) NOT NULL,
  -> phone VARCHAR(10) NOT NULL UNIQUE,
  -> age INT,
  -> CONSTRAINT chk_patient_age CHECK(age >= 0)
  -> );
Query OK, 0 rows affected (0.05 sec)

mysql> CREATE TABLE doctors(
  -> doctor_id INT AUTO_INCREMENT PRIMARY KEY,
  -> doctor_name VARCHAR(100) NOT NULL,
  -> specialization VARCHAR(100) NOT NULL,
  -> email VARCHAR(150) NOT NULL UNIQUE
  -> );
Query OK, 0 rows affected (0.06 sec)

mysql> SHOW TABLES;
+-----+
| Tables_in_hospital_db |
+-----+
| doctors                |
| patients               |
+-----+
2 rows in set (0.07 sec)

mysql> DESCRIBE patients;
+-----+
| Field      | Type      | Null | Key | Default | Extra |
+-----+
| patient_id | INT       | NO   | PRI |          |       |
| patient_name | VARCHAR(100) | YES  |     |          |       |
| phone      | VARCHAR(10) | YES  |     |          |       |
| age        | INT       | YES  |     |          |       |
+-----+
```

```

C:\Windows\system32\cmd.e: X + v

mysql> DESCRIBE patients;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra      |
+-----+-----+-----+-----+-----+-----+
| patient_id | int       | NO   | PRI | NULL    | auto_increment |
| patient_name | varchar(100) | NO   |     | NULL    |               |
| phone      | varchar(10) | NO   | UNI | NULL    |               |
| age        | int       | YES  |     | NULL    |               |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)

mysql> DESCRIBE doctors;
+-----+-----+-----+-----+-----+-----+
| Field      | Type      | Null | Key | Default | Extra      |
+-----+-----+-----+-----+-----+-----+
| doctor_id  | int       | NO   | PRI | NULL    | auto_increment |
| doctor_name | varchar(100) | NO   |     | NULL    |               |
| specialization | varchar(100) | NO   |     | NULL    |               |
| email      | varchar(150) | NO   | UNI | NULL    |               |
+-----+-----+-----+-----+-----+-----+
4 rows in set (0.01 sec)

mysql> INSERT INTO patients(patient_name, phone, age)
-> VALUES
-> ('Rahul Sharma', '9876543210', 25),
-> ('Priya Singh', '9876543211', 30),
-> ('Amit Kumar', '9876543212', 40);
Query OK, 3 rows affected (0.02 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql> INSERT INTO doctors(doctor_name, specialization, email)
-> VALUES
-> ('Dr. Mehta', 'Cardiology', 'mehta@gmail.com'),
-> ('Dr. Reddy', 'Neurology', 'reddy@gmail.com'),
-> ('Dr. Patel', 'Orthopedics', 'patel@gmail.com');
Query OK, 3 rows affected (0.01 sec)
Records: 3 Duplicates: 0 Warnings: 0

mysql> SELECT * FROM patients;
+-----+-----+-----+-----+
| patient_id | patient_name | phone      | age |
+-----+-----+-----+-----+
| 1          | Rahul Sharma | 9876543210 | 25  |
| 2          | Priya Singh  | 9876543211 | 30  |
| 3          | Amit Kumar   | 9876543212 | 40  |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> ^C
mysql> SELECT * FROM doctors;
+-----+-----+-----+-----+
| doctor_id | doctor_name | specialization | email      |
+-----+-----+-----+-----+
| 1         | Dr. Mehta   | Cardiology     | mehta@gmail.com |
| 2         | Dr. Reddy   | Neurology      | reddy@gmail.com |
| 3         | Dr. Patel   | Orthopedics    | patel@gmail.com |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> INSERT INTO patients(patient_name, phone, age)
-> VALUES ('Rohan', '9876543210', 22);
ERROR 1062 (23000): Duplicate entry '9876543210' for key 'patients.phone'
mysql> INSERT INTO doctors(doctor_name, specialization, email)
-> VALUES ('Dr. Rao', 'ENT', 'mehta@gmail.com');
ERROR 1062 (23000): Duplicate entry 'mehta@gmail.com' for key 'doctors.email'
mysql> INSERT INTO patients(patient_name, phone, age)
-> VALUES ('Sneha', '9876543222', -5);
ERROR 3819 (HY000): Check constraint 'chk_patient_age' is violated.
mysql> SELECT * FROM patients;
+-----+-----+-----+-----+
| patient_id | patient_name | phone      | age |
+-----+-----+-----+-----+
| 1          | Rahul Sharma | 9876543210 | 25  |
| 2          | Priya Singh  | 9876543211 | 30  |
| 3          | Amit Kumar   | 9876543212 | 40  |
+-----+-----+-----+-----+

```



C:\Windows\system32\cmd.e



```
mysql> INSERT INTO patients(patient_name, phone, age)
-> VALUES ('Sneha','9876543222',-5);
ERROR 3819 (HY000): Check constraint 'chk_patient_age' is violated.
mysql> SELECT * FROM patients;
+-----+-----+-----+-----+
| patient_id | patient_name | phone       | age |
+-----+-----+-----+-----+
| 1          | Rahul Sharma | 9876543210  | 25  |
| 2          | Priya Singh  | 9876543211  | 30  |
| 3          | Amit Kumar   | 9876543212  | 40  |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> SELECT * FROM doctors;
+-----+-----+-----+-----+
| doctor_id | doctor_name | specialization | email          |
+-----+-----+-----+-----+
| 1          | Dr. Mehta   | Cardiology     | mehta@gmail.com |
| 2          | Dr. Reddy   | Neurology      | reddy@gmail.com |
| 3          | Dr. Patel   | Orthopedics    | patel@gmail.com |
+-----+-----+-----+-----+
3 rows in set (0.00 sec)

mysql> INSERT INTO patients(patient_name, phone, age)
-> VALUES ('Rohan','9876543210',22);
ERROR 1062 (23000): Duplicate entry '9876543210' for key 'patients.phone'
mysql> ^C
mysql> INSERT INTO doctors(doctor_name, specialization, email)
-> VALUES ('Dr. Rao','ENT','mehta@gmail.com');
ERROR 1062 (23000): Duplicate entry 'mehta@gmail.com' for key 'doctors.email'
mysql> ^C
mysql> INSERT INTO patients(patient_id, patient_name, phone, age)
-> VALUES (1,'Kiran','9999999999',20);
ERROR 1062 (23000): Duplicate entry '1' for key 'patients.PRIMARY'
mysql> INSERT INTO patients(patient_name, phone, age)
-> VALUES (NULL,'9999999998',25);
ERROR 1048 (23000): Column 'patient_name' cannot be null
mysql> |
```