


```
<h2>Nested routes</h2>
    <nav class="menu menu--vertical">
      <router-link to="/parent/1">
        Child 1
      </router-link>
      <router-link to="/parent/2">
        Child 2
      </router-link>
      <router-link to="/parent/3">
        Child 3
      </router-link>
    </nav>
    <div class="child-wrapper">
      <transition :name="transitionName">
        <router-view
          class="child-view"
          :key="$route.path"
        transition>
    </div>
  </div>
</template>
<script>
export default {
  data () {
    return {
      transitionName: 'slide-up'
  beforeRouteUpdate (to, from, next) {
    console.log(to)
    this.transitionName = (to.params.child < from.params.child)</pre>
      ? 'slide-down'
      : 'slide-up'
    next()
</script>
```

```
.slide-up-enter,
.slide-down-leave-active {
 opacity: 0;
 transform: translate(0, 300px);
.slide-up-leave-active,
.slide-down-enter {
 opacity: 0;
 transform: translate(0, -300px);
```





NS

home • parent • another

Nested routes


| Child 1

Child 2

Child 3

1





```
<div class="page">
 <router-link to="/" exact="exact">home</router-link>
     <router-link to="/parent/">parent</router-link>
     <router-link to="/another">another</router-link>
 <transition name="fade" mode="out-in">
   <router-view class="view"/>
 </transition>
</div>
```