









home • parent • another

# Nested routes

- | Child 1
- Child 2
- Child 3

1

```
<div class="page">
  <ul class="menu view">
    <router-link to="/" exact="exact">home</router-link>
    <router-link to="/parent/">parent</router-link>
    <router-link to="/another">another</router-link>
  </ul>

  <transition name="fade" mode="out-in">
    <router-view class="view" />
  </transition>
</div>
```

```
.menu-item__item {
  transition: all .2s ease;

  &::before {
    transition: all .4s $in-out-back;
    transform-origin: center;
    content: '';
    width: 0;
    position: absolute;
    background: $purple;
    height: 2px;
    bottom: 0;
    left: 50%;
  }

  &--active {
    color: rgba($aqua-green, .8);

    a::before {
      width: 100%;
      background: $aqua-green;
      left: 0;
    }
  }
}
```

home • parent • another

# Nested routes

- | Child 1
- Child 2
- Child 3

1




[home](#) • [parent](#) • [another](#)

# Nested routes

- | [Child 1](#)
- [Child 2](#)
- [Child 3](#)

1





**Exercise**

#07

Created a transition between the pages.

Use your imagination!

**Bonus prints:**



on what route you're going to or from

Use and identify and identifying



bit.ly/pagetransitions

Shark

Batoid



# BATOID

