

home • parent • another

Nested routes

- | Child 1
- Child 2
- Child 3

1

```
<div class="page">
  <ul class="menu view">
    <router-link to="/" exact="exact">home</router-link>
    <router-link to="/parent/">parent</router-link>
    <router-link to="/another">another</router-link>
  </ul>

  <transition name="fade" mode="out-in">
    <router-view class="view" />
  </transition>
</div>
```

```
.menu-item__item {  
  transition: all .2s ease;  
  
  &::before {  
    transition: all .4s $in-out-back;  
    transform-origin: center;  
    content: '';  
    width: 0;  
    position: absolute;  
    background: $purple;  
    height: 2px;  
    bottom: 0;  
    left: 50%;  
  }  
  
  &--active {  
    color: rgba($aqua-green, .8);  
  
    a::before {  
      width: 100%;  
      background: $aqua-green;  
      left: 0;  
    }  
  }  
}
```

home • parent • another

Nested routes

- | Child 1
- Child 2
- Child 3


1

[home](#) • [parent](#) • [another](#)

Nested routes

- | [Child 1](#)
- [Child 2](#)
- [Child 3](#)

1



Exercise

#06

Use your imagination!

Bonus prints:

Created a transition between the pages.

Use and identify and identifying

on what route you're going to or from



bit.ly/pagetransitions

Shark

Batoid



BATOID

