

Nuway Natural Stone BASALT SLAB

1000x400x30mm Sold per each



Basalt Slabs are Durable and hard wearing, offering a large format bold, architectural stepping stone solution, ideal for creating a contemporary finish within outdoor spaces.

Code: N802

Product has been added to Nuway website

Weight: Each slab 35 kg per unit – **2 PERSON LIFT**

Suitable Applications:

Perfect for pathways, garden walkways, courtyards, and feature stepping layouts, these slabs work seamlessly with turf, gravel, pebbles, and concrete surrounds.

Handling, Collection & Safety Requirements

- 2 Person lift only
- Due to individual unit weight and size, steppers must only be collected using suitable vehicles capable of safely carrying the load
- **Please dont allow customers to handle on their own – Nuway staff to load**
- **Crate must be strapped when in yard at all times – only unstrapped for loading – then re strapped**

Important:

Staff must clearly advise customers at point of sale that these items are to be loaded only onto flat surfaces to avoid breakage during transportation and where possible strapped down to a timber pallet or crate, using your strapper.



Nuway Natural Stone

TRAVERTINE

Assorted sizes - Sold per piece



Travertine is a natural sedimentary limestone formed through mineral-rich water deposits over thousands of years. It is characterised by natural voids, movement, and tonal variation, which are inherent features of the stone and contribute to its organic appearance. Travertine is available in assorted sizes and thicknesses.

Travertine has natural variation in colour, veining, and pore structure should be expected across all batches and is not considered a defect.

Suitable Applications

Travertine is suitable for internal floors, feature areas, and low to medium traffic external applications such as patios, courtyards, pathways, and pool surrounds when the appropriate finish is selected. External installations must be laid on a compliant base and sealed to reduce moisture absorption and staining.

Technical Note

- Natural voids may be filled or left unfilled depending on finish

Travertine is a type of limestone that forms around mineral springs. The gases released during formation create the natural holes and voids you see in the stone.

Limestone (as sold generally) is also a sedimentary stone, but it forms from compressed marine sediments over long periods, resulting in a denser, more uniform structure with fewer visible voids.

Simple way to explain to customers:

All travertine is limestone, but not all limestone is travertine.



**SEALER IS RECOMMENDED FOR ALL
NATURAL STONE**



Nuway Natural Stone

TUMBLLED WHITE & WINTER WHITE PEBBLES



Please Note:

That Snow White pebbles, composed primarily of calcium carbonate, are partially absorbent and may take on stains from adjacent soil, organic materials, and contaminated water.

To maintain their pristine white appearance, it is advisable to place these pebbles in an elevated position with adequate drainage.

Additionally, a protective plastic layer should be used to separate them from the surrounding soil. Pebbles must not be installed on top of mulch.



Winter White

Sold by the M3

Tumbled White 20kg bags

Available in 4 sizes

5-10mm
20-30mm
30-50mm
50-80mm



The sizes can be combined/scattered to achieve different aesthetic looks

Nuway Natural Stone CRAZYPAVE

Crazypave is sold Per set & per M2 * see below



**RECOMENDED TO BE LAID ON
CONCRETE BASE**

Product Quality Reminder

- Minor breakages in crazypave pieces are normal and do not count as defects as the pieces can still be used.
- Excessive breakages or major damage may warrant replacement.

**SEALER IS RECOMENDED FOR ALL
NATURAL STONE**



Random size and shaped natural stone pieces

****Recommended 25% extra for tighter grout lines, cuts and breakages****

TRAVERTINE IVORY 20MM, 30MM AND SILVER

Sold per set – Each set covers 0.92m2 or 1.09 sets per m2.

To Calculate how many sets to order divide your m2 area by 0.92

ie. For an area of 50m2 you will need 54.34 sets – round to 55 sets + 25% extra recommended.

**BASALT, BLUESTONE, LIMESTONE
BLACK & CHAMPAGNE, MINT
SANDSTONE, MULGA GREY, SILVER
MARBLE AND SNOWFALL**

Sold per M2 – Each M2 is 1 layer on the crate

To Calculate how many m2 to order

ie. For an area of 50m2 you will need 50m2 + 25% extra recommended

LIMESTONE GALALA, SINAI, PAPYRUS

Sold per Set – Each Set covers 0.85m2 or 1.177 sets per m2.

To Calculate how many sets to order divide your m2 area by 0.85

ie. For an area of 50m2 you will need 58.82 sets – round to 59 sets + 25% extra recommended.

Nuway Natural Stone

FREE FORM CLADDING

Free form Cladding is Sold per M2 or LM for corners.



Dry Stacked



Organic shapes and natural variation, creating unique facades.

****Recommended 25% extra for cuts and breakages, more required for Dry stack****

Sold per M2

To Calculate how many m2 to order – For an area of 50m2 you will need 50M2 + 25% EXTRA for dry stacked and tighter grout lines sets

INSTALLATION

- Must be installed on solid, load bearing walls only (Concrete, brick or block)
- Not Suitable for timber or lightweight walls
- use high strength stone/tile adhesive & grout (from a tile shop)
- Natural Stone is heavy – substrate must support weight
- professional stonemason installation recommended

Product Quality Reminder

- Minor breakages in stone pieces are normal and do not count as defects as the pieces can still be used.
- Excessive breakages or major damage may warrant replacement.

Grouted



SEALER IS RECOMENDED FOR ALL NATURAL STONE



CORNERS AVAILABLE

Sizes vary
sold by the lineal
metre, stone
corner pieces
20-40mm thick.

Nuway Natural Stone

FRENCH PATTERN

French Pattern is sold in sets only.



Creates a visually unique and luxury flooring pattern

****Recommended 10-15% extra for cuts and breakages****

FRENCH PATTERN LIMESTONE, MARBLE AND BLUESTONE

Each Set covers 0.72m² or 1.389 sets per m². which Includes:

2 x 400x400mm
1 x 600x400mm
1 x 400x200mm
2 x 200x200mm


To Calculate how many sets to order divide your m² area by 0.72 ie. For an area of 50m² you will need 69.4 sets - rounded up to 70 sets

***FRENCH PATTERN TRAVERTINE**


sets covers 0.743m² which Includes:

2 x 406x406mm
1 x 610x406mm
1 x 406x203mm
2 x 203x203mm

To Calculate how many sets to order divide your m² area by 0.743 ie. For an area of 50m² you will need 67.29 sets - round up to 68 sets



Each Set Includes



1x 600x400

2x 400x400

1x 400x200

2x 200x200

SEALER IS RECOMMENDED FOR ALL NATURAL STONE



Nuway Natural Stone GRANITE

Assorted sizes is Sold per piece



**SEALER IS RECOMMENDED FOR ALL
NATURAL STONE**



Granite is a natural igneous stone formed from cooled molten rock deep within the earth. It is one of the hardest and most durable natural stones, known for its dense structure, crystalline appearance, and excellent resistance to wear. Granite typically displays granular mineral patterns rather than veins, with colour and texture variation inherent to the stone.

Due to its density, granite has low water absorption and performs exceptionally well in demanding environments when correctly selected and installed.

Technical Characteristics

- Composition: Igneous rock with high quartz and feldspar content
- Porosity: Very low compared to limestone, travertine, and marble
- Durability: Extremely hard and abrasion-resistant
- Variation: Natural colour and mineral variation is expected and not considered a defect
- Flamed or textured granite provides excellent slip resistance and is suitable for external and wet-area applications.

Suitable Applications

- ✓ High-traffic external paving
- ✓ Driveways and commercial walkways
- ✓ Pool surrounds (with appropriate textured finish)
- ✓ Steps, stairs, and landings
- ✓ Granite is particularly well suited to projects requiring strength, longevity, and minimal maintenance.

Nuway Natural Stone

LAVA BOULDERS

Assorted sizes 150-250MM is Sold per M2



Make a bold statement in your landscape with Volcanic Lava Rocks (150-250mm). Each crate contains 8m2 of naturally formed, organic shapes of volcanic stone with a rich, earthy tone and rugged texture.

PRODUCT OVERVIEW

Supply - Crate packed

Coverage - Each crate contains 8m2

Selling Unit - Sold per Square Metre (m2)

IMPORTANT HANDLING RULES

- No customer sorting of crate permitted
- Stock must be taken from the top of the crate only
- There is no picking and sorting from the bottom of the crates
- product is a mixed size range (150-250MM) in assorted shapes as packed

*This must be communicated to customers at point of sale



FRACTIONAL SALES

Lava Boulders can be sold in fractional quantities.

Example:

- Measured area = 500mm x 300mm
- converted to metres: 0.5m x 0.3m
- calculation: $0.5 \times 0.3 = 0.15\text{m}^2$
- Charge the customer for 0.15m2 in Retail Manager

*This method must be used for all partial quantities

HOW TO SELL AND MEASURE

Customers may choose how many stones or m2 they like.

- Once selected, the stones must be:
 1. Laid out flat on the ground
 2. Measured length x width using a tape measure
 3. Charged based on the total Square metre coverage

Nuway Natural Stone

LIMESTONE STEPPERS

Raven & Papyrus Sold per each



Basalt steps are solid, natural stone elements manufactured from dense volcanic basalt. They feature a flamed finish with natural split rock faces to the sides, providing a robust, architectural finish suitable for landscape steps and level changes

Available Sizes:

- 700/700mm x 30mm

Each step weighs approximately 43 kg per unit.

Suitable Applications:

Limestone steppers are suitable for external use only, including garden steps, landscape stairs, retaining transitions, and feature entry steps. They must be installed on a compliant base designed to support the weight of the stone.

Handling, Collection & Safety Requirements

- 2 Person lift only
- Due to individual unit weight and size, steppers must only be collected using suitable vehicles capable of safely carrying the load
- **Crate must be strapped when in yard at all times - only unstrapped for loading - then re strapped**

Important:

Staff must clearly advise customers at point of sale that these items are to be loaded only onto flat surfaces to avoid breakage during transportation and where possible strapped down to a timber pallet or crate, using your strapper.

Nuway Natural Stone LIMESTONE

Assorted sizes is Sold per piece



Tumbled limestone pavers give your area a natural, soft and aged feel that no other product can deliver. The pavers are cut from limestone deposits that have formed over millions of years, they are then tumbled to give them an aged and informal look. Limestone pavers feel soft underfoot and do not heat up as much as other options. Tumbled limestone pavers are perfect for pool surrounds, patio areas, courtyards, pathways, stepping stones and entertaining areas.

****Recommended 5-10% extra for cuts and breakages**



Technical Overview

Limestone is a sedimentary natural stone primarily composed of calcium carbonate. It is characterised by consistent base colouring with natural variation in tone, texture, and fossil content. As a softer stone, limestone requires correct product selection, installation, and ongoing maintenance to ensure long-term performance.

Suitable Areas:


Limestone is suitable for internal floors and low to medium traffic external applications including patios, courtyards, pathways, and pool surrounds when the correct finish and slip rating are selected. External installations must be laid on a compliant base and sealed with a suitable penetrating sealer to reduce moisture absorption and staining.

**SEALER IS RECOMMENDED FOR ALL
NATURAL STONE**



Nuway Natural Stone MARBLE

Assorted sizes is Sold per piece



**SEALER IS RECOMMENDED FOR ALL
NATURAL STONE**



Marble is a natural metamorphic stone formed when limestone is subjected to heat and pressure deep within the earth. It is characterised by distinctive veining, rich colour variation, and a refined surface, making it a premium choice for architectural and design applications. Marble is generally denser and more compact than similar stones such as travertine or limestone, and can be finished to a range of surface textures.

Technical Characteristics

- **Composition:** Metamorphic rock derived from limestone, with low to moderate porosity.
- **Appearance:** Elegant veining and tonal depth — each slab is unique.
- **Durability:** Strong and dense; suitable for a variety of applications when installed correctly.

Slip & Safety Notes


- **Surface Texture Matters:** Smooth, polished marble can become slippery when wet, especially around pools or in wet-area external applications.
- **Pool Surrounds:** Some marble varieties require extra caution around pool areas due to their smoother surfaces; always confirm finish and appropriate suitability for wet areas – Stone will provide a caution tag for slippery stone when required.

Suitable Applications

- ✓ Feature patios and alfresco areas
- ✓ Internal floors and entryways
- ✓ Garden paths and landscape design elements
- ✓ Accent walls and architectural detailing

Nuway Natural Stone PORCELAIN

Sold per piece in Cardboard boxes of 2



Porcelain paving is a high performance, precision-manufactured tile designed for external paving applications. Made from dense, low-porosity porcelain, this range offers durable, colour-stable surfaces with good slip resistance and minimal maintenance requirements.

Available Colours:

- Chalk
- Travertine
- Ashville Grey
- Charcoal

Available Formats:

- **600 × 400 × 20 mm**
- **Bullnose option available**



Porcelain paving combines a refined surface finish with precise rectified edges, making it suitable for contemporary patios, paths, pool surrounds and landscape paving projects.

Key Product Features

- Low absorption porcelain – excellent resistance to staining
- Precision-cut, rectified edges for tight joints and consistent laying patterns
- Compatible with bullnose edgings for steps and perimeters



Nuway Natural Stone STEPS

2 sizes is Sold per each



Basalt steps are solid, natural stone elements manufactured from dense volcanic basalt. They feature a flamed finish with natural split rock faces to the sides, providing a robust, architectural finish suitable for landscape steps and level changes

Available Sizes:

- 800 × 400 × 150 mm
- 600–700 × 400 × 150 mm (random lengths)
-

Each step weighs approximately 132–135 kg per unit.

Suitable Applications:

Basalt steps are suitable for external use only, including garden steps, landscape stairs, retaining transitions, and feature entry steps. They must be installed on a compliant base designed to support the weight of the stone.

Handling, Collection & Safety Requirements

- Forklift load or direct delivery only
- No hand loading permitted under any circumstances
- Due to individual unit weight, steps must only be collected using suitable vehicles capable of safely carrying the load
- These products are direct delivery items or forklift-loaded from Stone & Outdoor location.

⚠ Important:

Staff must clearly advise customers at point of sale that these items are forklift load only or direct delivery. Manual handling is not permitted for safety reasons.

