
!			
į	2 #	i	
1	#	•	
-		_	
-	-	-	
ı			

1.160	1.196	PASS	PASS FAIL	PASS	PASS	PASS	MAX 235 205 MIN	MAX 50	
8:00 9:00 10:00 11:00 12:00 13:00 14:00 15:00 16:00 17:00 18:00 19:00 20:00 21:00 22:00 23:00 0:00 1:00 2:00 3:00 4:00 5:00 1 0872 2 LITER 550 QC CHECKLIST	18	Visualy Verify wall/thickness distribution is good, squeeze bottle make sure all four sides are the same 305 4 2 00 00 00 00 00 00 00 00 00 00 00 00 0	8:00 9:00 10:00 11:00 12:00 13	Visual: Avater tes; fill with water squeeze look for leaks, leave upsid	Visual: Verify neck with cap does not strip	Visual: Verify contamination- no more than 5 bigger than .030 F <td>WEIGHT/ Scale WEIGHT/ Scale No 9:00 10:00 11:00 12:00 13:00 14:00 15:00 16:00 19:00 18:00 19:00 20:00 21:00 23:00 0:00 1:00 2:00 3:00 4:00 5:00 6:00 7:00</td> <td>PART DESCRIPTION: 2 LITER CYCLE TIME / Stop Watch While I was the watch was the watch with the was the watch watch was the watch was the</td> <td>CUSTOMER: HACH BMP PART # 10872</td>	WEIGHT/ Scale WEIGHT/ Scale No 9:00 10:00 11:00 12:00 13:00 14:00 15:00 16:00 19:00 18:00 19:00 20:00 21:00 23:00 0:00 1:00 2:00 3:00 4:00 5:00 6:00 7:00	PART DESCRIPTION: 2 LITER CYCLE TIME / Stop Watch While I was the watch was the watch with the was the watch watch was the	CUSTOMER: HACH BMP PART # 10872

I 0872 2 LITER 550 QC CHECKLIST



I 0872 2 LITER 550 QC CHECKLIST	Ist Shift	South 1250m) Shall is snot Dinstancia	thurst when the same	Notes: 1
QC CHECKLIST	2nd Shift Date: 10 17 70 Name Jok en 19	Constancia goe estan bien Constancia	Mucha contaminación de adentes	Notes: Thus of contined the supervisor of any non-conformance. Use the back of this page it necessary.
PAGE 3 OF 3	Date: 10-27-26 Name May Of Date: 10-27-26	the Somple Side of the	identro deso firmado ano	Notes: Hunk of time you have notified the supervisor of any non-conformance. Use the back of this page it necessary. Notes: Hunk of the pourt supervisor of any non-conformance. Use the back of this page it necessary.