

PIZZA SALES SQL QUERIES

A. KPIs

1. Total Revenue

Select SUM(total_price) as Total_Revenue from pizza_sales

Results		Messages	
	Total_Revenue		
1	817860.05083847		

2. Average Order Value

SELECT SUM(total_price) / COUNT(DISTINCT order_id) as Average_Order_Value
from pizza_sales

Results		Messages	
	Average_Order_Value		
1	38.3072623343546		

3. Average Revenue per Order

SELECT SUM(total_price) / COUNT(DISTINCT order_id) as
Average_Revenue_Per_Order from pizza_sales

	Average_Revenue_Per_Order
1	38.3072623343546

4. Total Pizza Sold

SELECT SUM(quantity) as Total_Quantity_Sold from pizza_sales

	Total_Quantity_Sold
1	49574

5. Total Orders

SELECT COUNT(DISTINCT order_id) as Total_Orders from pizza_sales

	Total_Orders
1	21350

6. Average Pizza per Order

```
SELECT SUM(quantity) / COUNT(DISTINCT order_id) as  
Average_Pizzas_Per_Order from pizza_sales
```

	Average_Pizzas_Per_Order
1	2

In Decimals -

```
SELECT (CAST(CAST(SUM(quantity) as DECIMAL(10,2)) /  
CAST(COUNT(DISTINCT order_id)AS decimal(10,2)) AS DECIMAL(10,2)))  
as Average_Pizzas_Per_Order from pizza_sales
```

	Average_Pizzas_Per_Order
1	2.32

B. DAILY TREND CHART

1. DAILY TREND OF ORDERS

```
SELECT DATENAME(WEEKDAY, order_date) as Order_day , COUNT(DISTINCT  
order_id) as Total_orders FROM pizza_sales  
Group by DATENAME(WEEKDAY, order_date)  
Order by Total_orders DESC
```

	Order_day	Total_orders
1	Friday	3538
2	Thursday	3239
3	Saturday	3158
4	Wednesday	3024
5	Tuesday	2973
6	Monday	2794
7	Sunday	2624

2. MONTHLY TREND OF ORDERS

```
SELECT DATENAME(MONTH, order_date) as Month_name , COUNT(DISTINCT  
order_id) as Total_orders FROM pizza_sales  
Group by DATENAME(MONTH, order_date)  
Order by Total_orders DESC
```

Results		Messages
	Month_name	Total_orders
1	July	1935
2	May	1853
3	January	1845
4	August	1841
5	March	1840
6	April	1799
7	November	1792
8	June	1773
9	February	1685
10	December	1680
11	September	1661
12	October	1646

3. PERCENTAGE OF SALES BY PIZZA CATEGORY

```
SELECT pizza_category, SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales) AS
PCT
FROM pizza_sales
Group By pizza_category
```

Results		Messages
	pizza_category	PCT
1	Classic	26.9059602306976
2	Chicken	23.9551375322885
3	Veggie	23.6825910258677
4	Supreme	25.4563112111462

For Monthly:

```
SELECT pizza_category, SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales
WHERE MONTH(order_date) = 1
) AS PCT
FROM pizza_sales
WHERE MONTH(order_date) = 1
Group By pizza_category
```

Results		Messages
	pizza_category	PCT
1	Classic	26.6779189176038
2	Chicken	23.1952780348435
3	Veggie	24.4370162489706
4	Supreme	25.6897867985821

4. PERCENTAGE OF SALES BY PIZZA Size

```
SELECT pizza_size, CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales) AS  
DECIMAL(10,2)) AS PCT  
FROM pizza_sales  
Group By pizza_size
```

	pizza_size	PCT
1	L	45.89
2	XXL	0.12
3	M	30.49
4	XL	1.72
5	S	21.77

For Quarter:

```
SELECT pizza_size, CAST(SUM(total_price) * 100 / (SELECT SUM(total_price) from pizza_sales  
WHERE DATEPART(QUARTER, order_date) = 1) AS DECIMAL(10,2)) AS PCT  
FROM pizza_sales  
WHERE DATEPART(QUARTER, order_date) = 1  
Group By pizza_size
```

	pizza_size	PCT
1	L	46.37
2	XXL	0.14
3	M	29.78
4	XL	1.60
5	S	22.10

5. Top 5 Pizza Names by Revenue

```
SELECT TOP 5 pizza_name, SUM(total_price) AS Total_Revenue FROM pizza_sales  
Group By pizza_name  
Order By Total_Revenue DESC
```

	pizza_name	Total_Revenue
1	The Thai Chicken Pizza	43434.25
2	The Barbecue Chicken Pizza	42768
3	The California Chicken Pizza	41409.5
4	The Classic Deluxe Pizza	38180.5
5	The Spicy Italian Pizza	34831.25

6. BOTTOM 5 Pizza Names by Revenue

SELECT BOTTOM 5 pizza_name, SUM(total_price) AS Total_Revenue FROM pizza_sales
 Group By pizza_name
 Order By Total_Revenue ASC

	pizza_name	Total_Revenue
1	The Brie Carre Pizza	11588.4998130798
2	The Green Garden Pizza	13955.75
3	The Spinach Supreme Pizza	15277.75
4	The Mediterranean Pizza	15360.5
5	The Spinach Pesto Pizza	15596

7. TOP 5 Pizza Names by Quantity

SELECT TOP 5 pizza_name, SUM(quantity) AS Total_Quantity FROM pizza_sales
 GROUP BY pizza_name
 Order by Total_Quantity DESC

	pizza_name	Total_Quantity
1	The Classic Deluxe Pizza	2453
2	The Barbecue Chicken Pizza	2432
3	The Hawaiian Pizza	2422
4	The Pepperoni Pizza	2418
5	The Thai Chicken Pizza	2371

8. BOTTOM 5 Pizza Names by Quantity

SELECT BOTTOM 5 pizza_name, SUM(quantity) AS Total_Quantity FROM pizza_sales
 GROUP BY pizza_name
 Order by Total_Quantity ASC

	pizza_name	Total_Quantity
1	The Brie Carre Pizza	490
2	The Mediterranean Pizza	934
3	The Calabrese Pizza	937
4	The Spinach Supreme Pizza	950
5	The Soppressata Pizza	961

9. TOP 5 Pizza Names by Orders

```
SELECT TOP 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Orders FROM pizza_sales  
GROUP BY pizza_name  
Order by Total_Orders DESC
```

	pizza_name	Total_Orders
1	The Classic Deluxe Pizza	2329
2	The Hawaiian Pizza	2280
3	The Pepperoni Pizza	2278
4	The Barbecue Chicken Pizza	2273
5	The Thai Chicken Pizza	2225

10. BOTTOM 5 Pizza Names by Orders

```
SELECT BOTTOM 5 pizza_name, COUNT(DISTINCT order_id) AS Total_Orders FROM pizza_sales  
GROUP BY pizza_name  
Order by Total_Orders ASC
```

	pizza_name	Total_Orders
1	The Brie Carre Pizza	480
2	The Mediterranean Pizza	912
3	The Spinach Supreme Pizza	918
4	The Calabrese Pizza	918
5	The Chicken Pesto Pizza	938

11. Total Pizzas Sold by Pizza Category

```
SELECT pizza_category , SUM(quantity) AS Total_PizzaSold FROM pizza_sales  
Group By pizza_category  
Order By Total_PizzaSold DESC
```

	pizza_category	Total_PizzaSold
1	Classic	14888
2	Supreme	11987
3	Veggie	11649
4	Chicken	11050

