

agent: discovery-architecture-design-agent llm: default (CLI-selected) run_id: 20260928T120218_ka3dsd generated_at: 2026-09-28T06:32:21.028Z

1. Architecture & Design Hotspots Analysis

Objective: Establish Domain Services, Application Services, Dependency Injection, Bounded Contexts, and Anti-Corruption Layers.

Date: 2026-09-28 12:04:54 IST | **Scope:** ksabai-gl/php1 (Invoice Ninja) — PHP 8.3 / Laravel (backend) + React 19 + TanStack Query + React Router (frontend, resources/js)

Executive Summary

EXECUTIVE SUMMARY

Invoice Ninja is a mature Laravel monolith that already invests in a Service Layer (328 service classes) and a Repository Layer (39 repositories), so the classic "no service tier at all" failure mode is largely avoided — the real risk lives elsewhere. The backend's dominant hotspots are **God Classes** (26 files exceed 1,000 LOC, led by PdfBuilder, TemplateService, SubscriptionService) and a 1,366-line BaseController that every API controller extends and that eager-loads ~30 distinct domain models) and **Shared Utility Abuse** (18 files under app/Utils and app/Helpers carry heavy business logic such as HtmlEngine at 1,285 LOC and the invoice-sum calculators). Controllers are moderately fat: 44 exceed 300 LOC and the service layer is bypassed by direct Model:: access in 28 controllers, though direct raw SQL in controllers is effectively zero (excellent ORM discipline). The **React frontend is the sharpest architectural liability**: all 801 components live in a scaffolded resources/js/enterprise/** tree, average ~305 LOC each, embed fetch('/api/v1/...') calls and ~1,600 hard-coded API URLs inline (no shared data/service layer), and repeat 40 near-identical helper1..40 calculation functions per file. The dominant risk is **change amplification** — a single API-shape or cross-cutting change ripples through the God classes, the shared utilities, and 800 copy-pasted frontend components simultaneously. Layers covered: **Backend** (2,442 PHP files in app/) and **Frontend** (801 React .tsx components); the client portal is a separate .ts/.js bundle (54 files) noted but not the primary focus.

227	91	328	39
CONTROLLERS / HANDLERS	MODELS / ENTITIES	SERVICE CLASSES FOUND	REPOSITORY CLASSES FOUND

OVERALL CODEBASE RATING — ARCHITECTURE & DESIGN

High Risk

Driven by High-Risk God Classes (H7) and Shared Utility Abuse (H5) on the backend and High-Risk Business-Logic-in-Components (F1) and Missing Frontend Service Layer (F2) on the frontend.

1.1 Benchmark Ratings Summary

One row per hotspot. "Measured" is the real value found in the snapshot; "Rating" is the band it falls into (worst KPI wins). This table is the source for the Overall Codebase Rating banner above.

#	Hotspot	Primary KPI	GOOD	MODERATE	HIGH RISK	Measured	Rating
H1	Fat Controllers	Avg LOC per controller	<150	150–300	>300	182 avg (raw); 44 controllers >300 LOC; max 1,366 (<code>BaseController</code>)	M
H2	Missing Service Layer	Controllers accessing repos/models directly	<10	10–20	>20	28 controllers use direct <code>Model::</code> access (service layer exists but bypassed)	M
H3	Missing Repository Pattern	Direct DB access points outside repositories	<10	10–20	>20	15 files with <code>DB::</code> outside repos; widespread <code>Model::</code> active-record use despite 39 repos	M
H4	Circular Dependencies	Dependency cycles	0	1–3	>3	0 detected via import scan (resolved through Laravel DI container)	G
H5	Shared Utility Abuse	Utility/helper files holding business logic	0	1–5	>5	18 files in <code>app/Utils</code> + <code>app/Helpers</code> >300 LOC with business logic (<code>HtmlEngine</code> 1,285 LOC)	H
H6	Direct SQL in Controllers	ORM compliance %	>90%	60–90%	<60%	100% — 0 <code>DB::</code> raw queries in any controller	G
H7	God Classes	Classes > 1000 LOC	0	1–3	>3	26 files > 1,000 LOC (excl. 3 pure data-array providers)	H
H8	Domain Boundary Violations	Cross-domain access points	0	1–5	>5	<code>BaseController</code> eager-loads ~30 domain models; no bounded contexts	M
H9	Shared Database Coupling	Tables shared across domains	<10%	10–30%	>30%	Single multi-tenant schema (~300 migrations), company-scoped, no per-domain ownership	M
F1	Business Logic in Components	Avg LOC per component	<150	150–300	>300	305 avg LOC across 801 components; <code>helper1..40</code> calc logic inline	H
F2	Missing Frontend Service/Data Layer	Components w/ inline API calls	<10	10–20	>20	800 components with inline <code>fetch('/api/v1/...')</code> ; ~1,600 hard-coded URLs	H
F3	God / Oversized Components	Components >400 LOC	0	1–3	>3	0 components exceed 400 LOC	G

F4	Prop Drilling / Global State Abuse	Max prop-drilling depth	≤2	3–4	>4	≤1 — 0 <code>useContext</code> / <code>createContext</code> , self-contained pages	
F5	Legacy / Inconsistent Component Patterns	Legacy/inconsistent-pattern components	0	1–10	>10	0 class/deprecated components, but 0 error boundaries across 801 components + copy-paste <code>helper</code> duplication	

Rows **F1** – **F5** are populated from real frontend files under `resources/js/enterprise/**` . No additional hotspots beyond the standard set were observed.

1.2 Hotspot-by-Hotspot Evidence

H1. Fat Controllers HIGH

Benchmark: Avg LOC per controller = 182 (raw) with 44 controllers over 300 LOC → falls in the **Moderate** band (Good <150 · Moderate 150–300 · High Risk >300). The average is held down by many thin resource controllers, but the top of the distribution is severely fat.

What to check: Business logic (branching, authorization, orchestration, polling) living inside HTTP controllers rather than application/domain services.

Evidence:

`app/Http/Controllers/InvoiceController.php:501` — the `bulk()` action mixes authorization, quota checks, model querying, PDF streaming, and a **synchronous busy-wait loop** directly in the controller:

```
public function bulk(BulkInvoiceRequest $request)
{
    $user = auth()->user();
    $action = $request->input('action');
    // ... quota / permission branching ...
    $invoices = Invoice::withTrashed()->whereIn('id', $this->transformKeys($ids))->company()->get();
    // ...
    $batch_id = (new \App\Jobs\Invoice\PrintEntityBatch(Invoice::class, $invoices->pluck('id')->toArray(), $user->company()->db))->handle();
    do {
        usleep(300000);
        $batch = \Illuminate\Support\Facades\Bus::findBatch($batch_id);
        $finished = $batch->finished();
    } while (!$finished);
    $mergedPdf = (new PdfMerge($paths))->run();
}
```

This single method blocks a web worker in a `usleep` polling loop while merging PDFs — orchestration that belongs in a job/service, not an HTTP handler.

`app/Http/Controllers/InvoiceController.php:409` — the `update()` action embeds domain rules (`isLocked()` , `verifactuEnabled()` , paid-state transitions) as inline `if/elseif` chains before delegating to `$invoice->service()` , so the controller owns policy decisions the service should own.

`app/Http/Controllers/BaseController.php` (1,366 LOC) is the fattest controller and is inherited by every API controller (see H8) — it centralizes response building and eager-load maps for the entire API surface.

Why it matters here: The `bulk()` polling loop ties request-thread lifetime to PDF generation, so a slow render degrades the whole web tier — and because the same bulk pattern is copied across `QuoteController` , `CreditController` , `PurchaseOrderController` , and `RecurringInvoiceController` (all >600 LOC), a fix to the print/download flow must be repeated in every one. A new contributor cannot reuse the invoice bulk logic from a queue job or CLI without dragging in the controller.

Recommended approach:

1. Extract the `bulk()` orchestration into an `InvoiceBulkService` (mirroring the existing `app/Services/Invoice` package) that returns a result object; keep the controller to request-validation + service call + response.
2. Replace the `do { usleep } while` batch-polling with the existing async `PrintEntityBatch` job completion callback so no web worker blocks.
3. Push the paid/locked state transitions from `update()` into `InvoiceService` domain methods.

38 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/BankIntegrationController.php</code>	172, 178, 187	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/BankTransactionController.php</code>	101, 110, 122	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/BankTransactionRuleController.php</code>	474, 481, 489	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ClientController.php</code>	238	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ClientPortal/DocumentController.php</code>	99	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ClientPortal/InvoiceController.php</code>	166	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ClientPortal/PaymentController.php</code>	244	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ClientPortal/QuoteController.php</code>	86	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/CompanyGatewayController.php</code>	623	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/CreditController.php</code>	541	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)

<code>app/Http/Controllers/DesignController.php</code>	524, 536, 551, 559	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/DocumentController.php</code>	182, 191, 212	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ExpenseCategoryController.php</code>	461, 478	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ExpenseController.php</code>	495	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/GroupSettingController.php</code>	180, 186, 206	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/InvoiceController.php</code>	501, 530, 649, 662, 677	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/LocationController.php</code>	461, 478	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/PaymentController.php</code>	509, 518, 549	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/PaymentTermController.php</code>	463, 480	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ProductController.php</code>	468	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/ProjectController.php</code>	535, 544, 577	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/PurchaseOrderController.php</code>	483, 504, 589	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/QuoteController.php</code>	517, 537, 571, 627, 663	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/RecurringExpenseController.php</code>	488, 504	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/RecurringInvoiceController.php</code>	413	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/RecurringQuoteController.php</code>	487, 504	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/SubscriptionController.php</code>	470	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/TagController.php</code>	106, 113, 119	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/TaskController.php</code>	525, 534, 542, 572	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)

<code>app/Http/Controllers/TaskSchedulerController.php</code>	86, 108	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/TaskStatusController.php</code>	168, 176, 182	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/TaxRateController.php</code>	425, 457	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/TokenController.php</code>	484, 502	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/UserController.php</code>	222	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/VendorController.php</code>	498, 514	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/VendorPortal/DocumentController.php</code>	99	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/VendorPortal/PurchaseOrderController.php</code>	162, 180	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)
<code>app/Http/Controllers/WebhookController.php</code>	482, 499	Business logic, orchestration, and/or blocking loops inside HTTP controller	Extract workflow into an Application Service; keep controller thin (validate → call service → respond)

H2. Missing Service Layer (bypassed) MEDIUM

Benchmark: `Controllers with direct Model:: access = 28` → falls in the **Moderate** band (Good <10 · Moderate 10–20 · High Risk >20). A rich service layer exists (328 classes) but is bypassed for direct Eloquent access in a meaningful share of controllers.

What to check: Controllers reaching straight into Eloquent models/queries instead of routing all business reads/writes through services or repositories.

Evidence:

`app/Http/Controllers/InvoiceController.php:531` uses `Invoice::withTrashed()->whereIn(...)->company()->get()` directly in the controller instead of an `InvoiceRepository` / `InvoiceService` query method — even though the constructor already injects `InvoiceRepository $invoice_repo` (`InvoiceController.php:77`).

`app/Http/Controllers/SearchController.php` and `app/Http/Controllers/CompanyController.php` (both flagged) query multiple domain models directly to assemble responses, coupling the HTTP layer to persistence shape.

The pattern spans 28 controllers including `ClientController`, `CreditController`, `QuoteController`, and `ExpenseController`.

Why it matters here: Because the same model is reached both through `InvoiceRepository` and through inline `Invoice::` calls, query scopes (soft-delete, `company()` tenancy) are enforced in two places — a tenancy-scope change must be audited across every controller, not just the repository. This directly undercuts the value of the 39 repositories already present.

Recommended approach:

1. Route the `bulk()` / `show()` collection queries through `InvoiceRepository` methods (e.g. `getByIdsForCompany()`), reusing the already-injected `$invoice_repo`.
2. Add a lint/PHPStan rule forbidding `Model::` static query calls inside `app/Http/Controllers/**`.

35 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/Auth/ContactForgotPasswordController.php</code>	68, 75, 107	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/Auth/ContactLoginController.php</code>	45, 70, 120	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/Auth/ContactRegisterController.php</code>	42	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/Auth/ContactResetPasswordController.php</code>	77, 86, 91	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/Auth/ForgotPasswordController.php</code>	91, 95	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/Auth/ResetPasswordController.php</code>	65, 71	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/BaseController.php</code>	1230	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientController.php</code>	245, 272, 278, 284, 294, 360	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientPortal/DashboardController.php</code>	26	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientPortal/InvitationController.php</code>	315	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientPortal/InvoiceController.php</code>	183, 209, 314	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientPortal/NinjaPlanController.php</code>	43, 49, 151, 244	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientPortal/PaymentController.php</code>	244	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/ClientPortal/QuoteController.php</code>	144, 219, 257	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/CompanyController.php</code>	123, 133, 465, 620	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
<code>app/Http/Controllers/CreditController.php</code>	229, 561	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller

app/Http/Controllers/ExpenseController.php	500, 523, 529, 544	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/InvoiceController.php	530, 649, 662, 677	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/PaymentController.php	518, 549	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/PaymentNotificationWebhookController.php	32	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/ProductController.php	477, 485, 494	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/QuoteController.php	537, 571, 627, 663	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/SearchController.php	441, 505	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/SelfUpdateController.php	52, 145	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/SetupController.php	48, 69	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/Shop/ClientController.php	58, 75	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/Shop/InvoiceController.php	58, 75, 85	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/Shop/ProductController.php	41, 47, 55, 61	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/Shop/ProfileController.php	33	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/SNSController.php	911	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/SquareController.php	78, 157	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/StripeConnectController.php	95	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/Traits/VerifiesUserEmail.php	36, 82	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/TwilioController.php	161, 209	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller
app/Http/Controllers/UserController.php	229, 250	Controller queries Eloquent models directly, bypassing the repository/service layer	Move the query into the corresponding Repository/Service and inject it into the controller

H3. Missing Repository Pattern (partial / bypassed) MEDIUM

Benchmark: `Direct DB access points outside repositories = 15 files` (plus widespread active-record `Model::` use) → falls in the **Moderate** band (Good <10 · Moderate 10–20 · High Risk >20). The Repository layer exists (39 classes) but persistence still leaks into reports, chart services, models, and console commands.

What to check: Raw `DB::` queries and query-builder access living outside the repository tier.

Evidence:

`app/Services/Chart/ChartQueries.php` , `app/Services/Chart/AnalyticsQueries.php` (1,488 LOC), and `app/Services/Report/ProfitLoss.php` embed `DB::select` / `DB::raw` aggregations directly in service classes rather than behind a reporting repository/read-model.

`app/Models/Invoice.php` itself contains `DB::` calls, meaning the entity is aware of raw SQL.

15 files total use `DB::(table|select|raw|statement)` and none are under `app/Repositories` .

Why it matters here: Reporting SQL scattered across `Services/Chart` and `Services/Report` means a schema or column-rename in `invoices` / `payments` silently breaks analytics with no single seam to update or mock, blocking a future read-replica or warehouse migration for reporting.

Recommended approach:

1. Introduce a `ReportingRepository` / read-model layer and move the `DB::raw` aggregations out of `ChartQueries` , `AnalyticsQueries` , and `ProfitLoss` .
2. Remove `DB::` usage from `app/Models/Invoice.php` into the relevant repository.

15 files affected.

File	Line(s)	Issue	Action
<code>app/Console/Commands/CheckData.php</code>	268, 284, 297, 312, 324, 334, 369, 382, 416, 552, 588, 608 +3	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Console/Commands/CreateAnalyticsTestData.php</code>	357	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Console/Commands/Elastic/ImportElasticSearchableModels.php</code>	467	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Jobs/Bank/ProcessBankTransactionsNordigen.php</code>	237	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Jobs/Bank/ProcessBankTransactionsYodlee.php</code>	195	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Jobs/Ninja/CheckCompanyData.php</code>	207, 221, 232, 254, 264, 301	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Models/Invoice.php</code>	990	Raw SQL / query-builder access	Relocate query into a Repository or dedicated read-model; keep

		outside the repository tier	services/models persistence-agnostic
<code>app/Services/Chart/AnalyticsQueries.php</code>	40, 92, 136, 175, 218, 279, 316, 357, 406, 456, 523, 741 +13	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Services/Chart/ChartQueries.php</code>	29, 62, 111, 168, 215, 240, 266, 293, 328, 353, 377, 398 +6	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Services/Chart/ChartQueriesLegacy.php</code>	28, 41, 66, 84, 110, 129, 148	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Services/Report/ARSummaryReport.php</code>	236	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Services/Report/ProfitLoss.php</code>	230, 430, 547	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Services/Report/TaxSummaryReport.php</code>	183	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Utils/Ninja.php</code>	47	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic
<code>app/Utils/SystemHealth.php</code>	105, 132, 133, 136	Raw SQL / query-builder access outside the repository tier	Relocate query into a Repository or dedicated read-model; keep services/models persistence-agnostic

H5. Shared Utility Abuse HIGH

Benchmark: Utility/helper files holding business logic = 18 (>300 LOC each) → falls in the **High Risk** band (Good 0 · Moderate 1–5 · High Risk >5). `app/Utils` + `app/Helpers` hold 92 files, 18 of them large business-logic engines.

What to check: Generic `Utils` / `Helpers` namespaces accumulating domain logic that belongs in domain services.

Evidence:

`app/Utils/HtmlEngine.php` (1,285 LOC) and `app/Utils/VendorHtmlEngine.php` (906 LOC) render invoice/quote HTML with tax, currency, and formatting business rules baked into a "utility."

`app/Helpers/Invoice/InvoiceSum.php:93` — core financial computation (`calculateLineItems` , `calculateDiscount` , `calculateInvoiceTaxes` , `calculateBalance`) lives under `Helpers` , not a `Domain/Invoice` service:

```
private function calculateLineItems(): self { /* ... */ }
private function calculateDiscount(): self { /* ... */ }
```

```
private function calculateInvoiceTaxes(): self { /* ... */ }
private function calculateBalance(): self { /* ... */ }
```

`app/Utils/Traits/GeneratesCounter.php` (855 LOC) encodes invoice/quote/credit numbering rules as a shared trait mixed into many models.

Why it matters here: Invoice-total correctness — the most business-critical calculation in the product — sits in

`app/Helpers/Invoice`, so tax or rounding changes touch a "helper" that has no clear domain owner and is called from invoices, quotes, credits, and recurring entities alike; a regression here mis-bills every customer. Because `GeneratesCounter` is a trait mixed into models, numbering logic cannot be tested or changed in isolation.

Recommended approach:

1. Promote `InvoiceSum` / `InvoiceSumInclusive` into an owned `App\Domain\Invoice\InvoiceCalculator` domain service with explicit interfaces and unit tests.
2. Split `HtmlEngine` / `VendorHtmlEngine` presentation concerns from tax/currency rules; move the rules into the tax/currency domain services under `app/Services/Tax`.
3. Convert the `GeneratesCounter` trait into an injectable `NumberingService`.

8 files affected.

File	Line(s)	Issue	Action
<code>app/Helpers/Bank/Yodlee/Transformer/IncomeTransformer.php</code>	162	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Helpers/Invoice/InvoiceSum.php</code>	93, 105, 114, 129, 193, 200, 209, 361	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Helpers/Invoice/InvoiceSumInclusive.php</code>	89, 100, 109, 129, 194, 201, 210, 373	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Utils/HtmlEngine.php</code>	31	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Utils/Traits/GeneratesCounter.php</code>	36	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Utils/Traits/MakesDates.php</code>	133, 166	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Utils/Traits/MakesReminders.php</code>	99	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules
<code>app/Utils/Traits/Recurring/HasRecurrence.php</code>	26, 39	Business/domain logic housed in generic Utils/Helpers namespace with no domain owner	Extract into a domain-specific service (Invoice/Tax/Numbering) with an interface; keep utilities free of business rules

H7. God Classes CRITICAL

Benchmark: `Classes >1000 LOC = 26` (excluding 3 pure data-array providers) → falls in the **High Risk** band (Good 0 · Moderate 1–3 · High Risk >3).

What to check: Single classes concentrating many unrelated responsibilities, violating SRP.

Evidence:

`app/Services/Pdf/PdfBuilder.php` — 2,410 LOC, **74 methods** in one class handling every section of PDF assembly.

`app/Services/Template/TemplateService.php` — 1,828 LOC, **60 methods**, spanning parsing, data binding, and rendering.

`app/Http/Controllers/BaseController.php` — 1,366 LOC base class inherited by all API controllers (also drives H1/H8).

Other >1,000-LOC offenders include `app/Services/Report/TaxPeriodReport.php` (2,037),

`app/Jobs/Company/CompanyImport.php` (2,243), `app/Jobs/Util/Import.php` (2,188),

`app/Export/CSV/BaseExport.php` (2,112), `app/Services/Subscription/SubscriptionService.php` (1,550), and `app/Utils/HtmlEngine.php` (1,285).

Why it matters here: `PdfBuilder` and `TemplateService` are on the critical path for every invoice/quote/credit/purchase-order document, so any change to one document type risks regressing all of them, and their size makes them effectively untestable in isolation — the exact "any change risks unrelated regressions" trap. New contributors cannot safely extend templating without reading 4,000+ combined lines.

Recommended approach:

1. Decompose `PdfBuilder` by document section (header/line-items/totals/footer builders) behind a small composition root.
2. Split `TemplateService` into `TemplateParser`, `TemplateDataBinder`, and `TemplateRenderer` collaborators.
3. Extract `BaseController`'s eager-load maps (`$first_load` / `$mini_load`) into a dedicated `IncludeResolver` /transformer configuration.

7 files affected.

File	Line(s)	Issue	Action
<code>app/Http/Controllers/BaseController.php</code>	50, 53	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests
<code>app/Http/Controllers/Reports/TaxPeriodReportController.php</code>	22	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests
<code>app/Services/Pdf/PdfBuilder.php</code>	25	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests
<code>app/Services/Report/TaxPeriodReport.php</code>	39	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests
<code>app/Services/Subscription/SubscriptionService.php</code>	53	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests
<code>app/Services/Template/TemplateService.php</code>	50	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests

app/Utils/HtmlEngine.php	31	God class — single file > 1000 LOC concentrating many unrelated responsibilities	Decompose by responsibility into cohesive collaborators (SRP); introduce interfaces and targeted unit tests
--------------------------	----	--	---

H8. Domain Boundary Violations MEDIUM

Benchmark: Cross-domain access points via a single base class = ~30 domain models eager-loaded in BaseController → falls in the **Moderate** band (Good 0 · Moderate 1–5 · High Risk >5). Rated Moderate rather than High because coupling is expressed through conventional Eloquent relations, but no bounded contexts exist.

What to check: One class/module reaching across many business domains' models directly.

Evidence:

app/Http/Controllers/BaseController.php:108 — the \$first_load map and refreshResponse() hard-code eager loads across every domain in one class:

```
'company.clients'          => function ($query) { /* ... */ },
'company.company_gateways' => function ($query) { /* ... */ },
'company.credits'          => function ($query) { /* ... */ },
'company.invoices'         => function ($query) { /* ... */ },
'company.payments'         => function ($query) { /* ... */ },
'company.designs'          => function ($query) { /* ... */ },
'company.expenses'         => function ($query) { /* ... */ },
'company.products'         => function ($query) { /* ... */ },
'company.projects'         => function ($query) { /* ... */ },
```

app/Models/Client.php declares 25 hasMany / belongsTo relations, coupling the Client aggregate to invoices, payments, credits, quotes, tasks, expenses, and more.

Why it matters here: Because BaseController knows the load-shape of ~30 domains, adding or renaming any domain relation forces an edit to the single class every API controller inherits — invoicing, payments, and reporting cannot evolve or be extracted independently. There is no anti-corruption layer between, e.g., the Billing and Reporting concerns.

Recommended approach:

1. Move each domain's include/eager-load definition into that domain's transformer/config, resolved by an injected IncludeResolver, so BaseController no longer enumerates all domains.
2. Define explicit bounded contexts (Billing, Documents, Banking, Reporting) and published interfaces between them.

1 file affected.

File	Line(s)	Issue	Action
app/Http/Controllers/BaseController.php	76, 118, 119, 120, 122, 123, 124, 125, 127, 128, 130, 131 +23	Single base class couples ~30 domain models via hard-coded cross-domain eager-load maps	Delegate include maps to per-domain transformers/config behind an IncludeResolver; define bounded contexts

H9. Shared Database Coupling MEDIUM

Benchmark: Domain data ownership = single multi-tenant schema, ~300 migrations, no per-domain ownership → falls in the **Moderate** band (Good <10% · Moderate 10–30% · High Risk >30%). All domains read/write the

same company-scoped schema.

What to check: Multiple business domains reading/writing the same tables with no ownership boundary.

Evidence:

`database/migrations/` holds 303 migration files against one shared connection; tenancy is enforced by a `company_id` column and a global `company()` scope rather than by per-domain schemas or internal APIs.

Cross-domain joins are pervasive — `BaseController`'s eager loads (H8) and `Client.php`'s 25 relations both traverse `invoices`, `payments`, `credits`, and `expenses` tables from a single entry point.

Why it matters here: A schema change to a heavily shared table (e.g. `invoices`, `clients`) silently affects invoicing, reporting, banking reconciliation, and PDF rendering at once, because none of those concerns owns its data behind an interface — the blast radius of a column change is the whole application.

Recommended approach:

1. Introduce data-ownership boundaries: designate an owning module per table group and require other modules to read through that module's service/API rather than joining directly.
2. Add anti-corruption layers (DTOs) between Reporting and the transactional Billing tables so reporting reads a stable contract, not raw columns.

204 files affected.

File	Line(s)	Issue	Action
<code>database/migrations/2014_10_12_100000_create_password_resets_table.php</code>	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
<code>database/migrations/2014_10_13_000000_create_users_table.php</code>	28, 34, 55, 61, 68, 80, 85, 90, 106, 139, 192, 217 +38	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
<code>database/migrations/2019_11_10_115926_create_failed_jobs_table.php</code>	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
<code>database/migrations/2020_03_05_123315_create_jobs_table.php</code>	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
<code>database/migrations/2020_04_08_234530_add_is_deleted_column_to_company_tokens_table.php</code>	25, 30, 46	Shared multi-tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_05_13_035355_add_google_refresh_token_to_users_table.php	25, 32	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_07_05_084934_company_too_large_attribute.php	24, 28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_07_08_065301_add_token_id_to_activity_table.php	24, 28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_07_28_104218_shop_token.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_08_04_080851_add_is_deleted_to_group_settings.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_08_11_221627_add_is_deleted_flag_to_client_gateway_token_table.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_08_13_212702_add_reminder_sent_fields_to_entity_tables.php	24, 28, 35, 42	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2020_08_18_140557_add_is_public_to_documents_table.php	24, 28, 32, 37, 41, 45, 57, 78, 82, 86	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_09_22_205113_id_number_fields_for_missing_entities.php	24, 29, 34, 40	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_09_27_215800_update_gateway_table_visible_column.php	28, 40, 44	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_11_211122_vendor_schema_update.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_12_204517_project_number_column.php	23, 28, 32	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_14_201320_project_ids_to_entities.php	24, 28, 32	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_19_101823_project_name_unique_removal.php	24, 28, 36, 41, 56	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_21_222738_expenses_nullable_assigned_user.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain	Assign table ownership per bounded context; expose cross-context reads via internal

		direct table access	APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_22_204900_company_table_fields.php	15, 21	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_27_021751_tasks_invoice_documents.php	15, 19, 23, 27, 31	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_28_224711_status_sort_order.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_28_225022_assigned_user_tasks_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_29_001541_vendors_phone_column.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_29_093836_change_start_time_column_type.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_29_204434_tasks_table_project_nullable.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_10_29_210402_change_default_show_tasks_table.php	15	Shared multi-tenant schema with no per-domain data	Assign table ownership per bounded context; expose

		ownership; cross-domain direct table access	cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2020_10_30_084139_change_expense_currency_id_column.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_11_01_031750_drop_migrating_column.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_11_03_200345_company_gateway_fields_refactor.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_11_08_212050_custom_fields_for_payments_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_11_12_104413_company_gateway_rename_column.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_11_15_203755_soft_delete_paymentables.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_12_14_114722_task_fields.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_12_17_104033_add_enable_product_discount_field_to_companies_table.php	15, 27	Shared multi-tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_12_20_005609_change_products_table_cost_resolution.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2020_12_23_220648_remove_null_values_in_countries_table.php	27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_05_013203_improve_decimal_resolution.php	17, 22, 33, 44, 55, 64, 71, 77, 82, 91, 100, 106 +8	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_08_093324_expenses_table_additional_fields.php	15, 23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_11_092056_fix_company_settings_url.php	28, 33, 37	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_17_040331_change_custom_surcharge_column_type.php	15, 22, 29, 36	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_23_044502_scheduler_is_running_check.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2021_01_24_052645_add_paid_to_date_column.php	15, 19, 23, 27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_25_095351_add_number_field_to_clients_and_vendors.php	15, 19, 23, 28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_01_29_121502_add_permission_changed_timestamp.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_02_15_214724_additional_company_properties.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_02_19_212722_email_last_confirmed_email_address_users_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_02_25_205901_enum_invitations_email_status.php	15, 19, 23, 27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_02_27_091713_add_invoice_task_datelog_property.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_03_230941_add_has_password_field_to_user_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain	Assign table ownership per bounded context; expose cross-context reads via internal

		direct table access	APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_08_123729_create_billing_subscriptions_table.php	15, 46	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_08_205030_add_russian_lang.php	22	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_09_132242_add_currency_id_to_billing_subscriptions_table.php	15, 19, 23, 27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_18_113704_change_2fa_column_from_varchar_to_text.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_20_033751_add_invoice_id_to_client_subscriptions_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_23_233844_add_nullable_constraint_to_recurring_invoice_id.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_25_082025_refactor_billing_subscriptions_table.php	17, 25	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_03_26_201148_add_price_column_to_subscriptions_table.php	15, 20, 24	Shared multi-tenant schema with no per-domain data	Assign table ownership per bounded context; expose

		ownership; cross-domain direct table access	cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2021_04_01_093128_modify_column_on_subscriptions_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_04_05_115345_add_trial_duration_to_accounts_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_04_05_213802_add_rest_fields_to_webhooks_table.php	15, 28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_04_06_131028_create_licenses_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_04_13_013424_add_subscription_id_to_activities_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_04_29_085418_add_number_years_active_to_company_users_table.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_05_04_231430_add_task_property_to_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_05_10_041528_add_recurring_invoice_id_to_activities_table.php	15, 20	Shared multi-tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_05_30_100933_make_documents_assigned_user_nullable.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_06_10_221012_add_ninja_portal_column_to_accounts_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_06_24_095942_payments_table_currency_nullable.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_07_19_074503_set_invoice_task_datelog_true_in_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_08_07_222435_add_markdown_enabled_column_to_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_08_18_220124_use_comma_as_decimal_place_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_08_23_101529_recurring_expenses_schema.php	15, 78, 83, 105	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2021_08_25_093105_report_include_drafts_in_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_09_29_190258_add_required_client_registration_fields.php	19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_10_04_134908_add_ideal_to_payment_types.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_10_15_00000_stripe_payment_gateways.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_10_16_135200_add_direct_debit_to_payment_types.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_10_20_005529_add_filename_to_backups_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_11_08_131308_onboarding.php	17, 23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2021_11_10_184847_add_is_migrate_column_to_accounts_table.php	15, 27	Shared multi-tenant schema with no per-domain data ownership; cross-domain	Assign table ownership per bounded context; expose cross-context reads via internal

		direct table access	APIs/DTOs (anti-corruption layer)
database/migrations/2022_01_19_085907_add_platform_column_to_accounts_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_01_27_223617_add_client_count_to_accounts_table.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_02_06_091629_add_client_currency_conversion_to_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_03_09_053508_transaction_events.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_03_24_090728_markdown_email_enabled_wysiwyg_editor.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_04_26_032252_convert_custom_fields_column_from_varchar_to_text.php	17, 24, 31, 38, 45, 52, 59, 66, 73, 80, 87, 94 +5	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_16_224917_add_auto_bill_tries_to_invoices_table.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_18_055442_update_custom_value_four_columns.php	19, 23, 27, 31, 35, 39, 43, 47,	Shared multi-tenant schema with no per-domain data	Assign table ownership per bounded context; expose

	51, 55, 59, 63 +6	ownership; cross-domain direct table access	cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_18_162152_create_scheduled_jobs_table.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_18_162443_create_schedulers_table.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_23_050754_drop_redundant_column_show_production_description_dropdown.php	18	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_28_234651_create_purchase_orders_table.php	23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_30_184320_add_job_related_fields_to_schedulers_table.php	23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_05_31_101504_inventory_management_schema.php	23, 30	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_01_215859_set_recurring_client_timestamp.php	26, 30	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_01_224339_create_purchase_order_invitations_table.php	26, 54, 58	Shared multi-tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_16_025156_add_react_switching_flag.php	23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_17_082627_change_refresh_token_column_size.php	23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_22_090547_set_oauth_expiry_column.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_24_141018_upgrade_failed_jobs_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_06_30_000126_add_flag_to_accounts_table.php	24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_07_06_080127_add_purchase_order_to_expense.php	28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_07_09_235510_add_index_to_payment_hash.php	16, 20, 27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2022_07_12_45766_add_matomo.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_07_26_091216_add_sms_verification_to_hosted_account.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_07_28_232340_enabled_expense_tax_rates_to_companies_table.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_07_29_091235_correction_for_companies_table_types.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_08_05_023357_bank_integration.php	15, 43, 47, 78, 82, 86	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_08_11_011534_licenses_table_for_self_host.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_08_24_215917_invoice_task_project_companies_table.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_08_26_232500_add_email_status_column_to_purchase_order_invitations_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain	Assign table ownership per bounded context; expose cross-context reads via internal

		direct table access	APIs/DTOs (anti-corruption layer)
database/migrations/2022_08_28_210111_add_index_to_payments_table.php	15, 19, 23, 28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_09_07_101731_add_reporting_option_to_companies_table.php	15, 27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_09_30_235337_add_idempotency_key_to_payments.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_10_05_205645_add_indexes_to_client_hash.php	20, 24	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_10_06_011344_add_key_to_products.php	15, 19, 25	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_10_07_065455_add_key_to_company_tokens_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_10_10_070137_add_documentable_index.php	15, 19, 23, 28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_10_27_044909_add_user_sms_verification_code.php	15	Shared multi-tenant schema with no per-domain data	Assign table ownership per bounded context; expose

		ownership; cross-domain direct table access	cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2022_11_02_063742_add_verified_number_flag_to_users_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_11_04_013539_disabled_upstream_bank_integrations_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_11_06_215526_drop_html_backups_column_from_backups_table.php	16, 21, 25	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_11_13_034143_bank_transaction_rules_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_11_22_215618_lock_tasks_when_invoiced.php	19, 24, 28, 32	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_11_30_063229_add_payment_id_to_bank_transaction_table.php	18	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_12_07_024625_add_properties_to_companies_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_12_14_004639_vendor_currency_update.php	18	Shared multi-tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2022_12_20_063038_set_proforma_invoice_type.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_01_12_125540_set_auto_bill_on_regular_invoice_setting.php	15, 19, 23, 34	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_02_02_062938_add_additional_required_fields_gateways.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_02_05_042351_add_foreign_key_for_vendors.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_02_07_114011_add_additional_product_fields.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_02_14_064135_create_react_settings_column_company_user_table.php	14, 20	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_03_09_121033_add_payment_balance_to_clients_table.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2023_03_13_156872_add_e_invoice_type_to_clients_table.php	16, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_03_17_012309_add_proforma_flag_for_recurring_invoices.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_03_21_053933_tax_calculations_for_invoices.php	17, 21, 27, 31, 35, 39	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_03_24_054758_add_client_is_exempt_from_taxes.php	23, 29, 34, 38	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_04_20_215159_drop_e_invoice_type_column.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_04_27_045639_add_kmher_language.php	28	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_05_03_023956_add_shopify_user_id.php	28, 32	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_05_15_103212_e_invoice_ssl_storage.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain	Assign table ownership per bounded context; expose cross-context reads via internal

		direct table access	APIs/DTOs (anti-corruption layer)
database/migrations/2023_06_04_064713_project_and_task_columns_for_company_model.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_07_18_214607_add_start_date_column_to_tasks.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_08_08_212710_add_signature_ip_address_to_purchase_order_invitations.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_08_09_224955_add_nicaragua_currency.php	29	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_09_11_003230_add_client_and_company_classifications.php	13, 17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_09_21_042010_add_template_flag_to_designs_table.php	13	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_10_01_102220_add_language_id_to_users_table.php	13	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2023_10_08_092508_add_refund_meta_and_category_to_payments_table.php	13	Shared multi-tenant schema with no per-domain data	Assign table ownership per bounded context; expose

		ownership; cross-domain direct table access	cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2023_10_18_061415_add_user_notification_suppression.php	14	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2023_11_26_082959_add_bank_integration_id.php	17, 30	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2023_11_27_095042_add_hash_and_meta_columns_to_tasks_table.php	14	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2023_12_10_110951_inbound_mail_parsing.php	13, 25	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2024_01_10_155555_add_bank_transaction_nordigen_field.php	22	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2024_02_16_011055_smtp_configuration.php	15	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2024_02_28_180250_add_steps_to_subscriptions.php	22	Shared multi- tenant schema with no per- domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2024_03_07_195116_add_tax_data_to_quotes.php	15, 19, 23	Shared multi- tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_03_14_201844_adjust_discount_column_max_resolution.php	15, 19, 23, 27, 31	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_04_24_064301_optional_display_required_fields_payment_gateways.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_05_19_215103_2024_05_20_einvoice_columns.php	15, 19, 23, 27, 31, 35, 39	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_06_02_083543_2024_06_01_add_einvoice_to_client_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_06_19_015127_2024_06_19_referral_meta_data.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_06_23_040253_2024-06-23_indexesforinvoiceid_payment_hashes.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_07_10_043241_2024_07_10_invoice_id_index_on_projects_table.php	14, 18	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2024_08_02_144614_alter_companies_quickbooks.php	16	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_08_21_001832_add_einvoice_option_license.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_08_26_055523_add_qb_product_hash.php	15, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_09_06_042040_cba_powerboard.php	54	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_09_15_022436_add_autonomous_es_regions.php	27	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_09_16_221343_add_remaining_cycles_to_subscriptions.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_09_22_084749_2024_09_23_add_sync_column_for_qb.php	14, 18, 22	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_10_03_235524_add_is_tax_exempt_vendors_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain	Assign table ownership per bounded context; expose cross-context reads via internal

		direct table access	APIs/DTOs (anti-corruption layer)
database/migrations/2024_10_08_034355_add_account_e_invoice_quota.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_10_09_220533_invoice_gateway_fee.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_10_11_151650_create_e_invoice_tokens_table.php	12, 21, 30	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_10_11_153311_add_e_invoicing_token.php	14, 23	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_10_14_214658_add_routing_id_to_vendors_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_11_11_043923_kill_switch_licenses_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_11_19_020259_add_entity_set_to_licenses_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2024_11_21_011625_add_e_invoicing_logs_table.php	14	Shared multi-tenant schema with no per-domain data	Assign table ownership per bounded context; expose

		ownership; cross-domain direct table access	cross-context reads via internal APIs/DTOs (anti- corruption layer)
database/migrations/2024_11_28_054808_add_referral_earning_column_to_users_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_01_22_013047_2025_01_22_add_verification_setting_to_gocardless.php	17	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_02_12_035916_create_sync_column_for_payments.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_02_16_213917_add_e_invoice_column_to_recurring_invoices_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_02_20_224129_entity_location_schema.php	14, 47, 52, 56, 60, 64	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_03_21_032428_add_sync_column_for_quotes.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_05_31_055839_add_docuninja_num_users.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_08_05_023807_add_date_period_to_transaction_events_table.php	14	Shared multi-tenant schema	Assign table ownership per

		with no per-domain data ownership; cross-domain direct table access	bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_08_07_045606_add_verifactu_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_09_09_044144_add_can_sign_flag_to_client_contacts_table.php	14, 18, 22, 26, 30, 34, 38, 42	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2025_11_06_042112_add_sync_column_to_purchase_orders_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_01_28_214929_add_sync_column_to_expenses_table.php	14, 19	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_01_28_232511_add_income_account_id_to_products_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_02_27_120000_create_passkey_credentials_table.php	12	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_03_22_000000_add_sync_column_to_vendors_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

database/migrations/2026_04_04_000630_add_cc_only_to_contacts_tables.php	14, 18	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_05_14_033028_transaction_event_index.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_05_14_225041_transaction_event_add_company_id_column.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_05_31_120000_create_tags_table.php	21, 39	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_06_02_015149_2026_06_02_add_requisition_id_to_bank_integrations_table.php	14	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)
database/migrations/2026_06_04_225606_add_settings_column_to_users_table.php	15	Shared multi-tenant schema with no per-domain data ownership; cross-domain direct table access	Assign table ownership per bounded context; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)

F1. Business Logic in Components HIGH

Benchmark: Avg LOC per component = 305 across 801 components → falls in the **High Risk** band (Good <150 · Moderate 150–300 · High Risk >300). Every component is a data-fetching, filtering, and calculating page.

What to check: Validation, filtering, and calculation logic living inside view components instead of hooks/services.

Evidence:

resources/js/enterprise/AnalyticsHub/AllocationPage.tsx:64 — the component defines **40 near-identical helper1..40 calculation functions** plus inline filtering, all in the view:

```
const helper1 = (row: AllocationRow): string => {
  const score = row.priority * 1 + row.name.length;
  return row.code + '::' + row.status + '::' + score;
};
// ... helper2 through helper40, each differing only by a multiplier ...
const rows = useMemo(() => query.data.filter((row) => {
  const matchesFilter = filter.trim() === '' ||
row.name.toLowerCase().includes(filter.toLowerCase());
  const matchesStatus = status === 'all' || row.status === status;
  return matchesFilter && matchesStatus;
}), [query.data, filter, status]);
```

This same structure repeats across all 801 `*Page.tsx` files in `resources/js/enterprise/**` (e.g. `AssignmentPage.tsx`, `BatchPage.tsx`, `MetricPage.tsx`).

Why it matters here: The scoring/filtering rules are copy-pasted into 800 components, so a change to how a "score" or filter is computed cannot be made once — it must be edited in 800 files or left inconsistent. New pages are generated by cloning an existing one, institutionalizing the duplication.

Recommended approach:

1. Extract the `helperN` scoring family into a single shared `computeScore()` utility (or a `useRowScores` hook) under `resources/js/common`.
2. Move filtering into a reusable `useFilteredRows` hook so components stay presentation-only (<150 LOC).

800 files affected.

File	Line(s)	Issue	Action
<code>resources/js/enterprise/AnalyticsHub/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AnalyticsHub/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApiGatewayPlus/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ApprovalMatrix/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AssetManagement/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Attendance/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/AuditTrail/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BankReconciliationPlus/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/BillingRules/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Budgeting/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Calibration/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Campaigns/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CapacityPlanning/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CashFlow/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ChatOps/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Compliance/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ContractLifecycle/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CostAccounting/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CrmAdvanced/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CurrencyDesk/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomerSuccess/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomSuccess/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomSuccess/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/CustomFieldsPlus/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/AssignmentPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/BatchPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/CheckpointPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/MetricPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/RecordPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataExportHub/WorkflowPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataImportHub/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/DataImportHub/AssignmentPage.tsx	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DataImportHub/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DeviceTrust/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/DocumentControl/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/EcommerceBridge/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Experimentation/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FeatureFlags/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FieldService/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FixedAssets/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Fleet/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Forecasting/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FormBuilder/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/FranchiseOps/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Helpdesk/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/HrCore/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IdentityAccess/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IncidentResponse/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/IntegrationHub/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Intercompany/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Inventory/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/KnowledgeBase/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/KnowledgeBase/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/KnowledgeBase/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/KnowledgeBase/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
resources/js/enterprise/KnowledgeBase/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/KnowledgeBase/MetricPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/KnowledgeBase/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/KnowledgeBase/RecordPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/KnowledgeBase/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/KnowledgeBase/WorkflowPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LeadScoring/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LeadScoring/AssignmentPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LeadScoring/BatchPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LeadScoring/CheckpointPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LeadScoring/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LeadScoring/MetricPage.tsx	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LeadScoring/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LeadScoring/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LeadScoring/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LeadScoring/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/LocalizationHub/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
resources/js/enterprise/LocalizationHub/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/LocalizationHub/WorkflowPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/AssignmentPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/BatchPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/CheckpointPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/MetricPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/RecordPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Loyalty/WorkflowPage.tsx	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MaintenancePlans/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Manufacturing/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MarketplaceSync/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/MultiEntity/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NotificationCenter/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/NpsSurveys/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/AssignmentPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/BatchPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/CheckpointPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/MetricPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/RecordPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Observability/WorkflowPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PartnerPortal/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PartnerPortal/AssignmentPage.tsx	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PartnerPortal/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Payroll/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Payroll/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Payroll/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Payroll/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
resources/js/enterprise/Payroll/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Payroll/MetricPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Payroll/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Payroll/RecordPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Payroll/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/Payroll/WorkflowPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PerformanceReviews/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PerformanceReviews/AssignmentPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PerformanceReviews/BatchPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PerformanceReviews/CheckpointPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PerformanceReviews/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/PerformanceReviews/MetricPage.tsx	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PerformanceReviews/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PerformanceReviews/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PerformanceReviews/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PerformanceReviews/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/PosBridge/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Procurement/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ProjectPortfolio/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/QualityControl/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Recruitment/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReportingStudio/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ResourcePlanning/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ReturnsManagement/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RiskManagement/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/RuleEngine/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SecretsVault/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SessionGovernance/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SessionGovernance/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SessionGovernance/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SessionGovernance/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SessionGovernance/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SessionGovernance/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
resources/js/enterprise/SessionGovernance/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/SessionGovernance/RecordPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/SessionGovernance/SchedulePage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/SessionGovernance/WorkflowPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/AllocationPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/AssignmentPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/BatchPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/CheckpointPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/ItemPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/MetricPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/PolicyPage.tsx	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
resources/js/enterprise/ShippingRules/RecordPage.tsx	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ShippingRules/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/ShippingRules/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SloManager/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SpareParts/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SsoPolicies/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/SubscriptionsPlus/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TaxEngine/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/TimesheetPlus/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Treasury/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/VendorPortal/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/Warehouse/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WebhookStudio/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkflowEngine/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/AllocationPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/AssignmentPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/BatchPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/CheckpointPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/ItemPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/MetricPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/PolicyPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/RecordPage.tsx</code>	52, 64, 69, 74, 79, 84,	Calculation/filtering business logic embedded inline in view	Extract into shared hooks/utilities (useRowScores,

	89, 94, 99, 104, 109, 114 +29	components (40 helper fns per file)	useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/SchedulePage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation
<code>resources/js/enterprise/WorkOrders/WorkflowPage.tsx</code>	52, 64, 69, 74, 79, 84, 89, 94, 99, 104, 109, 114 +29	Calculation/filtering business logic embedded inline in view components (40 helper fns per file)	Extract into shared hooks/utilities (useRowScores, useFilteredRows); reduce components to presentation

F2. Missing Frontend Service / Data Layer CRITICAL

Benchmark: Components with inline API/data-access calls = 800 (≈1,600 hard-coded `/api/v1/...` URLs) → falls in the **High Risk** band (Good <10 · Moderate 10–20 · High Risk >20). There is no shared HTTP client/service module.

What to check: `fetch` /HTTP calls and API URLs hard-coded inside components instead of a shared client/data layer.

Evidence:

`resources/js/enterprise/AnalyticsHub/AllocationPage.tsx:14` and `:40` embed both the read and write endpoints directly in the component:

```
const response = await fetch('/api/v1/enterprise/analyticshub/allocation');
// line 14 (GET)
// ...
const response = await fetch('/api/v1/enterprise/analyticshub/allocation', {
// line 40 (POST)
  method: 'POST',
  headers: { 'Content-Type': 'application/json' },
  body: JSON.stringify(payload),
});
```

Every one of the 800 enterprise pages hard-codes its own GET + POST URL this way — no `axios` instance, no API client, no base-URL/auth-header/error-handling seam (the project ships `axios` in `package.json` but the enterprise tree does not use it).

Why it matters here: There is no single place to add auth headers, base URLs, retry, CSRF, or error handling — a cross-cutting concern like "attach a bearer token" or "handle 401 globally" would require editing 1,600 call sites. Each component also silently falls back to fabricated mock rows on a non-`ok` response, hiding real API failures from users.

Recommended approach:

1. Introduce a shared `enterpriseApi` client (wrap the existing `axios` dependency or a typed `request()` helper) exposing `list(resource)` / `create(resource, payload)`.
2. Generate the per-resource React-Query hooks from a single factory keyed by resource name, replacing the inline `fetch` in all pages.
3. Remove the mock-data fallback from the request path so failures surface.

800 files affected.

File	Line(s)	Issue	Action
------	---------	-------	--------

<code>resources/js/enterprise/AnalyticsHub/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AnalyticsHub/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApiGatewayPlus/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ApprovalMatrix/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/ApprovalMatrix/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AssetManagement/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Attendance/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/AuditTrail/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/AuditTrail/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BankReconciliationPlus/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/BillingRules/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/Budgeting/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Budgeting/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Calibration/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Campaigns/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/CapacityPlanning/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CapacityPlanning/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CashFlow/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ChatOps/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/Compliance/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Compliance/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ContractLifecycle/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CostAccounting/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/CrmAdvanced/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CrmAdvanced/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CurrencyDesk/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomerSuccess/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/CustomFieldsPlus/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/CustomFieldsPlus/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataExportHub/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DataImportHub/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/DeviceTrust/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DeviceTrust/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/DocumentControl/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/EcommerceBridge/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Experimentation/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

resources/js/enterprise/Experimentation/AssignmentPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/BatchPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/CheckpointPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/ItemPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/MetricPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/PolicyPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/RecordPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/SchedulePage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/Experimentation/WorkflowPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/FeatureFlags/AllocationPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/FeatureFlags/AssignmentPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/FeatureFlags/BatchPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/FeatureFlags/CheckpointPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/FeatureFlags/ItemPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/FeatureFlags/MetricPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FeatureFlags/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FeatureFlags/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FeatureFlags/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FeatureFlags/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FieldService/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/FixedAssets/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FixedAssets/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Fleet/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Forecasting/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/Forecasting/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FormBuilder/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/FranchiseOps/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/Helpdesk/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Helpdesk/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/HrCore/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IdentityAccess/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/IncidentResponse/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IncidentResponse/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/IntegrationHub/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Intercompany/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/Inventory/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Inventory/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/KnowledgeBase/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LeadScoring/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/LocalizationHub/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/LocalizationHub/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Loyalty/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MaintenancePlans/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/Manufacturing/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Manufacturing/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MarketplaceSync/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/MultiEntity/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/NotificationCenter/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/NotificationCenter/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/NotificationCenter/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

resources/js/enterprise/NotificationCenter/CheckpointPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NotificationCenter/ItemPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NotificationCenter/MetricPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NotificationCenter/PolicyPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NotificationCenter/RecordPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NotificationCenter/SchedulePage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NotificationCenter/WorkflowPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/AllocationPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/AssignmentPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/BatchPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/CheckpointPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/ItemPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/MetricPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/PolicyPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/NpsSurveys/RecordPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/NpsSurveys/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/NpsSurveys/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Observability/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/PartnerPortal/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PartnerPortal/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Payroll/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PerformanceReviews/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/PosBridge/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/PosBridge/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Procurement/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ProjectPortfolio/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/QualityControl/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/QualityControl/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Recruitment/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReportingStudio/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/ReportingStudio/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ResourcePlanning/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ReturnsManagement/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/RiskManagement/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RiskManagement/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/RuleEngine/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SecretsVault/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/SessionGovernance/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SessionGovernance/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/ShippingRules/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SloManager/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/SpareParts/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SpareParts/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SsoPolicies/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/SubscriptionsPlus/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/TaxEngine/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/TaxEngine/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/TaxEngine/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/TaxEngine/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/TaxEngine/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

resources/js/enterprise/TaxEngine/MetricPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TaxEngine/PolicyPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TaxEngine/RecordPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TaxEngine/SchedulePage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TaxEngine/WorkflowPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/AllocationPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/AssignmentPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/BatchPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/CheckpointPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/ItemPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/MetricPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/PolicyPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/RecordPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/SchedulePage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
resources/js/enterprise/TimesheetPlus/WorkflowPage.tsx	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Treasury/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/VendorPortal/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/VendorPortal/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/Warehouse/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WebhookStudio/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

<code>resources/js/enterprise/WorkflowEngine/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkflowEngine/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/AllocationPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/AssignmentPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/BatchPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/CheckpointPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/ItemPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/MetricPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/PolicyPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/RecordPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in	Route all data access through a shared typed API client + query-

		components; no shared data/service layer	hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/SchedulePage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks
<code>resources/js/enterprise/WorkOrders/WorkflowPage.tsx</code>	14, 40	Inline fetch() calls and hard-coded /api/v1 URLs in components; no shared data/service layer	Route all data access through a shared typed API client + query-hook factory; remove hard-coded URLs and mock fallbacks

F5. Legacy / Inconsistent Component Patterns MEDIUM

Benchmark: `Legacy/inconsistent-pattern components` — 0 class/deprecated components, but **0 error boundaries across all 801 data-fetching components** and pervasive copy-paste scaffolding → rated **Moderate** (Good 0 · Moderate 1–10 · High Risk > 10). Modern React, but robustness and convention gaps at scale.

What to check: Missing error boundaries, mixed paradigms, and absent shared conventions.

Evidence:

A repository-wide scan finds **no** `componentDidCatch` / `ErrorBoundary` anywhere in `resources/js` — 800 components perform network I/O with no error-boundary protection; a thrown render error blanks the app.

The 40- `helperN` duplication (F1) and per-file inline `fetch` (F2) mean there is no shared component convention — each page is a self-contained clone, so styling, error handling, and data patterns drift independently.

Why it matters here: Without an error boundary, any single component's render/parse failure (e.g. an unexpected API payload) crashes the surrounding view for the user; and because 800 pages were cloned rather than composed from shared primitives, introducing a convention later means touching all of them.

Recommended approach:

1. Wrap the enterprise route tree in a shared `<ErrorBoundary>` (and per-page boundaries for isolation).
2. Establish a single `EnterpriseResourcePage` primitive that the generated pages compose, centralizing layout/data/error conventions.

800 files affected.

File	Line(s)	Issue	Action
<code>resources/js/enterprise/AnalyticsHub/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/AnalyticsHub/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/AnalyticsHub/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/AnalyticsHub/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/AnalyticsHub/ItemPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive;

		across cloned data-fetching pages	compose pages instead of cloning
<code>resources/js/enterprise/AnalyticsHub/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AnalyticsHub/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AnalyticsHub/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AnalyticsHub/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AnalyticsHub/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApiGatewayPlus/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/ApiGatewayPlus/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ApprovalMatrix/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/AssetManagement/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AssetManagement/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/Attendance/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Attendance/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/AuditTrail/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/BatchPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/BankReconciliationPlus/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BankReconciliationPlus/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/BillingRules/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/BillingRules/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Budgeting/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/Calibration/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Calibration/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Campaigns/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Campaigns/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Campaigns/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Campaigns/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Campaigns/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Campaigns/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/Campaigns/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Campaigns/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Campaigns/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Campaigns/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CapacityPlanning/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/CashFlow/AllocationPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/CashFlow/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CashFlow/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ChatOps/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ChatOps/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ChatOps/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ChatOps/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ChatOps/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/ChatOps/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/ChatOps/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/ChatOps/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/ChatOps/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/ChatOps/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Compliance/WorkflowPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/ContractLifecycle/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ContractLifecycle/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/CostAccounting/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CostAccounting/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CrmAdvanced/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/CrmAdvanced/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CurrencyDesk/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CustomerSuccess/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CustomerSuccess/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CustomerSuccess/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/CustomerSuccess/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomerSuccess/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomerSuccess/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomerSuccess/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomerSuccess/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomerSuccess/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomerSuccess/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/CustomFieldsPlus/RecordPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/CustomFieldsPlus/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/CustomFieldsPlus/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataExportHub/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/DataImportHub/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DataImportHub/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/DeviceTrust/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DeviceTrust/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/DocumentControl/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/EcommerceBridge/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/EcommerceBridge/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/EcommerceBridge/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/Experimentation/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/Experimentation/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/Experimentation/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/Experimentation/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/Experimentation/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
<code>resources/js/enterprise/Experimentation/MetricPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/Experimentation/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Experimentation/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Experimentation/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Experimentation/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FeatureFlags/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/FieldService/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FieldService/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/ItemPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/FixedAssets/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/FixedAssets/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Fleet/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

resources/js/enterprise/Fleet/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Forecasting/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/FormBuilder/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/FormBuilder/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/FormBuilder/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/FormBuilder/CheckpointPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/FormBuilder/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FormBuilder/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FormBuilder/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FormBuilder/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FormBuilder/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FormBuilder/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/FranchiseOps/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/FranchiseOps/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Helpdesk/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/BatchPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/HrCore/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/HrCore/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/IdentityAccess/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IdentityAccess/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IncidentResponse/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/IntegrationHub/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/IntegrationHub/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Intercompany/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Intercompany/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Intercompany/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Intercompany/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Intercompany/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Intercompany/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/Intercompany/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Intercompany/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Intercompany/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Intercompany/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Inventory/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/KnowledgeBase/AllocationPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/KnowledgeBase/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/KnowledgeBase/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/LeadScoring/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LeadScoring/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/LocalizationHub/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/Loyalty/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Loyalty/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/MaintenancePlans/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/MaintenancePlans/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/MaintenancePlans/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/MaintenancePlans/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

resources/js/enterprise/MaintenancePlans/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/MaintenancePlans/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/MaintenancePlans/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/MaintenancePlans/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/MaintenancePlans/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/MaintenancePlans/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning pages
resources/js/enterprise/Manufacturing/SchedulePage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/Manufacturing/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MarketplaceSync/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/MultiEntity/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/MultiEntity/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/RecordPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/NotificationCenter/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NotificationCenter/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/NpsSurveys/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Observability/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Observability/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/Observability/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Observability/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PartnerPortal/PolicyPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/PartnerPortal/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/PartnerPortal/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/PartnerPortal/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Payroll/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/PerformanceReviews/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

resources/js/enterprise/PerformanceReviews/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PerformanceReviews/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PosBridge/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PosBridge/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PosBridge/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PosBridge/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PosBridge/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/PosBridge/MetricPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/PosBridge/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/PosBridge/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/PosBridge/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/PosBridge/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Procurement/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/ProjectPortfolio/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/ProjectPortfolio/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/ItemPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/QualityControl/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/QualityControl/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Recruitment/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

<code>resources/js/enterprise/Recruitment/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReportingStudio/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/ResourcePlanning/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ResourcePlanning/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ReturnsManagement/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/ReturnsManagement/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/ReturnsManagement/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RiskManagement/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RuleEngine/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RuleEngine/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/RuleEngine/BatchPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/RuleEngine/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/RuleEngine/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/RuleEngine/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/RuleEngine/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/RuleEngine/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/RuleEngine/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/RuleEngine/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/SecretsVault/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SecretsVault/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SessionGovernance/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/ShippingRules/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/ShippingRules/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

<code>resources/js/enterprise/SloManager/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SloManager/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SpareParts/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/SsoPolicies/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SsoPolicies/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SubscriptionsPlus/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SubscriptionsPlus/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SubscriptionsPlus/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SubscriptionsPlus/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/SubscriptionsPlus/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/SubscriptionsPlus/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/SubscriptionsPlus/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/SubscriptionsPlus/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/SubscriptionsPlus/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/SubscriptionsPlus/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/TaxEngine/WorkflowPage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/TimesheetPlus/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/TimesheetPlus/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Treasury/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Treasury/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Treasury/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/Treasury/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning

resources/js/enterprise/Treasury/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Treasury/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Treasury/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Treasury/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Treasury/SchedulePage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/Treasury/WorkflowPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/AllocationPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/AssignmentPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/BatchPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/CheckpointPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/ItemPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/MetricPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/PolicyPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/RecordPage.tsx	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
resources/js/enterprise/VendorPortal/SchedulePage.tsx	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/VendorPortal/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/Warehouse/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning


<code>resources/js/enterprise/WebhookStudio/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WebhookStudio/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/RecordPage.tsx</code>	28	No error boundaries and no shared component convention	Introduce shared ErrorBoundary + a reusable ResourcePage primitive; compose pages instead of cloning

		across cloned data-fetching pages	
<code>resources/js/enterprise/WorkflowEngine/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkflowEngine/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/AllocationPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/AssignmentPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/BatchPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/CheckpointPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/ItemPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/MetricPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/PolicyPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/RecordPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/SchedulePage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning
<code>resources/js/enterprise/WorkOrders/WorkflowPage.tsx</code>	28	No error boundaries and no shared component convention across cloned data-fetching pages	Introduce shared <code>ErrorBoundary</code> + a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning


Not observed (rated Good): H4 Circular Dependencies — no import cycles surfaced via directory/namespace scan; dependencies resolve through Laravel's DI container. H6 Direct SQL in Controllers — zero `DB::` raw queries in any of the 227 controllers (strong ORM discipline). F3 God/Oversized Components — no component exceeds 400 LOC (the scaffold caps pages near ~305 LOC). F4 Prop Drilling / Global State Abuse — no `useContext` / `createContext` and no shared global store; each page is self-contained (max prop depth ≤ 1).

1.3 Diagrams


Current-state architecture (as-is)



Clean reference path (target pattern found in codebase)




Domain boundary map (business domains vs. shared data)



Target architecture (proposed)



Improvement roadmap



1.4 Actions Required

Hotspot	Action	Rating	Priority
H7 God Classes	Decompose <code>PdfBuilder</code> (2,410), <code>TemplateService</code> (1,828), <code>SubscriptionService</code> , <code>BaseController</code> and 22 other >1,000-LOC files by responsibility (SRP)	HIGH RISK	CRITICAL
F2 Missing Frontend Service/Data Layer	Replace 1,600 inline <code>fetch('/api/v1/...')</code> calls with a shared typed API client + query-hook factory; remove mock fallbacks	HIGH RISK	CRITICAL
H5 Shared Utility Abuse	Extract <code>HtmlEngine</code> , <code>InvoiceSum</code> , <code>GeneratesCounter</code> and 15 other util/helper engines into owned domain services with interfaces	HIGH RISK	HIGH
F1 Business Logic in Components	Extract the <code>helper1..40</code> scoring family and inline filtering into shared hooks/utilities; reduce pages to presentation	HIGH RISK	HIGH
H1 Fat Controllers	Extract <code>bulk()</code> / <code>update()</code> orchestration (incl. the <code>usleep</code> polling loop) from <code>InvoiceController</code> & siblings into Application Services	MODERATE	HIGH
H2 Missing Service Layer (bypassed)	Route the 28 controllers' direct <code>Model::</code> queries through the already-injected repositories/services; add a lint guard	MODERATE	MEDIUM
H3 Missing Repository Pattern (bypassed)	Move <code>DB::raw</code> reporting/chart SQL and <code>Invoice.php</code> queries behind a reporting repository/read-model	MODERATE	MEDIUM
H8 Domain Boundary Violations	Delegate <code>BaseController</code> include maps to per-domain transformers behind an <code>IncludeResolver</code> ; define bounded contexts	MODERATE	MEDIUM
H9 Shared Database Coupling	Assign per-context table ownership; expose cross-context reads via internal APIs/DTOs (anti-corruption layer)	MODERATE	MEDIUM
F5 Legacy / Inconsistent Patterns	Add a shared <code><ErrorBoundary></code> and a reusable <code>ResourcePage</code> primitive; compose pages instead of cloning	MODERATE	MEDIUM

1.5 Expected Outcomes

- **Change amplification collapses:** a single API-shape, auth-header, or scoring-rule change is made once in a shared client/service instead of across 800 cloned components or 28 controllers.
- **Testability rises sharply:** decomposed `PdfBuilder` / `TemplateService` collaborators and an owned `InvoiceCalculator` can be unit-tested in isolation, protecting the product's most critical billing math.
- **Domains can evolve independently:** removing the all-domains `BaseController` coupling and introducing bounded contexts + anti-corruption layers lets Billing, Reporting, and Documents change (and eventually extract) without cross-breakage.
- **Frontend resilience improves:** a shared API client with global error handling and route-level error boundaries stops a single bad payload from blanking the UI and surfaces real failures instead of silent mock data.
- **Lower onboarding cost:** thin controllers, domain-owned services, and a reusable page primitive give new contributors clear seams to extend, replacing the "clone a 300-line file" workflow.