Title : User defined functions in Python

AIM: To implement User-defined functions in Python
_____

Expected OUTCOME of Experiment:

CO2: Use different Decision making statements and Functions in Python.
 _____

Resource Needed: Python IDE
_____

Theory:

1. Python Functions
A function is a block of code which only runs when it is called. You can pass data, known   as parameters, into a function. A function can return data as a result.

Creating a Function:
>   Python a function is defined using the def keyword:
>   Example: def my_function():
>   print("Hello from a function")

Arguments:

Information can be passed into functions as arguments. Arguments are specified after the function name, inside the parentheses. You can add as many arguments as you want, just separate them with a comma.

Parameters or Arguments:

The terms parameter and argument can be used for the same thing: information that is passed into a function. From a function's perspective: A parameter is the variable listed inside the parentheses in the function definition. An argument is the value that is sent to the function when it is called.

Number of Arguments:

By default, a function must be called with the correct number of arguments i.e. if your function expects 2 arguments; you have to call the function with 2 arguments, not more, and not less.

Keyword Arguments
You can also send arguments with the key = value syntax.
This way the order of the arguments does not matter.

Arbitrary Keyword Arguments, **kwargs
If you do not know how many keyword arguments will be passed into your function, add two asterisk: ** before the parameter name in the function definition.
This way the function will receive a dictionary of arguments, and can access the items accordingly

Default Parameter Value
The following example shows how to use a default parameter value.
If we call the function without argument, it uses the default value:

Passing a List as an Argument
You can send any data types of argument to a function (string, number, list, dictionary etc.), and it will be treated as the same data type inside the function.

Return Values
To let a function return a value, use the return statement:

The pass Statement
Function definitions cannot be empty, but if you for some reason have a function definition with no content, put in the pass statement to avoid getting an error.

2. Recursion Function
Python also accepts function recursion, which means a defined function can call itself. Recursion is a common mathematical and programming concept. It means that a function calls itself. This has the benefit of meaning that you can loop through data to reach a result. The developer should be very careful with recursion as it can be quite easy to slip into writing a function which never terminates, or one that uses excess amounts of memory or processor power. However, when written correctly recursion can be a very efficient and mathematically-elegant approach to programming.
To a new programmer it can take some time to work out how exactly this works, best way to find out is by testing and modifying it.

3. Lambda function
- A lambda function is a small anonymous function.
- A lambda function can take any number of arguments, but can only have one expression. Syntax of Lambda Function is given below

lambda arguments *:* expression
Lambda functions can take any number of arguments:

K. J. Somaiya College of Engineering, Mumbai-77
(A Constituent College of Somaiya Vidyavihar University)
Department of Science and Humanities

SOMAIYA
VIDYAVIHAR UNIVERSITY
K J Somaiya College of Engineering

Somaiya
T R U S T

Problem Definition:

1.   In below table input variable, python code and output column is given. You have to complete blank cell in every row.

Python Code	Output

def my_function(fname,lname):
   print(fname+ " " + lname)
 	
   my_function("Amit", "Kumar")
	Amit Kumar

def my_function(fname, lname):
   print(fname + " " + lname)
 	
   my_function("Emil")
	TypeError:
	
	Myfunction() missing 1 required positional argument: 'lname'

def my_function(*kids): print("The youngest child is " + kids[2]) my_function("Emil", "Tobias", "Linus")	The youngest child is Linus

def my_function(college3, college2, college1):
   print("The Best college is " + college3)
 	
   my_function(**IIT,NIT,IIIT**)
	The Best college is IIT

def my_function(**country= "Norway"**): print("I am from " + country) my_function("Sweden") my_function("India") my_function() my_function("Brazil")	I am from Sweden I am from India I am from Norway I am from Brazil

def tri_recursion(k):
    if(k > 0):
    result = k + tri_recursion(k - 1)
    print(result)
 	
    else:
	1
	
	3
	
	6

result = 0	10
return result	15
	21
print("Recursion Example Results") tri_recursion(6)	
print((lambda x: x*2) (9))	18
twice = lambda x: x*2 print(twice(9))	18

2.   Write a Python program using a recursive function that takes a string as input from the user and displays whether the string is Palindrome or not.

```python
def is_palindrome(s):
    if len(s) <= 1:
        return True
    else:
        if s[0] == s[-1]:
            return is_palindrome(s[1:-1])
        else:
            return False


user_input = input("Enter a string: ")
user_input = user_input.replace(" ", "").lower()

if is_palindrome(user_input):
    print("The entered string is a palindrome.")
else:
    print("The entered string is not a palindrome.")
```

3.   Write a Python program to separate out even and odd numbers from the list entered by user by using Lambda function

Books/ Journals/ Websites referred:

1.   Reema Thareja, *Python Programming: Using Problem Solving Approach*, Oxford University Press, First Edition 2017, India
2.   Sheetal Taneja and Naveen Kumar, *Python Programming: A modular Approach*, Pearson India, Second Edition 2018,India

Implementation details:

2.

```python
def is_palindrome(s):
    if len(s) <= 1:
        return True
    else:
        if s[0] == s[-1]:
            return is_palindrome(s[1:-1])
        else:
            return False


user_input = input("Enter a string: ")
user_input = user_input.replace(" ", "").lower()

if is_palindrome(user_input):
    print("The entered string is a palindrome.")
else:
    print("The entered string is not a palindrome.")
```

3.

```python
user_input = input("Enter a list of numbers separated by spaces: ")
numbers = [int(x) for x in user_input.split()]
even_numbers = list(filter(lambda x: x % 2 == 0, numbers))
odd_numbers = list(filter(lambda x: x % 2 != 0, numbers))

print("Original List:", numbers)
print("Even Numbers:", even_numbers)
print("Odd Numbers:", odd_numbers)
```

Output(s):

2.
Enter a string: abcdcba
The entered string is a palindrome.

3.
Original List: [3]
Even Numbers: []
Odd Numbers: [3]

Conclusion: In this assignment I learned about various functions used in Python.

Post Lab Descriptive Questions

1. Write a python program to calculate factorial using recursion

```python
def factorial(n):
    if n == 0 or n == 1:
        return 1
    else:
        return n * factorial(n - 1)


n= int(input("Enter a number: "))
result = factorial(n)
print(f"The factorial of ",n," is:",result)
```

2. What are the common functional programming methods that use lambdas?

    1. Map function
    2. Filter function
    3. Reduce function
    4. Sorting function
    5. List comprehensions

Date: 29/09/2023   **Signature of faculty in-charge**