

Step 1: Understand Your Repo (High-Level)

From what you told earlier + typical structure of this repo:

WikiLLM-main/

└─ raw/

└─ wiki/

└─ wikiLLM.ipynb

└─ README.md

└─ .gitignore

This is exactly what Andrej Karpathy described.

Step 2: Map Repo → Wiki LLM Architecture

Now let's map your folders to architecture

1. raw/ → Sources Layer

raw/

This contains:

- Original documents
- Articles / text
- Knowledge input

This is **Layer 1: Sources**

2. wiki/ → Wiki Layer

wiki/

This contains:

- Markdown files (.md)
- Generated pages
- Linked knowledge

This is **Layer 2: Compiled Knowledge**

3. wikiLLM.ipynb → Brain of System

This notebook handles:

- Ingestion
- Page creation
- Linking
- Query answering

This is doing:

INGEST + QUERY + LINT (partially)

4. README.md → Schema Layer

This tells:

- How system works
- Rules / instructions

This acts like:

Schema / Agent Instructions

Final Mapping

LLM Wiki Architecture

Layer 3: Schema



README.md

Layer 2: Wiki



wiki/

Layer 1: Sources



raw/

Logic Engine:
wikiLLM.ipynb

Step 3: What This Project Is Doing (Big Idea)

This repo follows:

Raw Documents
↓
LLM Reads
↓
Creates Wiki Pages (.md)
↓
Adds Links
↓
Stores Knowledge
↓
Answers Questions from Wiki

Important Observation

This project:

Does NOT use FAISS
Does NOT use embeddings
Does NOT use graph DB

This is **true Wiki LLM (compile knowledge)**

Step 4: Conceptual Flow of This Repo

INGEST FLOW

raw/
↓
Read files
↓
LLM extracts concepts
↓
Create .md pages in wiki/



Add links between pages

QUERY FLOW

User Question



Find relevant wiki pages



Read linked pages



Build context



LLM Answer

LINT FLOW (maybe basic)

Check wiki pages



Fix missing links



Improve structure

Step 5: Why This Repo Is Important

This repo shows:

Knowledge is **pre-built once**
No repeated document reading
No chunk retrieval
No embedding search

This is exactly opposite of:

- RAG
 - Graph RAG
-

Step 6: Next Deep Step (VERY IMPORTANT)

Now we go deeper:

Next we must open wikiLLM.ipynb

We will break it into:

- 1. Data loading
- 2. LLM prompt design
- 3. Page generation
- 4. Linking logic
- 5. Query system

Feature	Graph RAG	Wiki LLM
Storage	Graph DB (Neo4j)	Markdown files
Nodes	Explicit	Markdown pages
Edges	Explicit (stored)	Links ([[...]])
Creation	Structured pipeline	LLM-generated
Query	Graph traversal	Page search + link expansion
Control	High	Medium
Explainability	Structured	Natural

FULL PIPELINE (CLEAR)

```
XML ROOT
↓
Parse XML
↓
Extract doc:wiki links
↓
Follow references (recursive)
↓
Collect all XML files
↓
Convert XML → RAW TXT
↓
Store in raw/
↓
Wiki LLM ingestion
↓
Create .md pages
↓
Build wiki network
↓
Query system
```