MYBF

MALAPPURAM YOUTH BUSINESS FORUM

DETAILED PROJECT REPORT

Integrated Digital Management & Membership Platform

DOCUMENT PROFILE	BASELINE
Project sponsor	MYBF, Malappuram Youth Business Forum
Initial organizational coverage	16 chapters, extensible across regions
Design capacity	Up to 5 million member records over time
Document status	Planning baseline, subject to stakeholder sign-off
Prepared	10 October 2026
Currency	INR; cost ranges are indicative planning estimates

Purpose. A decision-ready blueprint for stakeholder approval, vendor scoping, phased engineering, governance, security, procurement and operating budgets. Estimates and policy choices explicitly require validation.

Document Control & Decision Summary

This report translates the MYBF functional brief into an implementation-oriented product specification. The initial release is built for 16 chapters. The infrastructure and data model are designed to grow progressively toward 50 lakh members, without purchasing enterprise-scale capacity on day one.

Decision	Recommended baseline
Delivery approach	Phased modular monolith first; extract services only as load or organizational complexity requires
Primary technology	Next.js + TypeScript; PostgreSQL; background workers; object storage
Launch priority	Identity, registration, approvals, chapter access, ID verification, essential dashboards
Indicative core programme	Approximately 10–14 months for standard full scope, excluding extended rollout and procurement
Privacy & control	Deny-by-default authorization, organization/chapter scoping, audited financial and administrative actions
Budget options	MVP: ₹18–30 lakh; Standard: ₹48–85 lakh; Enterprise foundation: ₹1.2–2.4 crore (one-time estimates)

Contents

01 Executive Summary | 02 Background | 03 Objectives & Scope | 04 Challenges & Solution | 05 Functional Blueprint | 06 Member Data | 07 Organization & Chapters | 08 Geography & Dashboards | 09 Events & Meetings | 10 Digital ID | 11 Business Network | 12 Financial Controls | 13 Roles & Permissions | 14 Architecture | 15 Database | 16 Security & Privacy | 17 UX | 18 Delivery Roadmap | 19 Team | 20 Budget | 21 Risk | 22 QA & Operations | 23 KPIs | 24 Expansion | 25 Recommendations.

01 | Executive Summary

MYBF requires a unified digital operating system for distributed chapter leadership, heterogeneous member categories, event execution, financial traceability, business discovery and administrative oversight. A single source of truth should replace fragmented spreadsheets, informal approvals and manual membership identifiers. The programme should launch with controlled features, then add deeper networking, communication and analytical capabilities as workflows mature.

- Initial functional coverage: 16 chapters, multi-category membership, review and approval, member ID cards, chapter directories, events, payments, reports and administration.
- Scalability target: approximately 5,000,000 members as a future capacity objective, not an initial active-user or concurrency forecast.
- Primary success criterion: reliable and safe chapter-level operations with complete auditability before feature breadth.
- Go/no-go approvals: organization membership rules, fee schedule, geographic data authority, retention policy, vendor budget, payment settlement model and data-controller responsibilities.

02 | Organizational Background & Strategic Rationale

MYBF is presented in the brief as a youth-focused business forum serving entrepreneurs, owners, professionals, students, job seekers and related stakeholders across Malappuram. Its operational model includes a central leadership layer and 16 starting chapters. The platform should support expansion to additional districts or organizations while maintaining clear ownership of data and decision rights.

Proposed vision and mission for approval

Vision: Build an inclusive, measurable and digitally connected ecosystem for youth entrepreneurship and professional collaboration. Mission: Equip MYBF chapters and members with trusted identities, accessible programmes, useful business connections and transparent organizational administration. These statements are proposed wording, not confirmed governing resolutions.

03 | Project Objectives, Scope & Boundaries

- Digitize join → verify → approve → activate → renew → transfer → deactivate member lifecycle.
- Enable per-chapter leadership appointments, approval chains, budgets, activities and reports.
- Enable event planning, tickets, QR attendance, sponsorship and post-event reports.
- Give administrators trusted geography-based membership metrics with data-quality indicators.
- Enable compliant collections and reconciliation for approved membership and event charges.
- Offer an opt-in business directory, mentorship and referral workflows.
- Provide accessible mobile web workflows with export, search and traceable changes.

Delivery boundary

In scope: public website, authentication, member portal, chapter portal, organization/district administration, essential CMS, reporting, notifications and secure operations. Conditionally in scope: state/enterprise administration, native mobile applications, advanced BI, AI recommendations and automated third-party services. Out of scope at launch: independent accounting ERP, credit/loan underwriting, autonomous decision-making and any data lake containing unrestricted member information.

04 | Existing Challenges & Proposed Operating Model

Likely challenge to validate	Platform response
Data scattered across files and chat groups	Central records, imports with validation and data ownership
Different chapter approval practices	Configurable state transitions, required approvers and SLAs
Unreliable or duplicate memberships	Phone/email dedupe, human review, stable member ID
Manual event attendance	QR check-in, offline-tolerant workflows, reconciliation
Unclear fee and sponsorship balances	Gateway webhooks, ledger entries, reconciliation dashboard
Weak visibility of chapter activity	Role-scoped dashboards and period-end reporting
Misleading PIN-to-ward assumptions	Verified geographical master and manual correction process

05 | Functional System Blueprint

Portals and core navigation

Area	Modules
Public	Home, programme information, public event listing, registration, login, membership verification, policies
Member	Dashboard, profile, membership, assigned chapter, events, programmes, business, mentorship, opportunities, notifications
Chapter	Dashboard, applications, members, leadership, activities, events, finance summaries, performance, reports
Organization / district	Applications, membership, chapters, events, programmes, entrepreneurship, mentors, institutions, sponsors, analytics, finance, settings
Super administration	Organization configuration, access policies, integrations, audit visibility, system health and controlled support operations

Membership lifecycle

Draft → Submitted → Under Review → Additional Information Requested → Approved / Rejected → Active → Renewal Due → Expired / Suspended / Deactivated. Every transition records actor, time, permitted reason and notification. A person may have an account before receiving approved-member access. Feature access defaults to zero until explicitly granted by relevant membership state and role.

Feature acceptance examples

- No chapter officer can view another chapter’s private membership application without an approved cross-chapter privilege.
- Approved member receives one immutable membership identifier, QR-verifiable status and versioned card.
- Event check-in is idempotent: repeated scans cannot produce duplicate attendance.
- A payment is marked settled only upon trusted gateway confirmation and reconciliation, not the browser redirect.
- Exported reports respect the same row/field permissions as on-screen results.

06 | Membership Data Collection Framework

Collect only what is necessary. Forms should adapt to member type. Date of birth, gender, complete residential address and student identifiers should not become mandatory without an approved operational purpose and lawful collection basis.

Data group	Required launch fields	Conditional / optional
Identity and contact	Full name, verified mobile or email, chapter, membership category, consent/notice acknowledgement	Photo, date of birth, alternate contact, gender
Geography	District, local body where known, location verification status	PIN, taluk, ward and address detail
Business member	Occupation/industry and business display name when applicable	Registration evidence, products, social links, collaboration interests

Data group	Required launch fields	Conditional / optional
Student member	Institution and course if student-specific services require it	Year/semester, skills, career interests, student ID only if necessary
Membership record	System ID, category, status, dates, chapter assignment, review history	Plan, expiry and fee status when policies apply

Quality and governance rules

- Normalize mobile numbers and emails; flag potential duplicates without auto-merging different identities.
- Apply explicit visibility preferences for telephone, business profile and discoverability.
- Maintain purpose-specific consent/notice evidence with timestamps and policy versions.
- Support correction, controlled export, account closure, retention and redaction requests according to approved legal policy.

07 | Organization, Chapter & Leadership Management

Recommended hierarchy: Organization → Region/state (optional) → District → Chapter → Leadership assignment / Membership. Administrative geography and chapter coverage are separate concepts; a chapter can cover multiple locations and a location can require manual assignment rules.

- Maintain 16 founding chapters with codes; create additional chapters without schema changes.
- Support role appointments with start/end dates, delegation, approval authority and succession history.
- Transfer workflow: request, current chapter recommendation, destination acceptance, central override and complete history.
- Track chapter health using active membership, renewal, event activity, attendance, finance completeness and report punctuality.
- Use organization_id and chapter_id on every relevant data record, with server-side scope filtering.

08 | Geography, PIN Codes & Dynamic Dashboards

Geographic reference model: Country → State → District → Taluk → Local body (municipality / panchayat) → Ward; PIN Code is a separate postal lookup related to one or more localities. A PIN code is not a reliable unique identifier for a ward or local government. Store verified provenance, effective dates and exceptions.

Location resolution workflow

User enters PIN → postal locality suggestions → user selects district/local body → mapping validation → unresolved/ambiguous combinations enter manual review → verified geography stored with source/date. Never silently infer ward from PIN alone.

Dashboard measures

- Registered, approved, active, expired and pending members with defined filters and reporting periods.
- Chapter, district, taluk, local body, ward and PIN distribution with “unknown/unverified” categories.
- Member category, industry, student/professional segment and membership cohorts.
- Event registrations vs attendance, event satisfaction and spending vs approved budget.
- Fee collected, dues, refunds and unsettled transactions with clearly distinguished accounting statuses.
- Export CSV/XLSX and paginated PDF, using asynchronous generation for large report jobs.

09 | Event, Meetings & Sponsorship Management

Operational workflows

Free event: draft → approval → publish → signup → reminder → scan/check-in → feedback → close report. Paid event: add price/ticket inventory → checkout → webhook confirmation → QR ticket → admission → settlement/refunds. Sponsored event: sponsor proposal → commitment → receipt/contract tracking → fulfillment → financial closure. Meeting: invite → agenda → quorum/attendance → minutes → action owners/due dates → decision register.

- Event owner, chapter, location/venue, schedule, capacity, registration cutoff and cancellation policy.
- Speakers, guest lists, sponsor packages, deliverables, volunteer allocations and document repository.
- Budget approval, commitments, purchase evidence, actual expenditure and sign-off.
- Check-in across phones with signed, short-lived or versioned QR tokens and audit logs.
- Event-level analytics covering funnel, turnout, no-shows, satisfaction and net result.

10 | Unique Membership ID & Digital Card

Recommend MYBF-0000000001 style immutable, sequentially allocated public member codes (10 numeric digits), with internal random UUID/ULID primary keys. Do not encode chapter or location into the permanent ID, as members may transfer. At 10 digits this numeric format exceeds the five-million-record requirement. IDs are never reused.

- Issue card only after approval, payment confirmation where applicable and required verification.
- Show name, approved photo, member ID, category, assigned chapter, validity, MYBF identity mark and authorized signature asset.
- QR resolves an opaque signed verification token to a minimal status page, not a member’s private data.
- Reissue rotates card token/version; revocation or expiry immediately affects public verification results.
- Generate responsive mobile card and print-optimized PDF; use secured object storage for personal artifacts.

11 | Business Directory, Mentorship & Opportunities

Business listings are distinct from private person records. Publication requires explicit member settings. Search supports sector, product/service, chapter and geography. Qualified leads and referrals have owner, stage, permitted contact methods, retention time and dispute-handling rules.

- Business profiles with moderation, service catalog and opt-in contact visibility.
- Referral pipeline: initiate → recipient accepts → in discussion → closed / declined; prevent unauthorized bulk scraping.
- Mentor enrollment, availability, subject expertise, matchmaking and feedback.
- Job opportunities, collaboration posts and startup support, with moderation and abuse-report flows.
- Measure meaningful introductions and completed referrals, not merely profile views.

12 | Payments, Financial Management & Controls

Use a hosted, compliant payment gateway. Transaction states: created, pending, authorized, paid, failed, refunded, partially refunded, disputed and reconciled. A double-entry finance ledger is recommended for auditable reporting where MYBF manages funds; otherwise integrate with an approved external accounting system.

Revenue / expense stream	Required controls
Membership registration and renewal	Versioned fee plans, waivers, receipts, dues, expiry rules

Revenue / expense stream	Required controls
Event tickets	Inventory, concessions, cancellations, refund authorizations
Sponsorship / donation if approved	Agreement, purpose tagging, receipt, fulfillment and restrictions
Chapter expenditure	Budget line, authorized purchase, attachment, maker-checker approval
Reconciliation	Gateway settlement imports, mismatch queue, period locks and audit trail

Payment aggregator fees, taxation, invoices, charitable-donation treatment and regulatory reporting depend on MYBF legal status and must be reviewed by an Indian tax/legal professional before production configuration.

13 | Role-Based Access & Permission Matrix

Use permission-based RBAC, supplemented by organization, chapter and record ownership constraints. Role names are presets, not a substitute for server-side authorization on every request. All actions should be denied unless specifically allowed.

Role	Typical permitted scope
Super admin	System configuration and audited emergency access; no automatic unrestricted business record access
Organization/district administrator	All authorized chapters within assigned organization, approvals and reports
Chapter president/secretary	Own-chapter governance, review queues and member/event oversight
Chapter treasurer/finance officer	Own assigned funds, settlements and approved reports; restricted sensitive exports
Event / membership officer	Assigned event operations or application reviews only
General / student / business member	Own records plus opted-in directory and entitled features

Permission examples: member.read_own, member.review_chapter, member.transfer_approve, finance.refund_approve, event.checkin, export.member_private, chapter.manage_leadership. Maintain role assignment history and prohibit self-approval on sensitive financial operations.

14 | Technical Architecture & Scaling Strategy

Recommended baseline: TypeScript + Next.js (public site/admin web), a clear backend service layer (Next.js server application or separate Node.js API where warranted), PostgreSQL, Redis for bounded caching and queues, object storage, background worker processes, and managed cloud infrastructure. Retain strict API contracts, logical module boundaries and schema migrations. Do not treat framework selection as vendor lock-in.

Logical architecture

Browser / PWA → CDN + WAF → Web/API application → Policy authorization layer → PostgreSQL; adjacent services: Redis/cache + job queue → worker pool (IDs, messages, reports), object storage (documents/cards), payment gateway, email/SMS/WhatsApp providers and monitoring. All third-party callbacks require signature validation, idempotency and retry handling.

Phased capacity sizing

Stage	Illustrative capacity planning	Infrastructure posture
Pilot: 16 chapters	Up to ~10k records, modest concurrency	1–2 app instances, managed Postgres, object storage, off-site backup
District expansion	~10k–250k records, unpredictable event spikes	Autoscaling app/worker, read analytics caching, load tests
Regional expansion	~250k–1m records	Managed DB tuning, partition selected tables, replicas where proven
Long horizon	1m–5m records	Dedicated SRE capacity, sharding only if justified, disaster recovery drills

Record counts do not determine infrastructure alone. Peak concurrent sessions, event check-ins per second, exported rows, photo volume, retention periods and geographic reporting query complexity must be measured with benchmarks before scaling decisions.

15 | Database Blueprint & Major Entities

Domain	Principal entities
Identity & governance	organizations, users, identities, sessions, roles, permissions, role_assignments, audit_events
Membership	member_profiles, membership_applications, memberships, membership_plans, approval_actions, chapter_transfers, card_versions
Territory	countries, states, districts, taluks, local_bodies, wards, pin_codes, pin_locality_links, chapter_territories
Events	events, event_sessions, event_registrations, tickets, attendance, speakers, sponsors, event_expenses, minutes, action_items
Commercial	business_profiles, service_listings, referrals, mentors, mentorship_requests, opportunities
Finance	invoices, payment_intents, transactions, refunds, settlements, ledger_entries, fee_schedules
Platform	notifications, delivery_attempts, files, consent_records, report_exports, jobs, integration_webhooks

- All sensitive operational tables carry organization_id; most transactional tables also carry chapter_id as appropriate.
- Use internal UUID/ULID IDs, database unique constraints and indexes for org/chapter/status/date search patterns.
- Partition very large append-only audit/event tables only when measurable performance requires it.
- Use soft deletion/status history for business workflows, with formally defined retention and irreversible erasure processes.
- Schema migration changes must be applied through CI/CD with staging test data and rollback procedures.

16 | Security, Privacy & Legal Compliance

- Authentication: verified contact methods, secure password hash, trusted session handling, MFA for privileged roles and rate-limited recovery.
- Authorization: server-side checks at API/action level; cross-chapter and cross-organization isolation verified by automated negative tests.

- Data protection: TLS, managed encryption at rest, secrets manager, restricted backups and least-privilege service identities.
- Application security: OWASP ASVS-aligned checks for XSS, injection, CSRF, IDOR/BOLA, SSRF, upload threats and mass assignment.
- Sensitive operations: immutable audit logging, maker-checker workflows and alerting on role/finance/exports.
- Privacy: clear notices, purpose limitation, data minimization, access/correction channels, retention schedule and consent/withdrawal handling.
- Operations: security updates, dependency scanning, annual penetration testing, backups, periodic restore drills and incident response playbooks.

Compliance must be assessed against Indian law and rules applicable on the deployment date, including the Digital Personal Data Protection framework as brought into force, payment-regulator requirements, IT and cybersecurity obligations and any rules for minors. Applicability, commencement and implementation details require current legal verification. This document is not a legal opinion.

17 | UI/UX & Accessibility Requirements

Design principles: premium but restrained MYBF brand system; consistent typography and spacing; blue/white light mode and blue/black dark mode; coherent desktop/tablet/mobile navigation; WCAG 2.2 AA as a design target where practicable. A mobile adjustment must not break desktop alignment.

- Public: conversion-oriented registration and events; accessible forms, clear states and privacy notices.
- Member: compact mobile profile, ID card, membership validity, registrations and actionable notifications.
- Chapter: approval queue, roster, event calendar, leaders, chapter KPIs and export controls.
- Admin: summary KPIs, geographic filter chips, drill-down tables, review queues and auditable finance.
- Exports: explicit Excel/CSV/PDF options, clean spacing, selected-filter summary and background job status.
- Design QA: dark/light mode, small-screen keyboard behavior, error states, empty states, dense data tables and localization readiness.

18 | Implementation Roadmap & Acceptance Gates

Durations below are indicative elapsed engineering windows; overlapping tracks are possible. Total programme scheduling depends on staffing, procurement and stakeholder response time. Do not interpret the sum as an exact commitment.

Phase	Window	Main output / exit gate
1. Discovery and governance	Weeks 1–4	Approved requirements, workflows, policy decisions, success metrics
2. Architecture and UX	Weeks 3–8	Schema, security baseline, prototypes, backlog and acceptance tests
3. Core public/auth	Weeks 7–14	Production-like website, identity, consent and roles
4. Membership and ID	Weeks 12–22	Approvals, duplicates, transfers, QR PDF cards tested
5. Chapters/geography/BI	Weeks 18–28	16 chapters, verified geography, role-scoped dashboards
6. Events and meetings	Weeks 24–34	Registration, QR check-in, minutes, sponsorship
7. Finance/networking	Weeks 30–42	Reconciled payments and moderated directory
8. Messaging/reporting	Weeks 38–46	Queues, notifications, scheduled export, audit reports

Phase	Window	Main output / exit gate
9. Hardening/UAT	Weeks 44–50	Accessibility, security, load, backup restoration and UAT
10. Rollout / support	Weeks 49–56	Training, controlled rollout, runbooks and hypercare

Critical dependencies

Complete organization/chapter isolation and database migration baseline before organization-wide intelligence, advanced analytics or AI modules. Finance waits for approved legal/tax rules; PIN/ward reporting waits for verified source data. Release through sandbox → internal pilot → selected chapters → 16-chapter production adoption.

19 | Project Team & Governance

Role / capacity	Suggested participation
Product owner / MYBF sponsor	Accountable for policies, budget, acceptance and changes
Business analyst / delivery lead	1 FTE across discovery and implementation
Technical architect / lead	1 FTE during core development
Frontend developers	1–2 FTE depending on phased scenario
Backend developers	2–3 FTE, with shared full-stack capability
UX designer	0.5–1 FTE during discovery/design and QA
QA / automation engineer	1–2 FTE including security regression
DevOps / security specialist	0.5–1 FTE, increasing at expansion
Data / geography operations	Part-time steward per chapter and central reviewer

Governance: fortnightly sprint demo, monthly steering committee, change-control ledger, release acceptance owner, named security/privacy accountable officer and written sign-off for financial rules. Vendors should provide source-code repository ownership, infrastructure account control, documentation, SBOM/dependency inventory and exit assistance.

20 | Budget Scenarios & Annual Operating Cost

Planning estimates, not vendor quotations. Figures represent illustrative Indian market professional delivery ranges, assuming a blended engineering team, standard web stack, specified scope, phased deployment and no large legacy migration. GST, procurement taxes, regulatory consultancy, major third-party licence fees and unusual data-cleaning programmes may be extra.

Budget scenario	One-time estimate	Indicative delivery
MVP: member + chapter + ID + basic events and dashboards	₹18–30 lakh	~5–7 months
Standard: complete 16-chapter professional platform	₹48–85 lakh	~10–14 months
Enterprise foundation: high assurance, advanced reporting, integration readiness	₹1.2–2.4 crore	~14–22 months

Standard professional scenario: illustrative cost allocation

Work package	Estimate (₹ lakh)
Discovery, specifications & governance	4–7
UI/UX and design system	4–7
Frontend and portals	8–14
Backend, auth and permissions	9–16
Database, geography and analytics	5–9
Membership/ID/event modules	7–12
Finance, integrations & messaging	5–9
QA, security, deployment & training	4–8
Contingency / change allowance	2–3

The illustrative allocation adds to ₹48–85 lakh. Workstream boundaries overlap; these are budgeting buckets, not separately purchasable vendor quotes. Prioritize a detailed fixed-scope statement of work and milestone payment schedule.

Recurring expense scenarios, annual

Annual operating tier	Illustrative range	Includes / caveat
Pilot / MVP	₹3–8 lakh	Hosting, backups, monitoring, small-volume communication and basic support
Standard operations	₹8–22 lakh	Managed infrastructure, backups, support and routine security; variable API fees may exceed
Large-scale growth	₹25 lakh–₹1 crore+	Higher traffic, high-touch support, SMS/WhatsApp volumes, SRE and continuity

Transaction processing fees, message charges and storage egress depend on usage and contracts. Obtain separate quotes for payment gateways, WhatsApp templates, SMS vendors and cloud. Capacity tests should control production spend. Annual maintenance labour may be 12–20% of implementation cost as a planning heuristic where not otherwise covered, but varies sharply by SLA and change scope.

21 | Risk Register & Mitigation

Risk	Impact	Mitigation / owner
Cross-chapter privacy breach	Critical	Tenant/chapter policy tests, audits; tech lead
Bad data / duplicate members	High	Validation, review queue, stewardship; operations
False ward mapping	High	Geography source registry, manual review; data lead
Unreconciled payments	High	Signed webhooks, idempotency, settlement jobs; finance
Event surge / check-in failure	High	Peak tests, queue design, fallback check-in; events lead
Vendor lock-in / cost growth	High	Code ownership, exportability, budget gates; sponsor
Late policy decisions	Medium-high	Decision register with deadlines; product owner
Loss of backup / outage	Critical	Off-site snapshots, restore drills, incident response; DevOps
Low chapter adoption	High	Pilot champions, guided training, user feedback; MYBF leadership

22 | Testing, Deployment & Maintenance

- Automated unit and integration tests for approval transitions, role scoping, payment state machines and ID verification.
- End-to-end mobile and desktop tests for registration, chapter change, event admission and exports.
- Security tests including authorization matrix, insecure direct object reference, data exfiltration and upload validation.
- Performance test realistic workloads, such as event opening spikes and 16 simultaneous chapter exports; set baselines in pilot.
- Deploy via CI/CD to separate development, staging and production with migration gate and rollback plan.
- Define operational targets as proposed SLAs: ≥99.9% measured monthly availability after stabilization, and RPO ≤24 hours / RTO ≤8 hours for launch, subject to budget and risk approval.
- Maintain help desk, issue severity grading, patch cadence, data-export procedures and handover runbooks.

23 | Expected Outcomes & KPI Framework

Indicator	Proposed launch target / measurement
Registration processing	Median decision within 72 business hours (policy-dependent)
Identity and duplication	100% approved members have unique ID; duplicate review rate tracked
Chapter adoption	All 16 chapters onboarded, named operators trained and monthly activity recorded
Participation	Event registrations, attendance rate, no-show rate and satisfaction tracked
Financial integrity	100% gateway payments matched or surfaced in mismatch queue daily
Privacy & audit	100% privileged approvals and exports logged; zero known cross-scope exposures
Reliability	99.9% monthly uptime objective after pilot hardening
Performance	p95 member directory API latency goal <800 ms under agreed benchmark load
Member engagement	Monthly active members and meaningful business referrals tracked by cohort

Targets are proposed operating objectives, not performance guarantees. Baselines should be measured at the initial pilot and revised by MYBF governance.

24 | Future Expansion Strategy

Stage A: stabilize 16-chapter operations and define clean datasets. Stage B: support regional onboarding, partner/institution integrations and progressive mobile PWA capabilities. Stage C: expand reporting, advanced mentorship, verified business referrals, native mobile clients if adoption justifies their costs. Stage D: assess privacy-preserving recommendation models only after organization isolation, retention, opt-in processing and strong data quality have been demonstrated.

25 | Final Recommendations & Approval Checklist

- Approve the foundational module scope and documented out-of-scope AI/enterprise features.
- Ratify membership eligibility, plans, fees, approval authority, renewals, transfers and card validity rules.
- Identify legal entity, payment account holder, data fiduciary responsibilities and external audit requirements.
- Nominate stewards for member data, geography mappings, sponsorship and chapter reporting.
- Commission clickable UX prototypes and a technical proof of concept before long-term fixed-price contracting.
- Fund the standard scenario by milestones with a funded contingency and operating-cost reserve.
- Require ownership of repository, databases, domains, provider accounts and backups to remain with MYBF.
- Accept releases only against tested user journeys, security evidence, finance reconciliation and chapter UAT.

Appendix A | Proposed procurement deliverables

Signed BRD/SRS, clickable UX prototype, architecture decision records, ERD and data dictionary, OpenAPI contract, authorization matrix, security test plan, migration plan, CI/CD configuration, automated test results, runbooks, backup restore evidence, operations handbook, training materials and software licence/SBOM inventory.

Appendix B | Open decisions requiring MYBF sign-off

Legal membership age/eligibility; details of 16 initial chapters; who can approve/reject applications; precise membership fees and tax treatment; handling under-age student records; public directory visibility; ID-card authorized signature; geographical authority and verified ward dataset; finance accounting model; refund policy; communication consent; data retention periods; reporting/access policy for central administrators; accessibility and localization requirements; first production go-live criteria.

Document note. Functional scope is grounded in the supplied MYBF brief. Architecture, budget, schedules, service levels and governance are professional planning proposals requiring validation, not confirmed existing MYBF policies or vendor commitments.