


## 1. Neck:

Place a measuring tape slightly diagonally around the widest part of the neck, crossing the ends of the measuring tape under the Adam's apple.

The tape should be comfortably touching the skin, with enough room so that you don't feel restricted




---

## 2. Full shoulder width:

Measure from the end of the right shoulder to the end of the left shoulder.

We define the “End of the Shoulder” as where the horizontal plane of the shoulder intersects the vertical plane of the arm.

Mark the points with the chalk or a pin as this will serve as a starting point for your sleeve length measurement.



---

## 3. Full Chest :

Measure around the widest part of the chest  
Make sure that the measuring tape runs horizontally around the body.



---

## 4. Sleeve length:

Measure from the pin or chalk mark made at the end of the right shoulder (as instructed, see “Full Shoulder Width”) to the “pinch” of the hand. The “Pinch” of the hand of the index finger intersect (approximately 1 inch above the index finger knuckle).



## 5. Biceps :

Measure around the fullest part of the bicep with the arms by your side .


You need to only measure this for your dominant hand.



---

## 6. Stomach :

Measure around the fullest part of the waist/ stomach (normally at the navel). Remember this is around your stomach navel, not your trouser waist line.



---

## 7. Wrists :


Measure around the fullest part of the wrist. You need to measure this only for your dominant hand.



---


## 8. Hips:

Measure around the fullest part of your hips and buttocks. Be sure to empty front and back pockets completely.



## 9. Shirt length:

Measure straight down the front from the base of the neck (right side or left side to the point level where your trouser zip starts . This is the same point 'J' stitch where there is normally a bar tack  
This measurement should be taken fully over your stomach.




## 10. Arm hole:

Hold your measure tape at the end of your shoulder slope , move it around your armpit back to the starting point of the tape.




## 11. Trouser's inseam

Measure from the lowest part of your crotch area to the floor.

Make sure the tape is tight along the inside of your leg, that you are standing straight, and then measure. No shoes please.




## 12. Trouser's outseam:

Measure from the top of your pant's waistband TO THE FLOOR along the outside of your leg

Make sure the tape is tight , that you are standing straight, and then measure .



### 13. Trouser's waist:

If you are wearing jeans you need to change into formal pant.

Measure around your waist at the level where you would normally wear your pant's belt . With the tape measure snug around your waist, relax, and take the measurement.




---

### 14. Hips / Seat:

Measure around the fullest part of your hips and buttocks.

Be sure to empty front and back pockets completely.



---

### 15. Thigh :

Measure around your thigh at its widest point.

You need measure only one side.



---

### 16. Leg opening:

We recommend choosing a favorite pair of suit pants from your closet and measuring around the base.

If you would like us to design it with the default leg, just leave this blank

