

Cucumber Report

19 Dec 2023, 08:09:59

Start : Dec 19, 8:09:58.128 am

End : Dec 19, 8:09:58.319 am

Duration : 0.191 s

Features



Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0

PASSED - 2
FAILED - 7
SKIPPED - 0


PASSED - 50
FAILED - 7
SKIPPED - 75




Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Laptops and Notebook page test cases</u>	0.062 s	2	1	1	0	31	9	1	21
<u>Desktop page test cases</u>	0.110 s	7	1	6	0	101	41	6	54

#	Feature Name	Scenario Name
1	<u>Laptops and Notebook page test cases</u>	<u>Verify that user place order successfully</u>
2	<u>Desktop page test cases</u>	<u>verify product arranged in alphabetical order</u>
3		<u>verify product arranged in alphabetical order</u>
4		<u>verify product arranged in alphabetical order</u>
5		<u>verify product arranged in alphabetical order</u>
6		<u>verify product arranged in alphabetical order</u>
7		<u>verify product arranged in alphabetical order</u>

TAG	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@smoke	9	2	7	0	2	0	2	0
@author-Anany	9	2	7	0	2	0	2	0
@regression	7	0	7	0	2	0	2	0
@sanity	7	0	7	0	2	0	2	0





#	Feature Name	T	P	F	S	Duration
1	<u>Laptops and Notebook page test cases</u>	2	1	1	0	0.062 s
2	<u>Desktop page test cases</u>	7	1	6	0	0.110 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Laptops and Notebook page test cases</u>	<u>Verify that products price display High To Low successfully</u>	5	5	0	0	0.015 s
2		<u>Verify that user place order successfully</u>	26	4	1	21	0.022 s
3	<u>Desktop page test cases</u>	<u>verify product arranged in alphabetical order</u>	5	5	0	0	0.004 s
4		<u>verify product arranged in alphabetical order</u>	16	6	1	9	0.008 s
5		<u>verify product arranged in alphabetical order</u>	16	6	1	9	0.011 s
6		<u>verify product arranged in alphabetical order</u>	16	6	1	9	0.007 s
7		<u>verify product arranged in alphabetical order</u>	16	6	1	9	0.005 s
8		<u>verify product arranged in alphabetical order</u>	16	6	1	9	0.005 s
9		<u>verify product arranged in alphabetical order</u>	16	6	1	9	0.006 s

Laptops and Notebook page test cases



FAILED	DURATION - 0.062 s	Scenarios Total - 2 Pass - 1 Fail - 1 Skip - 0		Steps Total - 31 Pass - 9 Fail - 1 Skip - 21	
/ 8:09:58.128 am // 8:09:58.190 am /					

Verify that products price display High To Low successfully

PASSED	DURATION - 0.015 s		Steps Total - 5 Pass - 5 Fail - 0 Skip - 0	
/ 8:09:58.133 am // 8:09:58.148 am /				
Laptops and Notebook page test cases				
@smoke @author-Anany				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.003 s
2	And I hover on Laptops & Notebooks Tab and click	PASSED	0.001 s
3	And I click on "Show All Laptops & Notebooks"	PASSED	0.000 s
4	And I select Sort By "Price (High > Low)"	PASSED	0.001 s
5	Then I can see the Product price will arrange in High to Low order.	PASSED	0.001 s



Verify that user place order successfully

FAILED	DURATION - 0.022 s		Steps Total - 26 Pass - 4 Fail - 1 Skip - 21	
/ 8:09:58.168 am // 8:09:58.190 am /				
Laptops and Notebook page test cases				
@smoke @regression @author-Anany @sanity				



#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I hover on Laptops & Notebooks Tab and click	PASSED	0.000 s
3	And I click on "Show All Laptops & Notebooks"	PASSED	0.000 s
4	And I select Sort By "Price (High > Low)"	PASSED	0.001 s
5	<p>And I select Product 'MacBook'</p> <p>io.cucumber.core.exception.CucumberException: Step [I select Product {string}] is defined with 0 parameters at 'com.tutorialsninja.steps.LaptopsAndNoteBooksTest.iSelectProductMacBook()'. However, the gherkin step has 1 arguments: * 'MacBook' Step text: I select Product 'MacBook'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p>	FAILED	0.006 s

#	Step / Hook Details	Status	Duration
	at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
6	Then I can see the text 'MacBook'	SKIPPED	0.001 s
7	And I click on 'Add To Cart' button	SKIPPED	0.000 s
8	Then I can see the message 'Success: You have added MacBook to your shopping cart!'	SKIPPED	0.000 s
9	And I click on link 'shopping cart' displayed into success message	SKIPPED	0.001 s
10	Then I can able to see the text "Shopping Cart"	SKIPPED	0.000 s
11	Then I can able to see the Product name "MacBook"	SKIPPED	0.001 s
12	And I change Quantity to 2	SKIPPED	0.000 s
13	And I click on 'Update' Tab	SKIPPED	0.000 s
14	Then I can see the message 'Success: You have modified your shopping cart!'	SKIPPED	0.000 s
15	Then I can see the Total £737.45	SKIPPED	0.000 s
16	And I click on 'Checkout' button	SKIPPED	0.000 s
17	Then I can see the text 'Checkout'	SKIPPED	0.001 s
18	Then I can see the Text 'New Customer'	SKIPPED	0.000 s
19	And I click on 'Guest Checkout' radio button	SKIPPED	0.000 s
20	And I click on 'Continue' tab	SKIPPED	0.000 s
21	And I fill the mandatory fields	SKIPPED	0.000 s
22	And I click on 'Continue' Button	SKIPPED	0.000 s
23	And I add Comments About your order into text area	SKIPPED	0.000 s
24	And I check the Terms & Conditions check box	SKIPPED	0.001 s
25	And I click on 'Continue' button	SKIPPED	0.000 s
26	Then I can see the message 'Warning: Payment method required!'	SKIPPED	0.000 s

Desktop page test cases



FAILED	DURATION - 0.110 s	Scenarios Total - 7 Pass - 1 Fail - 6 Skip - 0		Steps Total - 101 Pass - 41 Fail - 6 Skip - 54	
/ 8:09:58.209 am // 8:09:58.319 am /					

verify product arranged in alphabetical order

<div>PASSED</div>	<div>DURATION - 0.004 s</div>		<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	
/ 8:09:58.209 am // 8:09:58.213 am /				
Desktop page test cases				
@smoke @author-Anany				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.001 s
2	And I hover on the Desktops tab and click	PASSED	0.000 s
3	And click on "Show AllDesktops"	PASSED	0.000 s
4	And select sort by position "Name: Z to A"	PASSED	0.001 s
5	Then I can see the products in descending order	PASSED	0.000 s

verify product arranged in alphabetical order

<div>FAILED</div> <div>DURATION - 0.008 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 8:09:58.226 am // 8:09:58.234 am /				
Desktop page test cases				
@smoke @regression @author-Anany @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.000 s
3	And click on "Show AllDesktops"	PASSED	0.000 s
4	And select sort by the position "Name: A to Z"	PASSED	0.000 s
5	And Verify the Text "HTC"	PASSED	0.000 s
6	Then I can see the text "HP LP3065"	PASSED	0.000 s
7	And select delivery date '2023-11-30'	FAILED	0.001 s
<p>io.cucumber.core.exception.CucumberException: Step [select delivery date {string}] is defined with 3 parameters at 'com.tutorialsninja.steps.DesktopsSteps.selectDeliveryDate(int,int,int)'. However, the gherkin step has 1 arguments: * '2023-11-30' Step text: select delivery date '2023-11-30'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621)</p>			

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And enter qty 1 using select class	SKIPPED	0.000 s
9	And click on 'Add to Cart' button	SKIPPED	0.001 s
10	Then I can see the text "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And I click on link 'shopping cart' display into success message	SKIPPED	0.000 s
12	Then I can see the text 'Shopping Cart'	SKIPPED	0.001 s
13	Then I can see the Product name "HP LP3065"	SKIPPED	0.000 s
14	Then I can see the Delivery Date "2022-11-30"	SKIPPED	0.000 s
15	Then I can see the 'Touch HD'	SKIPPED	0.000 s
16	Then I can see the 'Product 1 £74.73'	SKIPPED	0.000 s

verify product arranged in alphabetical order

FAILED DURATION - 0.011 s / 8:09:58.245 am // 8:09:58.256 am / Desktop page test cases @smoke @regression @author-Anany @sanity		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
--	--	---	--

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.001 s
3	And click on "Show AllDesktops"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
4	And select sort by the position "Name: A to Z"	PASSED	0.000 s
5	And Verify the Text "iPhone"	PASSED	0.000 s
6	Then I can see the text "HP LP3065"	PASSED	0.000 s
7	<p>And select delivery date '2023-11-30'</p> <p>io.cucumber.core.exception.CucumberException: Step [select delivery date {string}] is defined with 3 parameters at 'com.tutorialsninja.steps.DesktopsSteps.selectDeliveryDate(int,int,int)'. However, the gherkin step has 1 arguments: * '2023-11-30' Step text: select delivery date '2023-11-30'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p>	FAILED	0.003 s

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) </pre>		
8	And enter qty 1 using select class	SKIPPED	0.001 s
9	And click on 'Add to Cart' button	SKIPPED	0.000 s
10	Then I can see the text "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And I click on link 'shopping cart' display into success message	SKIPPED	0.000 s
12	Then I can see the text 'Shopping Cart'	SKIPPED	0.000 s
13	Then I can see the Product name "HP LP3065"	SKIPPED	0.000 s
14	Then I can see the Delivery Date "2022-11-30"	SKIPPED	0.001 s
15	Then I can see the 'product 11'	SKIPPED	0.000 s
16	Then I can see the '£75.46'	SKIPPED	0.000 s

verify product arranged in alphabetical order

FAILED DURATION - 0.007 s		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
/ 8:09:58.268 am // 8:09:58.275 am /			
Desktop page test cases			
@smoke @regression @author-Anany @sanity			

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.000 s
3	And click on "Show AllDesktops"	PASSED	0.000 s
4	And select sort by the position "Name: A to Z"	PASSED	0.000 s
5	And Verify the Text "iPod Classic"	PASSED	0.000 s
6	Then I can see the text "HP LP3065"	PASSED	0.001 s

#	Step / Hook Details	Status	Duration
7	<p>And select delivery date '2023-11-30'</p> <p>io.cucumber.core.exception.CucumberException: Step [select delivery date {string}] is defined with 3 parameters at 'com.tutorialsninja.steps.DesktopsSteps.selectDeliveryDate(int,int,int)'. However, the gherkin step has 1 arguments: * '2023-11-30' Step text: select delivery date '2023-11-30'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p>	FAILED	0.001 s

#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And enter qty 1 using select class	SKIPPED	0.000 s
9	And click on 'Add to Cart' button	SKIPPED	0.000 s
10	Then I can see the text "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And I click on link 'shopping cart' display into success message	SKIPPED	0.000 s
12	Then I can see the text 'Shopping Cart'	SKIPPED	0.000 s
13	Then I can see the Product name "HP LP3065"	SKIPPED	0.000 s
14	Then I can see the Delivery Date "2022-11-30"	SKIPPED	0.000 s
15	Then I can see the 'product 20'	SKIPPED	0.000 s
16	Then I can see the '£74.73'	SKIPPED	0.000 s

verify product arranged in alphabetical order



FAILED DURATION - 0.005 s / 8:09:58.286 am // 8:09:58.291 am / Desktop page test cases @smoke @regression @author-Anany @sanity		Steps Total - 16 Pass - 6 Fail - 1 Skip - 9	
--	--	---	--

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.000 s
3	And click on "Show AllDesktops"	PASSED	0.000 s
4	And select sort by the position "Name: A to Z"	PASSED	0.000 s
5	And Verify the Text "MacBook"	PASSED	0.000 s
6	Then I can see the text "HP LP3065"	PASSED	0.000 s
7	And select delivery date '2023-11-30'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [select delivery date {string}] is defined with 3 parameters at 'com.tutorialsninja.steps.DesktopsSteps.selectDeliveryDate(int,int,int)'. However, the gherkin step has 1 arguments: * '2023-11-30' Step text: select delivery date		

#	Step / Hook Details	Status	Duration
	<p>'2023-11-30'</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:56)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:84)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:75)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227)</p> <p>at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50)</p> <p>at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957)</p> <p>at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200)</p> <p>at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148)</p> <p>at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128)</p> <p>at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)</p> <p>at org.testng.TestRunner.privateRun(TestRunner.java:848)</p> <p>at org.testng.TestRunner.run(TestRunner.java:621)</p> <p>at org.testng.SuiteRunner.runTest(SuiteRunner.java:443)</p> <p>at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437)</p> <p>at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397)</p> <p>at org.testng.SuiteRunner.run(SuiteRunner.java:336)</p> <p>at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52)</p> <p>at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95)</p> <p>at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280)</p> <p>at org.testng.TestNG.runSuitesLocally(TestNG.java:1200)</p> <p>at org.testng.TestNG.runSuites(TestNG.java:1114)</p> <p>at org.testng.TestNG.run(TestNG.java:1082)</p> <p>at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66)</p>		

#	Step / Hook Details	Status	Duration
	at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And enter qty 1 using select class	SKIPPED	0.000 s
9	And click on 'Add to Cart' button	SKIPPED	0.000 s
10	Then I can see the text "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.001 s
11	And I click on link 'shopping cart' display into success message	SKIPPED	0.000 s
12	Then I can see the text 'Shopping Cart'	SKIPPED	0.000 s
13	Then I can see the Product name "HP LP3065"	SKIPPED	0.000 s
14	Then I can see the Delivery Date "2022-11-30"	SKIPPED	0.000 s
15	Then I can see the 'Product 16'	SKIPPED	0.000 s
16	Then I can see the '£368.73'	SKIPPED	0.000 s

verify product arranged in alphabetical order



FAILED		DURATION - 0.005 s			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 8:09:58.300 am // 8:09:58.305 am /						
Desktop page test cases						
@smoke @regression @author-Anany @sanity						

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.000 s
3	And click on "Show AllDesktops"	PASSED	0.000 s
4	And select sort by the position "Name: A to Z"	PASSED	0.001 s
5	And Verify the Text "MacBook Air"	PASSED	0.000 s
6	Then I can see the text "HP LP3065"	PASSED	0.000 s
7	And select delivery date '2023-11-30'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [select delivery date {string}] is defined with 3 parameters at 'com.tutorialsninja.steps.DesktopsSteps.selectDeliveryDate(int,int,int)'. However, the gherkin step has 1 arguments: * '2023-11-30' Step text: select delivery date '2023-11-30' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And enter qty 1 using select class	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
9	And click on 'Add to Cart' button	SKIPPED	0.001 s
10	Then I can see the text "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And I click on link 'shopping cart' display into success message	SKIPPED	0.000 s
12	Then I can see the text 'Shopping Cart'	SKIPPED	0.000 s
13	Then I can see the Product name "HP LP3065"	SKIPPED	0.000 s
14	Then I can see the Delivery Date "2022-11-30"	SKIPPED	0.000 s
15	Then I can see the 'Product 17'	SKIPPED	0.000 s
16	Then I can see the '£736.23'	SKIPPED	0.001 s

verify product arranged in alphabetical order

<div>FAILED</div> <div>DURATION - 0.006 s</div>			<div>Steps</div> <div>Total - 16</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 9</div>	
/ 8:09:58.313 am // 8:09:58.319 am /				
Desktop page test cases				
@smoke @regression @author-Anany @sanity				

#	Step / Hook Details	Status	Duration
1	Given I am on the homepage	PASSED	0.000 s
2	And I hover on the Desktops tab and click	PASSED	0.000 s
3	And click on "Show AllDesktops"	PASSED	0.000 s
4	And select sort by the position "Name: A to Z"	PASSED	0.000 s
5	And Verify the Text "Sony VAIO"	PASSED	0.000 s
6	Then I can see the text "HP LP3065"	PASSED	0.000 s
7	And select delivery date '2023-11-30'	FAILED	0.001 s
	io.cucumber.core.exception.CucumberException: Step [select delivery date {string}] is defined with 3 parameters at 'com.tutorialsninja.steps.DesktopsSteps.selectDeliveryDate(int,int,int)'. However, the gherkin step has 1 arguments: * '2023-11-30' Step text: select delivery date '2023-11-30' at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.TestStep.run(TestStep.java:56)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:139) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:664) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:227) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:957) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:200) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:148) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:848) at org.testng.TestRunner.run(TestRunner.java:621) at org.testng.SuiteRunner.runTest(SuiteRunner.java:443) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:437) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:397) at org.testng.SuiteRunner.run(SuiteRunner.java:336) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1280) at org.testng.TestNG.runSuitesLocally(TestNG.java:1200) at org.testng.TestNG.runSuites(TestNG.java:1114) at org.testng.TestNG.run(TestNG.java:1082) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:66) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105)		
8	And enter qty 1 using select class	SKIPPED	0.000 s
9	And click on 'Add to Cart' button	SKIPPED	0.000 s
10	Then I can see the text "Success: You have added HP LP3065 to your shopping cart!"	SKIPPED	0.000 s
11	And I click on link 'shopping cart' display into success message	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
12	Then I can see the text 'Shopping Cart'	SKIPPED	0.000 s
13	Then I can see the Product name "HP LP3065"	SKIPPED	0.000 s
14	Then I can see the Delivery Date "2022-11-30"	SKIPPED	0.000 s
15	Then I can see the 'Product 19'	SKIPPED	0.000 s
16	Then I can see the '£736.23'	SKIPPED	0.000 s